FORM A: BID (See B7)

1.	Contract Litle	PROVISION OF SEWING AND ALTERA	TION SERVICES
2.	Bidder		
		Name of Bidder	
		Usual Business Name of Bidder as it appears on Inv	voice (if different from above)
		Street	
	(Mailing address if different)	City Province	Postal Code
		Facsimile Number	
		Street or P.O. Box	
		City Province	Postal Code
		GST Registration Number (if applicable)	
		The Bidder is:	
	(Choose one)	a sole proprietor	
		a partnership	
		a corporation	
		carrying on business under the above nar	me.
3.	Contact Person	The Bidder hereby authorizes the following the Bidder for purposes of the Bid.	ng contact person to represen
		Contact Person Title	
		Telephone Number Facsimile N	lumber
4.	Definitions	All capitalized terms used in the Cont ascribed to them in the General Condition	
5.	Offer	The Bidder hereby offers to perform the Contract for the Price(s), in Canadian fur appended hereto.	

6.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a notice of award authorizing the commencement of the Work.
7.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
8.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
9.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of thirty (30) Calendar Days following the Submission Deadline.
10.	Signatures	The Bidder or the Bidder's authorized official or officials have signed this
		, 20
		Signature of Bidder or Bidder's Authorized Official or Officials
		(Print here name and official capacity of individual whose signature appears above)
		(Print here name and official capacity of individual whose signature appears above)

FORM B: PRICES

(See B8)

PROVISION OF SEWING AND ALTERATION SERVICES

ITEM NO.	DESCRIPTION	UNIT	APPROX. ANNUAL QTY	YEAR 1	YEAR 2	YEAR 3
	SECTION A "AREA A"					
	PANTS					
1.	Stock pant hem only	Pr	613			
2.	Re-hem pants (stitching let go)	Pr	40			
3.	Lengthen or shorten	Pr	50			
4.	Take in/let out waist & seat	Pr	32			
5.	Take in/let out waist, seat & rise	Pr	13			
6.	Take in/let out seat & rise of pants	Pr	20			
7.	Remove red stripe from pants	Ea	4			
8.	Remove red strip and re-hem	Pr	5			
9.	Re-stitch red stripe to outer pant leg	Pr	5			
10.	Replace fly zipper	Ea	3			
11.	Lower waist band	Ea	3			
12.	Taper legs on pants	Pr	3			
13.	Replace clasp at waist on pants	Ea	3			
14.	Sew wide red stripe on pants	Pr	5			
15.	Reinforce crotch with material, both sides of legs	Pr	3			
16.	Repair inside seams – each leg	Pr	5			
17.	Line 1 pr. Pant	Pr	3			
18.	Cuff pants	Pr	5			
19.	Hem shorts	Pr	3			
20.	Cuff shorts	Pr	3			
21.	Sew gusset into crotch of pants or shorts	Pr	4			
	BREECHES					
22.	Install new leg (calf) zipper	Ea	5			
23.	Take in/let out calf bottom	Pr	3			
24.	Let out seams on thighs of breeches	Pr	3			

FORM B: PRICES

(See B8)

PROVISION OF SEWING AND ALTERATION SERVICES

ITEM NO.	DESCRIPTION	UNIT	APPROX. ANNUAL QTY	YEAR 1	YEAR 2	YEAR 3
	TUNICS					
25.	Lengthen/shorten sleeves	Pr	17			
26.	Take in/let out one side seam	Ea	20			
27.	Take in/let out two side seams	Pr	18			
28.	Take in/let out through arm hole	Ea	16			
29.	Take in/let out arm hole	Ea	16			
30.	Take in/let out centre back	Ea	16			
31.	Square shoulders	Pr	16			
32.	Shorten tunic belt	Ea	16			
33.	Install/remove belt loops on tunic	Ea	16			
34.	Replace belt buckle	Ea	3			
	PATROL JACKET & WINTER PARKA					
35.	Lengthen/shorten sleeves	Pr	10			
36.	Move storm cuffs on parka	Ea	8			
37.	Sew leather binding on cuffs of parka	Pr	3			
38.	Replace zipper on parka	Ea	12			
39.	Replace zipper on patrol jacket	Ea	10			
40.	Replace inner lining zipper in patrol jacket	Ea	7			
41.	Install new side zipper in patrol jacket (8-10 in. long) 7 cut lining to adjust to fit zipper opening	Ea	7			
42.	Change size buttons patrol jacket	Ea	3			
43.	Replace dome snaps on patrol jacket	Set	8			
44.	Replace Velcro strap on radio pocket	Ea	6			
45.	Repair underarm seam on parka and patrol jacket	Ea	6			
46.	Repair stitching at epaulette on jacket	Ea	3			
47.	Install leather bound baton slot	Ea	4			

FORM B: PRICES

(See B8)

PROVISION OF SEWING AND ALTERATION SERVICES

ITEM NO.	DESCRIPTION	UNIT	APPROX. ANNUAL QTY	YEAR 1	YEAR 2	YEAR 3
48.	Remove baton slot and close hole	Ea	3			
49.	Sew flashes to outershell only, through zipper on sleeves (no needle punctures of blood borne resistant liner)	Ea	13			
	SHIRTS					
50. 51.	Shorten sleeves two inches Shorten sleeves over two inches and	Pr	10			
	move placket	Pr	10			
52.	Make short sleeve from long sleeves	Pr	3			
53.	Shorten body on shirt	Pr	3			
54.	Taper shirts	Ea	3			
55.	Repair Velcro on shirt pocket	Ea	1			
	RAINCOATS					
56.	Shorten sleeves	Ea	6			
57.	Shorten body length	Ea	3			
58.	Replace dome snap on raincoat	Ea	3			
	GENERAL TAILORING					
59.	Shorten numbered epaulettes (1 pr.)	Ea	3			
60.	Widen numbered epaulettes (1 pr.)	Pr	3			
61.	Sew on two shoulder flashes	Pr	26			
62.	Shorten straps on soft body armour vests	Vest	12			
63.	Sew on buttons (ea)	Ea	66			
64.	Remove existing buttons and sew on new buttons (Department to supply buttons) (ea)	Ea	36			
65.	Remove Crests on shirts	Ea	111			
66.	Remove Crests on Bomber Jackets	Ea	55			

FORM B: PRICES

(See B8)

PROVISION OF SEWING AND ALTERATION SERVICES

ITEM NO.	DESCRIPTION	UNIT	APPROX. ANNUAL QTY	YEAR 1	YEAR 2	YEAR 3
67.	Shorten pants to be made into shorts	Pr	3			
68.	Eyelets on shirts	Ea	10			
69.	Eyelets on tunic	Ea	6			
70.	Pants produced/fabric provided	Ea	8			
71.	Shorts produced/fabric provided	Ea	8			
72.	Letting in/out seams on thighs of pants	Ea	5			

Location of Store North of the Assiniboine River						
Name of Bidder						

FORM B: PRICES

UNIT	PRICES					
ITEM NO.	DESCRIPTION	UNIT	APPROX. ANNUAL QTY	YEAR 1	YEAR 2	YEAR 3
	SECTION B "AREA B"					
	PANTS					
1.	Stock pant hem only	Pr	613			
2.	Re-hem pants (stitching let go)	Pr	40			
3.	Lengthen or shorten	Pr	50			
4.	Take in/let out waist & seat	Pr	32			
5.	Take in/let out waist, seat & rise	Pr	13			
6.	Take in/let out seat & rise of pants	Pr	20			
7.	Remove red stripe from pants	Ea	4			
8.	Remove red strip and re-hem	Pr	10			
9.	Re-stitch red stripe to outer pant leg	Pr	5			
10.	Replace fly zipper	Ea	3			
11.	Lower waist band	Ea	3			
12.	Taper legs on pants	Pr	3			
13.	Replace clasp at waist on pants	Ea	3			
14.	Sew wide red stripe on pants	Pr	6			
15.	Reinforce crotch with material, both sides of legs	Pr	3			
16.	Repair inside seams – each leg	Pr	5			
17.	Line 1 pr. Pant	Pr	3			
18.	Cuff pants	Pr	5			
19.	Hem shorts	Pr	3			
20.	Cuff shorts	Pr	3			
21.	Sew gusset into crotch of pants or shorts	Pr	4			
	BREECHES					
22.	Install new leg (calf) zipper	Ea	5			
23.	Take in/let out calf bottom	Pr	3			
24.	Let out seams on thighs of breeches	Pr	3			

FORM B: PRICES

ITEM	PRICES DESCRIPTION	UNIT	APPROX.	YEAR 1	YEAR 2	YEAR 3
NO.	DESCRIPTION	ONT	ANNUAL QTY	TEAN	TEANZ	TEAR
	TUNICS					
25.	Lengthen/shorten sleeves	Pr	17			
26.	Take in/let out one side seam	Ea	20			
27.	Take in/let out two side seams	Pr	18			
28.	Take in/let out through arm hole	Ea	16			
29.	Take in/let out arm hole	Ea	16			
30.	Take in/let out centre back	Ea	16			
31.	Square shoulders	Pr	16			
32.	Shorten tunic belt	Ea	16			
33.	Install/remove belt loops on tunic	Ea	16			
34.	Replace belt buckle	Ea	3			
	PATROL JACKET & WINTER PARKA					
35.	Lengthen/shorten sleeves	Pr	10			
36.	Move storm cuffs on parka	Ea	8			
37.	Sew leather binding on cuffs of parka	Pr	3			
38.	Replace zipper on parka	Ea	12			
39.	Replace zipper on patrol jacket	Ea	10			
40.	Replace inner lining zipper in patrol jacket	Ea	7			
41.	Install new side zipper in patrol jacket (8-10 in. long) 7 cut lining to adjust to fit zipper opening	Ea	3			
42.	Change size buttons patrol jacket	Ea	3			
43.	Replace dome snaps on patrol jacket	Set	8			
44.	Replace Velcro strap on radio pocket	Ea	6			
45	Repair underarm seam on parka and patrol jacket	Ea	6			
46.	Repair stitching at epaulette on jacket	Ea	3			
47.	Install leather bound baton slot	Ea	4			

FORM B: PRICES

UNIT	PRICES					
ITEM NO.	DESCRIPTION	UNIT	APPROX. ANNUAL QTY	YEAR 1	YEAR 2	YEAR 3
48.	Remove baton slot and close hole	Ea	3			
49.	Sew flashes to outershell only, through zipper on sleeves (no needle punctures of blood borne resistant liner)	Ea	13			
	SHIRTS					
50.	Shorten sleeves two inches	Pr	10			
51.	Shorten sleeves over two inches and move placket	Pr	10			
52.	Make short sleeve from long sleeves	Pr	3			
53.	Shorten body on shirt	Pr	3			
54.	Taper shirts	Ea	3			
55.	Repair Velcro on shirt pocket	Ea	1			
	RAINCOATS					
56.	Shorten sleeves	Ea	6			
57.	Shorten body length	Ea	3			
58.	Replace dome snap on raincoat	Ea	3			
	GENERAL TAILORING					
59.	Shorten numbered epaulettes (1 pr.)	Ea	3			
60.	Widen numbered epaulettes (1 pr.)	Pr	3			
61. 62.	Sew on two shoulder flashes Shorten straps on soft body armour	Pr	26			
	vests	Vest	12			
63.	Sew on buttons (ea)	Ea	66			
64.	Remove existing buttons and sew on new buttons (Department to supply buttons) (ea)	Ea	36			
65.	Remove Crests on shirts	Ea	111			
66.	Remove Crests on Bomber Jackets	Ea	55			
67.	Shorten pants to be made into shorts	Pr	3			

FORM B: PRICES

UNIT	PRICES					
ITEM NO.	DESCRIPTION	UNIT	APPROX. ANNUAL QTY	YEAR 1	YEAR 2	YEAR 3
68.	Eyelets on shirts	Ea	10			
69.	Eyelets on tunic	Ea	6			
70.	Pants produced/fabric provided	Ea	8			
71.	Shorts produced/fabric provided	Ea	8			
72.	Letting in/out seams on thighs of pants	Ea	5			

Location of Store East of the Red River _	
	Name of Bidder

FORM B: PRICES

UNIT	PRICES					
ITEM NO.	DESCRIPTION	UNIT	APPROX. ANNUAL QTY	YEAR 1	YEAR 2	YEAR 3
	SECTION C "AREA C"					
	PANTS					
1.	Stock pant hem only	Pr	613			
2.	Re-hem pants (stitching let go)	Pr	40			
3.	Lengthen or shorten	Pr	50			
4.	Take in/let out waist & seat	Pr	32			
5.	Take in/let out waist, seat & rise	Pr	13			
6.	Take in/let out seat & rise of pants	Pr	20			
7.	Remove red stripe from pants	Ea	4			
8.	Remove red strip and re-hem	Pr	10			
9.	Re-stitch red stripe to outer pant leg	Pr	5			
10.	Replace fly zipper	Ea	3			
11.	Lower waist band	Ea	3			
12.	Taper legs on pants	Pr	3			
13.	Replace clasp at waist on pants	Ea	3			
14.	Sew wide red stripe on pants	Pr	6			
15.	Reinforce crotch with material, both sides of legs	Pr	3			
16.	Repair inside seams – each leg	Pr	5			
17.	Line 1 pr. Pant	Pr	3			
18.	Cuff pants	Pr	5			
19.	Hem shorts	Pr	3			
20.	Cuff shorts	Pr	3			
21.	Sew gusset into crotch of pants or shorts	Pr	4			
	BREECHES					
22.	Install new leg (calf) zipper	Ea	5			
23.	Take in/let out calf bottom	Pr	3			
24.	Let out seams on thighs of breeches	Pr	3			

FORM B: PRICES

ITEM	PRICES DESCRIPTION	UNIT	APPROX.	YEAR 1	YEAR 2	YEAR 3
NO.			ANNUAL QTY			
	TUNICS					
25.	Lengthen/shorten sleeves	Pr	17			
26.	Take in/let out one side seam	Ea	20			
27.	Take in/let out two side seams	Pr	18			
28.	Take in/let out through arm hole	Ea	16			
29.	Take in/let out arm hole	Ea	16			
30.	Take in/let out centre back	Ea	16			
31.	Square shoulders	Pr	16			
32.	Shorten tunic belt	Ea	16			
33.	Install/remove belt loops on tunic	Ea	16			
34.	Replace belt buckle	Ea	3			
	PATROL JACKET & WINTER PARKA					
35.	Lengthen/shorten sleeves	Pr	10			
36.	Move storm cuffs on parka	Ea	8			
37.	Sew leather binding on cuffs of parka	Pr	3			
38.	Replace zipper on parka	Ea	12			
39.	Replace zipper on patrol jacket	Ea	10			
40.	Replace inner lining zipper in patrol jacket	Ea	7			
41.	Install new side zipper in patrol jacket (8-10 in. long) 7 cut lining to adjust to fit zipper opening	Ea	3			
42.	Change size buttons patrol jacket	Ea	3			
43.	Replace dome snaps on patrol jacket	Set	8			
44.	Replace Velcro strap on radio pocket	Ea	6			
45.	Repair underarm seam on parka and patrol jacket	Ea	6			
46.	Repair stitching at epaulette on jacket	Ea	3			
47.	Install leather bound baton slot	Ea	4			

FORM B: PRICES

UNIT	PRICES					
ITEM NO.	DESCRIPTION	UNIT	APPROX. ANNUAL QTY	YEAR 1	YEAR 2	YEAR 3
48.	Remove baton slot and close hole	Ea	3			
49.	Sew flashes to outershell only, through zipper on sleeves (no needle punctures of blood borne resistant liner)	Ea	13			
	SHIRTS					
50.	Shorten sleeves two inches	Pr	10			
51.	Shorten sleeves over two inches and move placket	Pr	10			
52.	Make short sleeve from long sleeves	Pr	3			
53.	Shorten body on shirt	Pr	3			
54.	Taper shirts	Ea	3			
55.	Repair Velcro on shirt pocket	Ea	1			
	RAINCOATS					
56.	Shorten sleeves	Ea	6			
57.	Shorten body length	Ea	3			
58.	Replace dome snap on raincoat	Ea	3			
	GENERAL TAILORING					
59.	Shorten numbered epaulettes (1 pr.)	Ea	3			
60.	Widen numbered epaulettes (1 pr.)	Pr	3			
61.	Sew on two shoulder flashes	Pr	26			
62.	Shorten straps on soft body armour vests	Vest	12			
63.	Sew on buttons (ea)	Ea	66			
64.	Remove existing buttons and sew on new buttons (Department to supply buttons) (ea)	Ea	36			
65.	Remove Crests on shirts	Ea	111			
66.	Remove Crests on Bomber Jackets	Ea	55			
67.	Shorten pants to be made into shorts	Pr	3			

FORM B: PRICES

UNIT	PRICES					
ITEM NO.	DESCRIPTION	UNIT	APPROX. ANNUAL QTY	YEAR 1	YEAR 2	YEAR 3
68.	Eyelets on shirts	Ea	10			
69.	Eyelets on tunic	Ea	6			
70.	Pants produced/fabric provided	Ea	8			
71.	Shorts produced/fabric provided	Ea	8			
72.	Letting in/out seams on thighs of pants	Ea	5			

Location of Store South of the Assiniboine River	
Name of E	Ridder