


- REFERENCE NOTES**
- PAVEMENT DIMENSIONS ARE TO BACK OF CURB
 - BASELINE IS CENTRE LINE RIGHT-OF-WAY
 - PROPERTY LINES OBTAINED FROM CITY OF WINNIPEG L.B.I.S., AND NO SCALE FACTOR WAS APPLIED
 - REFER TO AECOM FIELD BOOK NO. 4798

- CONSTRUCTION NOTES**
- PLACE NEW ASPHALTIC PAVEMENT TYPE 1A (AVERAGE THICKNESS 85mm)
 - REMOVE EXISTING CONCRETE PAVEMENT AND CONSTRUCT NEW 200mm REINFORCED CONCRETE PAVEMENT c/w 85mm ASPHALT OVERLAY
 - REMOVE EXISTING FRAME AND COVER AND INSTALL NEW FRAME AND COVER
 - ADJUST EXISTING MANHOLE/CATCH BASIN TO GRADE
 - INSTALL NEW CAST IRON RISER RING
 - CONSTRUCT NEW BARRIER CURB (150mm REVEAL HT. SEPARATE)
 - CONSTRUCT NEW MODIFIED BARRIER CURB (150mm REVEAL HT. DOWELLED)
 - CONSTRUCT NEW RAMP CURB (10mm REVEAL HT. MONOLITHIC)
 - REMOVE EXISTING PATIO BLOCK BUS PAD AND CONSTRUCT NEW 100mm CONCRETE PUS PAD
 - RENEW EXISTING 100mm CONCRETE SIDEWALK
 - ADJUST EXISTING WATER VALVE TO GRADE
 - ADJUST EXISTING CURB STOP
 - REMOVE AND REINSTALL EXISTING PAVERS
 - REMOVE AND REINSTALL EXISTING PATIO BLOCKS



METRIC
WHOLE NUMBERS INDICATE MILLIMETRES
DECIMALIZED NUMBERS INDICATE METRES

EXISTING	LEGEND - PLAN	PROPOSED	EXISTING	LEGEND - PLAN	PROPOSED	EXISTING	LEGEND - PROFILE	PROPOSED
150 mm W.M.	WATERMAIN	150 mm W.M.	HYDRO	M.T.S.	CONCRETE	ASPHALT	PROPERTY LINE	SURVEY BAR
300mm L.D.S.	LAND DRAINAGE SEWER	300mm L.D.S.	CONCRETE	PROPERTY LINE	ASPHALT	PROPERTY LINE	SURVEY BAR	ELEVATION (35.750)
250mm W.W.S.	WASTEWATER SEWER	250mm W.W.S.	CONCRETE	PROPERTY LINE	ASPHALT	PROPERTY LINE	SURVEY BAR	ELEVATION (35.750)
MANHOLE	MANHOLE	MANHOLE	CONCRETE	PROPERTY LINE	ASPHALT	PROPERTY LINE	SURVEY BAR	ELEVATION (35.750)
CATCH BASIN	CATCH BASIN	CATCH BASIN	CONCRETE	PROPERTY LINE	ASPHALT	PROPERTY LINE	SURVEY BAR	ELEVATION (35.750)
CURB INLET	CURB INLET	CURB INLET	CONCRETE	PROPERTY LINE	ASPHALT	PROPERTY LINE	SURVEY BAR	ELEVATION (35.750)
JUNCTIONS	JUNCTIONS	JUNCTIONS	CONCRETE	PROPERTY LINE	ASPHALT	PROPERTY LINE	SURVEY BAR	ELEVATION (35.750)
CULVERT	CULVERT	CULVERT	CONCRETE	PROPERTY LINE	ASPHALT	PROPERTY LINE	SURVEY BAR	ELEVATION (35.750)
GAS	GAS	GAS	CONCRETE	PROPERTY LINE	ASPHALT	PROPERTY LINE	SURVEY BAR	ELEVATION (35.750)
EXISTING	LEGEND - PLAN	PROPOSED	EXISTING	LEGEND - PLAN	PROPOSED	EXISTING	LEGEND - PROFILE	PROPOSED


LOCATION APPROVED UNDERGROUND STRUCTURES

SUPV. U/G STRUCTURES COMMITTEE DATE

NOTE:
LOCATION OF UNDERGROUND STRUCTURES AS SHOWN ARE BASED ON THE BEST INFORMATION AVAILABLE. BUT NO GUARANTEE IS GIVEN THAT ALL EXISTING UTILITIES ARE SHOWN OR THAT THE GIVEN LOCATIONS ARE EXACT. CONFIRMATION OF EXISTENCE AND EXACT LOCATION OF ALL SERVICES MUST BE OBTAINED FROM THE INDIVIDUAL UTILITIES BEFORE PROCEEDING WITH CONSTRUCTION.

NO.	REVISIONS	DATE	BY
0	ISSUED FOR TENDER	05/30/2013	BC
A	ISSUED FOR REVIEW	05/17/2013	BC

DESIGNED BY	BC	CHECKED BY	KWR
DRAWN BY	SS/RT	APPROVED BY	
HOR. SCALE:	1:250	RELEASED FOR CONSTRUCTION BY:	05/08/2013
VERTICAL:	1:10		
DATE	MAY 2013	DATE	2013/05/01



THE CITY OF WINNIPEG
PUBLIC WORKS DEPARTMENT
ENGINEERING DIVISION

2013 LOCAL STREET RENEWAL PROGRAM

GARTON AVE. - KING EDWARD ST. TO INKSTER GARDEN DR.
PAVEMENT REHABILITATION
STATION 0+250 TO STATION 0+380

CITY DRAWING NUMBER
SHEET 3 OF 16

CONSULTANT DRAWING NO. CT03