Template Version: C420130321 - RW

#### FORM A: BID (See B7)

1.	Contract Title	2013 GRANULAR LANE IMPROVEMENT PROGRAM – CONTRACT 2
2.	Bidder	Name of Bidder
		Usual Business Name of Bidder as it appears on Invoice (if different from above)
		Street
		City Province Postal Co
	(Mailing address if different)	Email Address of Bidder
		Facsimile Number
		Street or P.O. Box
	(Choose one)	City Province Postal Co
		The Bidder is:
		a sole proprietor
		a partnership
		a corporation
		carrying on business under the above name.
3.	Contact Person	The Bidder hereby authorizes the following contact person to represe the Bidder for purposes of the Bid.
		Contact Person Title
		Telephone Number Facsimile Number
4.	Definitions	All capitalized terms used in the Contract shall have the meaning ascribed to them in the General Conditions.
5.	Offer	The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form Prices, appended hereto.

Template Version: C420130321 - RW

6.	Bid Security	In accordance with B10.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

Template Version: C420130321 - RW

2.	Signatures	The Bidder or the Bidder's authorized official or officials have signed this

	day of , 20
Ī	Signature of Bidder or Bidder's Authorized Official or Officials
	(Print here name and official capacity of individual whose signature appears above)
	(Print here name and official capacity of individual whose signature appears above)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	HAVELOCK AVE / DODTLAND AVE LANE		HAVELO			
Α	PORTLAND AVE, ST DAVID RD AND ST G		HAVELO	JCK AVE,		
	TORTEAND AVE, OT DAVID NO AND OT OF			1		
	EARTH AND BASE WORKS					
A.1	Excavation	CW 3110-R17, E.14	m³	305		
A.2	Sub-Grade Compaction	CW 3110-R17	m²	755		
A.3	Crushed Sub-base Material	CW 3110-R17, E.16				
i)	50 mm - Limestone		m³	155		
A.4	Supplying and Placing Limestone Base Course Material	CW 3110-R17	m³	100		
A.5	Grading of Boulevards	CW 3110-R17	m²	110		
A.6	Separation Geotextile Fabric	CW 3130-R4	m²	755		
A.7	Surfacing Material	CW 3150-R4				
i)	Limestone		tonne	30		
A.8	Envirogrid	E.12	m²	45		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
A.9	Catch Basin Apron	E.11	each	1		
	ADJUSTMENTS					
A.10	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	1		
Α	HAVELOCK AVE / PORTLAND AVE LANE		HAVELO	OCK AVE,		
^	PORTLAND AVE, ST DAVID RD AND ST G	EORGE RD			Subtotal:	

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
В	CUNNINGTON AVE / SPRINGSIDE DR LANDAVE, SPRINGSIDE DR, KILARNEY ST AND			<u>IINGTON</u>		
	AVE, OF KINGGIDE DK, KILAKKET OF AND	 				
	EARTH AND BASE WORKS					
B.1	Excavation	CW 3110-R17, E.14	m³	880		
B.2	Sub-Grade Compaction	CW 3110-R17	m²	2195		
B.3	Crushed Sub-base Material	CW 3110-R17, E.16				
i)	50 mm - Limestone		m³	440		
B.4	Supplying and Placing Limestone Base Course Material	CW 3110-R17	m³	280		
B.5	Grading of Boulevards	CW 3110-R17	m²	310		
B.6	Separation Geotextile Fabric	CW 3130-R4	m²	2195		
B.7	Surfacing Material	CW 3150-R4				
i)	Limestone		tonne	75		
B.8	Envirogrid	E.12	m²	165		
B.9	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS Catch Basin Apron	E.11	each	2		
5.5	Caton Basin Apron	L.11	Gaoil			
	ADJUSTMENTS					
B.10	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	2		
В	CUNNINGTON AVE / SPRINGSIDE DR LAN AVE, SPRINGSIDE DR, KILARNEY ST AND	IINGTON	Subtotal:			

ITEM	DESCRIPTION	SPEC.	TINU	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
С	BIRCHDALE AVE / LAWNDALE AVE LANE	-BOUNDED BY	BIRCHE	DALE AVE,		
	LAWNDALE AVE, LYNDALE DR, AND CON	<u>ISTON ST</u>				
	EARTH AND BASE WORKS					
C.1	Excavation	CW 3110-R17, E.14	m³	660		
C.2	Sub-Grade Compaction	CW 3110-R17	m²	1640		
C.3	Crushed Sub-base Material	CW 3110-R17, E.16				
i)	50 mm - Limestone		m³	330		
C.4	Supplying and Placing Limestone Base Course Material	CW 3110-R17	m³	205		
C.5	Grading of Boulevards	CW 3110-R17	m²	180		
C.6	Separation Geotextile Fabric	CW 3130-R4	m²	1640		
C.7	Surfacing Material	CW 3150-R4				
i)	Limestone		tonne	45		
C.8	Envirogrid	E.12	m²	210		
	ROADWORKS - RENEWALS					
C.9	Pavement Removal	CW 3110-R17				
i)	Asphalt Pavement		m²	450		
С	BIRCHDALE AVE / LAWNDALE AVE LANE LAWNDALE AVE, LYNDALE DR, AND CON	PALE AVE,	Subtotal:			

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
D	<b>GOULET ST / MARION ST LANE - BOUNDE</b>	D BY GOULET	ST, MAR	RION ST, RUE		
	YOUVILLE, AND THE SEINE RIVER					
	FARTH AND BACE WORKS					
	EARTH AND BASE WORKS					
D.1	Excavation	CW 3110-R17,	m³	470		
		E.14				
D.2	Sub-Grade Compaction	CW 3110-R17	m²	1165		
D.3	Crushed Sub-base Material	CW 3110-R17,				
D.3	Crusiled Sub-base Material	E.16				
i)	50 mm - Limestone	2.10	m³	235		
,						
D.4	Supplying and Placing Limestone Base	CW 3110-R17	m³	150		
	Course Material					
D.5	Grading of Boulevards	CW 3110-R17	m²	130		
	-					
D.6	Separation Geotextile Fabric	CW 3130-R4	m²	1165		
D 7	Confesion Metarial	0)4/ 0450 D4				
D.7	Surfacing Material	CW 3150-R4				
i)	Limestone		tonne	35		
.,			1011110	33		
D.8	Envirogrid	E.12	m²	145		
	ROADWORKS - RENEWALS					
	NOADWORKS - RENEWALS					
D.9	Pavement Removal	CW 3110-R17				
i)	Asphalt Pavement		m²	1165		
	COULET OT (MADION OT LANE. BOLING	D DV 00111 57	OT 1445	NON OT DUE		
D	GOULET ST / MARION ST LANE - BOUNDE YOUVILLE, AND THE SEINE RIVER	D BY GOULET	SI, MAR	NON SI, RUE	Subtotal:	
	TOUVILLE, AND THE SEINE RIVER					


ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
E	<b>DOUCET ST / MARION ST LANE - BOUNDE</b>	D BY DOUCET	ST, MAF	RION ST,		
	<b>DUFRESNE AVE AND ARCHIBALD ST</b>					
	EARTH AND BASE WORKS					
E.1	Excavation	CW 3110-R17,	m³	355		
		E.14				
E.2	Sub-Grade Compaction	CW 3110-R17	m²	880		
E.3	Crushed Sub-base Material	CW 3110-R17,				
.,	50 1: 4	E.16	2	400		
i)	50 mm - Limestone		m³	180		
E.4	Supplying and Placing Limestone Base	CW 3110-R17	m³	115		
LT	Course Material	OW 3110-1(17	""	113		
		OW 2440 D47	2	100		
E.5	Grading of Boulevards	CW 3110-R17	m²	100		
E.6	Separation Geotextile Fabric	CW 3130-R4	m²	880		
L.0	ocparation Scotoxille Labric	OW 0100 14		000		
E.7	Surfacing Material	CW 3150-R4				
i)	Limestone		tonne	25		
E.8	Envirogrid	E.12	m²	60		
	ROADWORKS - RENEWALS					
E.9	Pavement Removal	CW 3110-R17				
:\	Asshalt Dayamant		m²	880		
i)	Asphalt Pavement		111-	880		
	DOUCET ST / MARION ST LANE - BOUNDE	D BY DOLICET	ST MAE	L NOIS		
E	DUFRESNE AVE AND ARCHIBALD ST	D DI DOUCEI	GI, WAR	NON 31,	Subtotal:	
	DOT REGITE ATE AND ARGINDAED OF					

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F	GAGNON ST / ST CHARLES ST LANE - BO CHARLES ST, LEPINE AVE AND OXBOW E					
	EARTH AND BASE WORKS					
F.1	Excavation	CW 3110-R17, E.14	m³	455		
F.2	Sub-Grade Compaction	CW 3110-R17	m²	1130		
F.3	Crushed Sub-base Material	CW 3110-R17, E.16				
i)	50 mm - Limestone		m³	230		
F.4	Supplying and Placing Limestone Base Course Material	CW 3110-R17	m³	145		
F.5	Grading of Boulevards	CW 3110-R17	m²	190		
F.6	Separation Geotextile Fabric	CW 3130-R4	m²	1130		
F.7	Surfacing Material	CW 3150-R4				
i)	Limestone		tonne	45		
F.8	Envirogrid	E.12	m²	90		
F	GAGNON ST / ST CHARLES ST LANE - BO CHARLES ST, LEPINE AVE AND OXBOW E	т, <b>s</b> т.	Subtotal:	_		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
G	HARRIS BLVD / OAKDEAN BLVD LANE - B		ARRIS B	LVD,		
	OAKDEAN BLVD, EMO AVE, AND PORTAG	<u> </u>				
	EARTH AND BASE WORKS					
G.1	Excavation	CW 3110-R17, E.14	m³	935		
G.2	Sub-Grade Compaction	CW 3110-R17	m²	2325		
G.3	Crushed Sub-base Material	CW 3110-R17, E.16				
i)	50 mm - Limestone		m³	470		
G.4	Supplying and Placing Limestone Base Course Material	CW 3110-R17	m³	295		
G.5	Grading of Boulevards	CW 3110-R17	m²	250		
G.6	Separation Geotextile Fabric	CW 3130-R4	m²	2325		
G.7	Surfacing Material	CW 3150-R4				
i)	Limestone		tonne	60		
G.8	Envirogrid	E.12	m²	65		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
G.9	Catch Basin Apron	E.11	each	1		
	ADJUSTMENTS					
G.10	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	2		
G	HARRIS BLVD / OAKDEAN BLVD LANE - B OAKDEAN BLVD, EMO AVE, AND PORTAG		ARRIS B	LVD,	Subtotal:	
	CANDEAN BEVD, LING AVE, AND I ONTAC	<u>-                                    </u>				

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
н	AVE DE L'EGLISE / AVE ST THERESE LAN	D <u>E</u>				
""	L'EGLISE, AVE ST THERESE, RUE CAMPE	<u>AU, AND RUE L</u>	A BARR	RIERE		
	EARTH AND BASE WORKS					
H.1	Excavation	CW 3110-R17, E.14	m³	240		
H.2	Sub-Grade Compaction	CW 3110-R17	m²	590		
H.3	Crushed Sub-base Material	CW 3110-R17, E.16				
i)	50 mm - Limestone		m³	120		
H.4	Supplying and Placing Limestone Base Course Material	CW 3110-R17	m³	75		
H.5	Grading of Boulevards	CW 3110-R17	m²	70		
H.6	Separation Geotextile Fabric	CW 3130-R4	m²	590		
H.7	Surfacing Material	CW 3150-R4				
i)	Limestone		tonne	20		
H.8	Envirogrid	E.12	m²	55		
Н	AVE DE L'EGLISE / AVE ST THERESE LAN L'EGLISE, AVE ST THERESE, RUE CAMPE		Subtotal:			

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROBERTA AVE / GREENE AVE LANE -BOU	l .	EDTA A			
I	AVE, WOODVALE ST, AND HENDERSON H		<u>ERIA A</u>	VE, GREENE		
		<u> </u>				
	EARTH AND BASE WORKS					
I.1	Excavation	CW 3110-R17, E.14	m³	645		
1.2	Sub-Grade Compaction	CW 3110-R17	m²	1610		
1.3	Crushed Sub-base Material	CW 3110-R17, E.16				
i)	50 mm - Limestone		m³	325		
1.4	Supplying and Placing Limestone Base Course Material	CW 3110-R17	m³	205		
1.5	Grading of Boulevards	CW 3110-R17	m²	270		
1.6	Separation Geotextile Fabric	CW 3130-R4	m²	1610		
1.7	Surfacing Material	CW 3150-R4				
i)	Limestone		tonne	65		
1.8	Envirogrid	E.12	m²	150		
ı	ROBERTA AVE / GREENE AVE LANE -BOU	INDED BY ROB	ERTA A	VE, GREENE	Subtotal:	
'	AVE, WOODVALE ST, AND HENDERSON H	<u>lWY</u>			อนมเบเสเ.	



ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
	HAVELOCK AVE LANE - BOUNDED BY HA	VELOCK AVE,	ST GEO	RGE RD., ST		
J	GEORGE SCHOOL, AND ST ANDREWS RD	<u>)</u>		_		
	EARTH AND BASE WORKS					
J.1	Excavation	CW 3110-R17.	m³	420		
0.1	ZAGAVAGOT	E.14		120		
J.2	Sub-Grade Compaction	CW 3110-R17	m²	1050		
	·					
J.3	Crushed Sub-base Material	CW 3110-R17,				
		E.16				
i)	50 mm - Limestone		m³	215		
J.4	Supplying and Placing Limestone Base	CW 3110-R17	m³	135		
	Course Material					
J.5	Grading of Boulevards	CW 3110-R17	m²	115		
J.6	Separation Geotextile Fabric	CW 3130-R4	m²	1050		
1						
J.7	Surfacing Material	CW 3150-R4				
:\	Limontono		4	20		
i)	Limestone		tonne	30		
J.8	Envirogrid	E.12	m²	55		
0.0	Livilogila	L.12	'''	33		
	HAVELOCK AVE LANE - BOUNDED BY HA	VELOCK AVE	ST GFO	RGF RD ST		
J	HAVELOCK AVE LANE - BOUNDED BY HAVELOCK AVE, ST GEORGE RD., ST GEORGE SCHOOL, AND ST ANDREWS RD			102 110., 01	Subtotal:	
	<u></u>	-				

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
К	PROVISIONAL ITEMS					
	EARTH AND BASE WORKS					
<b>C.1</b>	Crushed Sub-base Material	CW 3110-R15, E.16				
i)	50 mm		m³	10		
ii)	100 mm		m³	10		
<b>3.2</b>	Surfacing Material	CW 3150-R4				
i)	Limestone		tonne	350		
(.3	Supply and Install Geogrid	CW 3135-R1	m²	50		
	ROADWORKS - RENEWALS					
<b>C.3</b>	Pavement Removal	CW 3110-R15				
i)	Concrete Pavement		m²	10		
ii)	Asphalt Pavement		m²	10		
4	Slab Replacement	CW 3230-R7				
i)	150 mm Concrete Pavement (Reinforced)		m²	10		
<b>.</b> .5	Partial Slab Patches	CW 3230-R7				
i)	150 mm Concrete Pavement (Type B)		m²	25		
6	Drilled Dowels	CW 3230-R7				
i)	19.1 mm Diameter		each	50		
7	Drilled Tie Bars	CW 3230-R7				
i)	20 M Deformed Tie Bar		each	55		
8	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
а	Less than 5 sq.m.		m²	10		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
K.9	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (180 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	15		
ii)	Modified Barrier (180 mm reveal ht, Dowelled)	SD-203B	m	10		
iii)	Curb Ramp (10-15 mm reveal ht, Integral)	SD-229C,D	m	6		
K.10	Construction of Asphaltic Concrete Overlay	CW 3410-R9				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	15		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
K.11	Catch Basin	CW 2130-R12				
i)	SD-025, 1200 mm deep		each	1		
ii)	SD-025, 1800 mm deep		each	1		
K.12	Drainage Connection Pipe	CW 2130-R12	m	45		
K.13	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	1		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	1		
iii)	AP-006 - Standard Grated Cover for Standard Frame		each	1		
K.14	Connecting to Existing Manhole	CW 2130-R12				
i)	250 mm Catch Basin Lead		each	1		
K.15	Corrugated Steel Pipe - Supply	CW 3610-R3				
i)	(300 mm, 1.6 gauge)		m	10		
K.16	Corrugated Steel Pipe - Install	CW 3610-R3				
i)	(300 mm, 1.6 gauge)		m	10		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
K.17	Catch Basin Apron	E.12	each	1		
	ADJUSTMENTS					
K.18	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	1		
K.19	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	1		
K.20	Adjustment of Valve Boxes	CW 3210-R7	each	3		
K.21	Curb Stop Extensions	CW 3210-R7	each	1		
	LANDSCAPING					
K.22	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	50		
K.23	Seeding	CW 3520-R7	m²	50		
К	PROVISIONAL ITEMS	l			Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	SUMMARY					
Α	HAVELOCK AVE / PORTLAND AVE LANE - PORTLAND AVE, ST DAVID RD AND ST GE		HAVELC	OCK AVE,	Subtotal:	
В	CUNNINGTON AVE / SPRINGSIDE DR LANE AVE, SPRINGSIDE DR, KILARNEY ST AND			INGTON	Subtotal:	
С	BIRCHDALE AVE / LAWNDALE AVE LANE : LAWNDALE AVE, LYNDALE DR, AND CONI		BIRCHD	ALE AVE,	Subtotal:	
D	GOULET ST / MARION ST LANE - BOUNDE YOUVILLE, AND THE SEINE RIVER	D BY GOULET	ST, MAR	ION ST, RUE	Subtotal:	
E	DOUCET ST / MARION ST LANE - BOUNDE DUFRESNE AVE AND ARCHIBALD ST	D BY DOUCET	ST, MAF	RION ST,	Subtotal:	
F	GAGNON ST / ST CHARLES ST LANE - BOU CHARLES ST, LEPINE AVE AND OXBOW B		SNON ST	r <u>, ST.</u>	Subtotal:	
G	HARRIS BLVD / OAKDEAN BLVD LANE - BOOKDEAN BLVD, EMO AVE, AND PORTAG		ARRIS B	LVD,	Subtotal:	
Н	AVE DE L'EGLISE / AVE ST THERESE LANI AVE ST THERESE, RUE CAMPEAU, AND R			DE L'EGLISE,	Subtotal:	
ı	ROBERTA AVE / GREENE AVE LANE -BOU AVE, WOODVALE ST, AND HENDERSON H		ERTA A	/E, GREENE	Subtotal:	
J	HAVELOCK AVE LANE - BOUNDED BY HAVELOCK SCHOOL, AND ST ANDREWS RD		ST GEOF	RGE RD., ST	Subtotal:	
K	PROVISIONAL ITEMS				Subtotal:	
TOTAL BID PRICE (GST extra) (in figures)						
in words)						

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B10)

#### **BID BOND**

(hereinafter called the "Principal") and

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 444-2013

2013 GRANULAR LANE IMPROVEMENT PROGRAM - CONTRACT 2

as more fully set out in the Bid Opportunity.

KNOW ALL MEN BY THESE PRESENTS THAT

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal)	
(Witness as to Principal if no seal)	Per:	(Seal)
	(Name of Surety)  By:  (Attorney-in-Fact)	(Seal)

(Seal)

Template Version: C420130321 - RW

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B10)

#### AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on \_\_\_\_\_\_, 20\_\_\_\_ for BID OPPORTUNITY NO. 444-2013 2013 GRANULAR LANE IMPROVEMENT PROGRAM - CONTRACT 2 in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this \_\_\_\_\_\_, 20\_\_\_\_\_\_, (Name of Surety) By: (Attorney-in-Fact)

# FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B10)

(Date)	
Corpo Materi 185 Ki	ity of Winnipeg rate Finance Department als Management Division ing Street, Main Floor peg MB R3B 1J1
RE:	BID SECURITY – BID OPPORTUNITY NO. 444-2013
	2013 GRANULAR LANE IMPROVEMENT PROGRAM – CONTRACT 2
Pursua	ant to the request of and for the account of our customer,
(Name	of Bidder)
WE H	EREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding aggregate
	Canadian dollars.
demar Letter payme	Standby Letter of Credit may be drawn on by you at any time and from time to time upon written and for payment made upon us by you. It is understood that we are obligated under this Standby of Credit for the payment of monies only and we hereby agree that we shall honour your demand for ent without inquiring whether you have a right as between yourself and our customer to make such and without recognizing any claim of our customer or objection by the customer to payment by us.
	mount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon ou or by formal notice in writing given to us by you if you desire such reduction or are willing that it be
Partial	drawings are permitted.
	ngage with you that all demands for payment made within the terms and currency of this Standby of Credit will be duly honoured if presented to us at:
(Addres	rs)
and w	e confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

# FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B10)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on July 27, 2013.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name	of bank or financial institution)
Per:	
	(Authorized Signing Officer)
Per:	
	(Authorized Signing Officer)