


REFERENCE NOTES

- A. PAVEMENT DIMENSIONS ARE TO BACK OF CURB
- B. BASELINE IS CENTRE LINE RIGHT-OF-WAY
- C. PROPERTY LINES OBTAINED FROM CITY OF WINNIPEG L.B.I.S., AND NO SCALE FACTOR WAS APPLIED
- D. REFER TO AECOM FIELD BOOK NO. 4797

CONSTRUCTION NOTES

1. REMOVE EXISTING CONCRETE PAVEMENT AND CONSTRUCT NEW ASPHALTIC PAVEMENT TYPE 1A (100mm)
2. REMOVE EXISTING CONCRETE PAVEMENT AND CONSTRUCT NEW 150mm REINFORCED CONCRETE PAVEMENT
3. REMOVE EXISTING CATCHBASIN AND ABANDON LEAD
4. INSTALL NEW CURB AND GUTTER INLET c/w CATCHBASIN (SD-024) AND CONNECT TO EXISTING 900 LDS
5. REMOVE EXISTING FRAME AND COVER AND INSTALL NEW FRAME AND COVER (AP-005 AND AP-004)
6. ADJUST EXISTING MANHOLE/CATCH BASIN TO GRADE
7. INSTALL NEW CAST IRON RISER RING
8. CONSTRUCT NEW BARRIER CURB AND GUTTER (180mm HT.)
9. CONSTRUCT NEW MODIFIED BARRIER CURB AND GUTTER (180mm HT. DOWELLED)
10. CONSTRUCT NEW RAMP CURB (10mm HT. INTEGRAL)
11. CONSTRUCT NEW LIP CURB AND GUTTER (40mm HT. INTEGRAL)
12. ADJUST EXISTING WATER VALVE TO GRADE
13. RENEW EXISTING 100mm CONCRETE SIDEWALK
14. ADJUST EXISTING CURB STOP
15. CONSTRUCT NEW MODIFIED BARRIER CURB (180mm HT. INTEGRAL)
16. CONSTRUCT NEW LIP CURB (10mm HT. INTEGRAL)
17. ADJUST EXISTING PAVING STONES
18. INSTALL 150mm SUBDRAIN



METRIC
WHOLE NUMBERS INDICATE MILLIMETRES
DECIMALIZED NUMBERS INDICATE METRES

150 mm W.M.	WATER MAIN	150 mm W.M.	HYDRO	— X —	C PROFILE
300mm L.D.S.	LAND DRAINAGE SEWER	300mm L.D.S.	M.T.S.	— □ —	NORTH/WEST GUTTER
250mm W.W.S.	WASTEWATER SEWER	250mm W.W.S.	CONCRETE	— ○ —	SOUTH/EAST GUTTER
	MANHOLE		ASPHALT	— ◇ —	N/W PROPERTY LINE
	CATCH BASIN		PROPERTY LINE	— ○ —	S/E PROPERTY LINE
	CURB INLET		SURVEY BAR		
	JUNCTIONS		ELEVATION		
	CULVERT		TREE		
	GAS		SIDEWALK RAMP		
EXISTING	LEGEND - PLAN	PROPOSED	CONCRETE SIDEWALK		
			FENCE		


LOCATION APPROVED UNDERGROUND STRUCTURES

SUPV. U/G STRUCTURES COMMITTEE DATE

NOTE:
LOCATION OF UNDERGROUND STRUCTURES AS SHOWN ARE BASED ON THE BEST INFORMATION AVAILABLE. BUT NO GUARANTEE IS GIVEN THAT ALL EXISTING UTILITIES ARE SHOWN OR THAT THE GIVEN LOCATIONS ARE EXACT. CONFIRMATION OF EXISTENCE AND EXACT LOCATION OF ALL SERVICES MUST BE OBTAINED FROM THE INDIVIDUAL UTILITIES BEFORE PROCEEDING WITH CONSTRUCTION.

B.M. 81R913 S.W. cor. Leila Ave. & Diplomat Dr. Tbt. on pipe, ELEV. 231.109 on S.L. Leila Ave. & 5.1m E. of W.L. Diplomat

DESIGNED BY	BC/SS	CHECKED BY	
DRAWN BY	SS/JT	APPROVED BY	
HOR. SCALE:	1:250	RELEASED FOR CONSTRUCTION BY:	
VERTICAL:	1:10	DATE	JUNE 11/13



THE CITY OF WINNIPEG
PUBLIC WORKS DEPARTMENT
ENGINEERING DIVISION

2013 LOCAL STREET RENEWAL PROGRAM

DIPLOMAT DRIVE - LEILA AVENUE TO TEMPLETON AVENUE
ASPHALT PAVEMENT RECONSTRUCTION
STATION 0+100 TO 0+228

CITY DRAWING NUMBER
SHEET 15 OF 17