

FORM A: BID
(See B7)

1. Contract Title PROVINCE OF MANITOBA/CITY OF WINNIPEG 2013
REGIONAL/LOCAL STREET RENEWAL PROGRAM, MCGILLIVRAY
BOULEVARD EASTBOUND, BRYN MAWR ROAD AND LAVAL DRIVE
– ASPHALT OVERLAY AND ASSOCIATED WORKS

2. Bidder _____
Name of Bidder

Usual Business Name of Bidder as it appears on Invoice (if different from above)

Street

City Province Postal Code

(Mailing address if different)

Email Address of Bidder

Facsimile Number

Street or P.O. Box

(Choose one)

City Province Postal Code

The Bidder is:

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person The Bidder hereby authorizes the following contact person to represent
the Bidder for purposes of the Bid.

Contact Person Title

Telephone Number Facsimile Number

4. Definitions All capitalized terms used in the Contract shall have the meanings
ascribed to them in the General Conditions.

5. Offer The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

6. Bid Security In accordance with B10.1, the Bidder encloses bid security in the form of:

(Choose one)

- a bid bond (Form G1: Bid Bond and Agreement to Bond)
- an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- a certified cheque or draft

and agrees that it shall be held by the City in accordance with the Contract.

7. Execution of Contract The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.

8. Commencement of the Work The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.

9. Contract The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.

10. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No.	_____	Dated	_____
	_____		_____
	_____		_____

11. Time This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

12. Signatures

The Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____, 20_____.

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A	<u>McGILLIVRAY BOULEVARD EASTBOUND from Irene Street to Pembina Hwy - Rehabilitation</u>					
	EARTH AND BASE WORKS					
A.1	Excavation	CW 3110-R17	m ³	170		
A.2	Crushed Sub-base Material	CW 3110-R17				
i)	50 mm		tonne	100		
A.3	Supplying and Placing Base Course Material	CW 3110-R17	m ³	100		
A.4	Supplying and Placing Limestone Base Course Material	CW 3110-R17, E12	tonne	3500		
A.5	Grading of Boulevards	CW 3110-R17	m ²	2200		
A.6	Ditch Grading	CW 3110-R17	m ²	2000		
A.7	Fill Material	CW 3170-R3				
i)	Supplying and Placing Imported Material		m ³	60		
	ROADWORKS - REMOVALS/RENEWALS					
A.8	Pavement Removal	CW 3110-R17				
i)	Concrete Pavement		m ²	70		
ii)	Asphalt Pavement		m ²	100		
A.9	Slab Replacement - Early Opening (24 hour)	CW 3230-R7				
i)	200 mm Concrete Pavement (Reinforced)		m ²	30		
A.10	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R7				
i)	200 mm Concrete Pavement (Type A)		m ²	5		
ii)	200 mm Concrete Pavement (Type B)		m ²	200		
iii)	200 mm Concrete Pavement (Type C)		m ²	15		
iv)	200 mm Concrete Pavement (Type D)		m ²	50		
A.11	Slab Replacement - Early Opening (72 hour)	CW 3230-R7				
i)	200 mm Concrete Pavement (Reinforced)		m ²	250		

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.12	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R7				
i)	200 mm Concrete Pavement (Type A)		m ²	5		
ii)	200 mm Concrete Pavement (Type B)		m ²	300		
iii)	200 mm Concrete Pavement (Type C)		m ²	10		
iv)	200 mm Concrete Pavement (Type D)		m ²	15		
A.13	Drilled Dowels	CW 3230-R7				
i)	19.1 mm Diameter		each	1250		
A.14	Drilled Tie Bars	CW 3230-R7				
i)	20 M Deformed Tie Bar		each	1500		
A.15	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	100 mm Sidewalk		m ²	130		
ii)	Monolithic Curb and Sidewalk		m ²	30		
A.16	Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)	Bullnose	SD-227C	m ²	15		
A.17	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m ²	15		
b)	5 sq.m. to 20 sq.m.		m ²	25		
c)	Greater than 20 sq.m.		m ²	75		
ii)	Bullnose	SD-227C	m ²	20		
A.18	Concrete Curb Removal	CW 3240-R10				
i)	Barrier (Separate)		m	1260		
ii)	Curb Ramp		m	5		
iii)	Splash Strip (Separate)		m	10		

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.19	Concrete Curb Installation	CW 3240-R10				
i)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	5		
ii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229A,B,C	m	10		
iii)	Splash Strip (150 mm reveal ht, Monolithic Barrier Curb, 750 mm width, Slip Form Paving)	SD-223A	m	1150		
A.20	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	3 m to 30 m		m	10		
ii)	Curb and Gutter (150 mm reveal ht, Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200				
a)	Greater than 30 m		m	50		
iii)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229C,D	m	25		
A.21	Supply and Installation of Dowel Assemblies	CW 3310-R14	m	10		
A.22	Construction of Asphaltic Concrete Overlay	CW 3410-R9				
i)	Main Line Paving					
a)	Type IA		tonne	3800		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	200		
A.23	Planing of Pavement	CW 3450-R5				
i)	50 - 100 mm Depth (Asphalt)		m ²	2400		
ii)	0 - 50 mm Depth (Concrete)		m ²	100		
A.24	Detectable Warning Surface Tiles	CW 3326				
i)	610 mm X 1220 mm		each	28		
ROADWORKS - NEW CONSTRUCTION						
A.25	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R14				
i)	Construction of Monolithic Concrete Bull-noses	SD-227C	m ²	5		

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.26	Concrete Pavements for Early Opening	CW 3310-R14				
i)	Construction of 200 mm Concrete Pavement for Early Opening 72 Hour (Reinforced)		m ²	80		
A.27	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R14				
i)	Construction of Barrier (150 mm ht, Dowelled)	SD-205	m	100		
ii)	Construction of Modified Barrier (150 mm ht, Dowelled)	SD-203B	m	10		
iii)	Construction of Curb Ramp (8-12 mm ht, Monolithic)	SD-229C	m	65		
iv)	Construction of Splash Strip (150 mm ht, Monolithic Barrier Curb, 750 mm width, Slip Form Paving)	SD-223A	m	25		
A.28	100 mm Concrete Sidewalk	CW 3325-R5	m ²	400		
JOINT AND CRACK SEALING						
A.29	Longitudinal Joint & Crack Filling (> 25 mm in width)	CW 3250-R7	m	300		
A.30	Reflective Crack Maintenance	CW 3250-R7	m	2600		
ASSOCIATED DRAINAGE AND UNDERGROUND WORKS						
A.31	Catch Pit	CW 2130-R12				
i)	SD-023		each	2		
A.32	Drainage Connection Pipe	CW 2130-R12	m	10		
A.33	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	2		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	1		
iii)	AP-006 - Standard Grated Cover for Standard Frame		each	1		
A.34	Connecting to Existing Catch Basin	CW 2130-R12				
i)	250 mm Drainage Connection Pipe		each	2		
A.35	Removal of Existing Catch Pit	CW 2130-R12	each	1		
A.36	Catch Basin Cleaning	CW 2140-R3	each	8		

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ADJUSTMENTS					
A.37	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	4		
A.38	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	0.3		
A.39	Lifter Rings	CW 3210-R7				
i)	38 mm		each	1		
ii)	51 mm		each	1		
iii)	64 mm		each	1		
iv)	76 mm		each	1		
A.40	Adjustment of Valve Boxes	CW 3210-R7	each	1		
A.41	Valve Box Extensions	CW 3210-R7	each	1		
A.42	Supply of Curb Inlet Frames	CW 3210-R7	each	1		
A.43	Adjustment of Traffic Signal Service Box Frames	CW 3210-R7	each	2		
	LANDSCAPING					
A.44	Sodding	CW 3510-R9				
i)	width < 600 mm		m ²	10		
ii)	width > or = 600 mm		m ²	490		
A.45	Salt Tolerant Grass Seeding	E10	m ²	1700		
	MISCELLANEOUS					
A.46	Installation of Barrier Rails	CW 3650-R6, E14	m	70		
A.47	Installation of Barrier Posts	CW 3650-R6, E14	each	10		
A.48	Salvaging Existing Barrier Rail	CW 3650-R6, E14	m	70		
A.49	Salvaging Existing Barrier Posts	CW 3650-R6, E14	each	10		
A.50	Culvert Cleaning	E11	m	80		
A.51	Construction of Concrete Spillway with Curb Inlet Frame	CW 3210-R7, E13	m ²	2		
A	<u>McGILLIVRAY BOULEVARD EASTBOUND from Irene Street to Pembina Hwy - Rehabilitation</u>				Subtotal:	

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B	<u>BRYN MAWR ROAD from Baylor Avenue to Dalhousie Drive - Rehabilitation</u>					
	EARTH AND BASE WORKS					
B.1	Excavation	CW 3110-R17	m ³	5		
B.2	Supplying and Placing Base Course Material	CW 3110-R17	m ³	5		
B.3	Grading of Boulevards	CW 3110-R17	m ²	4000		
	ROADWORKS - REMOVALS/RENEWALS					
B.4	Slab Replacement - Early Opening (24 hour)	CW 3230-R7				
i)	150 mm Concrete Pavement (Plain-Dowelled)		m ²	250		
B.5	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R7				
i)	150 mm Concrete Pavement (Type A)		m ²	5		
ii)	150 mm Concrete Pavement (Type B)		m ²	120		
iii)	150 mm Concrete Pavement (Type C)		m ²	30		
iv)	150 mm Concrete Pavement (Type D)		m ²	50		
B.6	Slab Replacement - Early Opening (72 hour)	CW 3230-R7				
i)	150 mm Concrete Pavement (Reinforced)		m ²	50		
B.7	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R7				
i)	150 mm Concrete Pavement (Type A)		m ²	20		
ii)	150 mm Concrete Pavement (Type B)		m ²	250		
iii)	150 mm Concrete Pavement (Type C)		m ²	60		
iv)	150 mm Concrete Pavement (Type D)		m ²	20		
B.8	Drilled Dowels	CW 3230-R7				
i)	19.1 mm Diameter		each	800		
B.9	Drilled Tie Bars	CW 3230-R7				
i)	20 M Deformed Tie Bar		each	1300		

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.10	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m ²	5		
b)	5 sq.m. to 20 sq.m.		m ²	30		
c)	Greater than 20 sq.m.		m ²	660		
ii)	150 mm Reinforced Sidewalk					
a)	Less than 5 sq.m.		m ²	30		
b)	5 sq.m. to 20 sq.m.		m ²	35		
B.11	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m ²	10		
B.12	Supply of Precast Sidewalk Blocks	CW 3235-R9	m ²	10		
B.13	Removal of Precast Sidewalk Blocks	CW 3235-R9	m ²	10		
B.14	Concrete Curb Removal	CW 3240-R10				
i)	Barrier (Separate)		m	40		
ii)	Lip Curb	SD-202C	m	340		
B.15	Concrete Curb Installation	CW 3240-R10				
i)	Barrier (100 mm reveal ht, Dowelled, Slip Form Paving)	SD-205	m	340		
ii)	Modified Barrier (125 mm reveal ht, Dowelled)	SD-203B	m	40		
iii)	Lip Curb (75 mm reveal ht, Integral)	SD-202A	m	80		
B.16	Concrete Curb Renewal	CW 3240-R10				
i)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	15		
B.17	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m ²	20		
B.18	Construction of Asphaltic Concrete Overlay	CW 3410-R9				
i)	Main Line Paving					
a)	Type IA		tonne	650		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	50		
B.19	Planing of Pavement	CW 3450-R5				
i)	50 - 100 mm Depth (Asphalt)		m ²	225		

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ROADWORKS - NEW CONSTRUCTION						
B.20	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R14				
i)	Construction of Curb Ramp (8-12 mm ht, Monolithic)	SD-229C	m	4		
B.21	100 mm Concrete Sidewalk	CW 3325-R5	m ²	5		
JOINT AND CRACK SEALING						
B.22	Reflective Crack Maintenance	CW 3250-R7	m	1300		
ASSOCIATED DRAINAGE AND UNDERGROUND WORKS						
B.23	Catch Pit	CW 2130-R12				
i)	SD-023		each	2		
B.24	Remove and Replace Existing Catch Basin	CW 2130-R12				
i)	SD-024, 1200 mm deep		each	1		
B.25	Sewer Service	CW 2130-R12				
i)	250 mm, PVC					
a)	In a Trench, Class B Type 2 Bedding, Class 2 Backfill		m	2		
B.26	Drainage Connection Pipe	CW 2130-R12	m	10		
B.27	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	2		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	1		
iii)	AP-006 - Standard Grated Cover for Standard Frame		each	1		
iv)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	1		
v)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	1		
vi)	AP-011 - Mountable Curb and Gutter Inlet		each	1		
B.28	Connecting to Existing Catch Basin	CW 2130-R12				
i)	250 mm Drainage Connection Pipe		each	2		
B.29	Removal of Existing Catch Pit	CW 2130-R12	each	2		

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ADJUSTMENTS					
B.30	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	3		
B.31	Lifter Rings	CW 3210-R7				
i)	38 mm		each	1		
ii)	51 mm		each	1		
B.32	Adjustment of Valve Boxes	CW 3210-R7	each	6		
B.33	Valve Box Extensions	CW 3210-R7	each	2		
B.34	Adjustment of Curb Stop Boxes	CW 3210-R7	each	55		
B.35	Curb Stop Extensions	CW 3210-R7	each	15		
	LANDSCAPING					
B.36	Sodding	CW 3510-R9				
i)	width < 600 mm		m ²	100		
ii)	width > or = 600 mm		m ²	3900		
	MISCELLANEOUS					
B.37	Existing Manhole and Catch Basin Repairs	CW 2130-R12				
i)	Replacing Existing Catch Basin Hoods, Pins or Wall Hooks		each	1		
B	<u>BRYN MAWR ROAD from Baylor Avenue to Dalhousie Drive - Rehabilitation</u>				Subtotal:	

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C	<u>LAVAL DRIVE from McMasters Road to Pasadena Avenue - Rehabilitation</u>					
	EARTH AND BASE WORKS					
C.1	Excavation	CW 3110-R17	m ³	60		
C.2	Supplying and Placing Base Course Material	CW 3110-R17	m ³	45		
C.3	Grading of Boulevards	CW 3110-R17	m ²	1725		
	ROADWORKS - REMOVALS/RENEWALS					
C.4	Pavement Removal	CW 3110-R17				
i)	Concrete Pavement		m ²	600		
C.5	Slab Replacement - Early Opening (24 hour)	CW 3230-R7				
i)	150 mm Concrete Pavement (Plain-Dowelled)		m ²	150		
C.6	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R7				
i)	150 mm Concrete Pavement (Type A)		m ²	5		
ii)	150 mm Concrete Pavement (Type B)		m ²	80		
iii)	150 mm Concrete Pavement (Type C)		m ²	10		
iv)	150 mm Concrete Pavement (Type D)		m ²	100		
C.7	Slab Replacement - Early Opening (72 hour)	CW 3230-R7				
i)	150 mm Concrete Pavement (Reinforced)		m ²	200		
C.8	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R7				
i)	150 mm Concrete Pavement (Type A)		m ²	5		
ii)	150 mm Concrete Pavement (Type B)		m ²	80		
iii)	150 mm Concrete Pavement (Type C)		m ²	10		
iv)	150 mm Concrete Pavement (Type D)		m ²	45		
C.9	Drilled Dowels	CW 3230-R7				
i)	19.1 mm Diameter		each	475		
C.10	Drilled Tie Bars	CW 3230-R7				
i)	20 M Deformed Tie Bar		each	650		

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.11	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m ²	25		
C.12	Supply of Precast Sidewalk Blocks	CW 3235-R9	m ²	15		
C.13	Removal of Precast Sidewalk Blocks	CW 3235-R9	m ²	15		
C.14	Concrete Curb Removal	CW 3240-R10				
i)	Barrier (Separate)		m	15		
ii)	Lip Curb	SD-202C	m	420		
C.15	Concrete Curb Installation	CW 3240-R10				
i)	Barrier (100 mm reveal ht, Dowelled, Slip Form Paving)	SD-205	m	520		
ii)	Modified Barrier (125 mm reveal ht, Dowelled)	SD-203B	m	25		
iii)	Lip Curb (75 mm reveal ht, Integral)	SD-202A	m	75		
C.16	Construction of Asphaltic Concrete Overlay	CW 3410-R9				
i)	Main Line Paving					
a)	Type IA		tonne	500		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	50		
ROADWORKS - NEW CONSTRUCTION						
C.17	Concrete Pavements for Early Opening	CW 3310-R14				
i)	Construction of 150 mm Concrete Pavement for Early Opening 72 hour (Reinforced)		m ²	600		
JOINT AND CRACK SEALING						
C.18	Reflective Crack Maintenance	CW 3250-R7	m	900		
ASSOCIATED DRAINAGE AND UNDERGROUND WORKS						
C.19	Catch Basin	CW 2130-R12				
i)	SD-024, 1200 mm deep		each	2		
C.20	Catch Pit	CW 2130-R12				
i)	SD-023		each	2		

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.21	Sewer Service	CW 2130-R12				
i)	250 mm, PVC					
a)	In a Trench, Class B Type 2 Bedding, Class 2 Backfill		m	12		
C.22	Drainage Connection Pipe	CW 2130-R12	m	8		
C.23	Connecting to Existing Manhole	CW 2130-R12				
i)	250 mm Catch Basin Lead		each	2		
C.24	Connecting to Existing Catch Basin	CW 2130-R12				
i)	250 mm Drainage Connection Pipe		each	2		
C.25	Removal of Existing Catch Basins	CW 2130-R12	each	2		
C.26	Removal of Existing Catch Pit	CW 2130-R12	each	2		
ADJUSTMENTS						
C.27	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	1		
C.28	Adjustment of Valve Boxes	CW 3210-R7	each	6		
C.29	Valve Box Extensions	CW 3210-R7	each	1		
C.30	Adjustment of Curb Stop Boxes	CW 3210-R7	each	20		
C.31	Curb Stop Extensions	CW 3210-R7	each	10		
LANDSCAPING						
C.32	Sodding	CW 3510-R9				
i)	width < 600 mm		m ²	50		
ii)	width > or = 600 mm		m ²	1700		
C	<u>LAVAL DRIVE from McMasters Road to Pasadena Avenue - Rehabilitation</u>				Subtotal:	

FORM B: PRICES
 (SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
SUMMARY						
A	<u>McGILLIVRAY BOULEVARD EASTBOUND from Irene Street to Pembina Hwy - Rehabilitation</u>				Subtotal:	
B	<u>BRYN MAWR ROAD from Baylor Avenue to Dalhousie Drive - Rehabilitation</u>				Subtotal:	
C	<u>LAVAL DRIVE from McMasters Road to Pasadena Avenue - Rehabilitation</u>				Subtotal:	
TOTAL BID PRICE (GST extra) (in figures) _____						
(in words) _____						

 Name of Bidder

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2)
(See B10)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

_____ (hereinafter called the "Principal") and

_____ (hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 9-2013

PROVINCE OF MANITOBA/CITY OF WINNIPEG 2013 REGIONAL/LOCAL STREET RENEWAL PROGRAM, MCGILLIVRAY BOULEVARD EASTBOUND, BRYN MAWR ROAD AND LAVAL DRIVE – ASPHALT OVERLAY AND ASSOCIATED WORKS

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of _____, 20_____.

SIGNED AND SEALED
in the presence of:

(Witness as to Principal if no seal)

(Name of Principal)

Per: _____ (Seal)

Per: _____

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2)
(See B10)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

_____ of
(Name of Bidder)

(Place)

the Bidder to you on _____, 20____ for

BID OPPORTUNITY NO. 9-2013

PROVINCE OF MANITOBA/CITY OF WINNIPEG 2013 REGIONAL/LOCAL STREET RENEWAL PROGRAM, MCGILLIVRAY BOULEVARD EASTBOUND, BRYN MAWR ROAD AND LAVAL DRIVE – ASPHALT OVERLAY AND ASSOCIATED WORKS

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20_____ .

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 1 of 2)
(See B10)**

(Date)

The City of Winnipeg
Corporate Finance Department
Materials Management Division
185 King Street, Main Floor
Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 9-2013

PROVINCE OF MANITOBA/CITY OF WINNIPEG 2013 REGIONAL/LOCAL STREET RENEWAL PROGRAM, MCGILLIVRAY BOULEVARD EASTBOUND, BRYN MAWR ROAD AND LAVAL DRIVE – ASPHALT OVERLAY AND ASSOCIATED WORKS

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 2 of 2)
(See B10)**

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on May 25, 2013.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)

Per: _____
(Authorized Signing Officer)

Per: _____
(Authorized Signing Officer)