



- NOTES:**
- CUT EXISTING LONGITUDINAL DECK REINFORCING TO PROVIDE 50mm CLEAR TO END PLATE.
  - PROTECT EXIST MTS CONDUITS. CONDUITS TO BE PLACED TO MATCH EXIST CONDUITS.
  - AVOID ANY CONTACT BETWEEN MMFX REINFORCING STEEL AND GALVANIZED ANCHORS.
  - EXIST REINFORCING SHOWN BASED ON RECORD DRAWINGS.
  - LOCATE REINFORCING SPLICES NOT INDICATED ON THE DRAWINGS AT POINTS OF MINIMUM STRESS. LOCATIONS OF SPLICES TO BE APPROVED BY CONTRACT ADMINISTRATOR.



B.M. ELEV.	F.B.	<b>TETRA TECH</b>			<b>THE CITY OF WINNIPEG</b> PUBLIC WORKS DEPARTMENT ENGINEERING DIVISION	PORTAGE AVENUE TWIN BRIDGES OVER STURGEON CREEK REHABILITATION AND RELATED WORKS	CITY DRAWING NUMBER <b>B178-14-035</b>
DESIGNED BY K.Y.						CHECKED BY V.B.	
DRAWN BY E.V.		APPROVED BY E.F.S.		CONSULTANT DRAWING NO. 1300070700-DWG-S0035		PHASE 1 CONSTRUCTION EAST ABUTMENT EXPANSION JOINT REINFORCING DETAILS	SHEET <b>35</b> OF <b>70</b>
HOR. SCALE: AS NOTED		RELEASED FOR CONSTRUCTION DATE 13.12.09		ORIGINAL SIGNED DATE 13.12.09		REINFORCING ENGINEER	
NO. REVISIONS		DATE		BY		DATE	
0 ISSUED FOR TENDER		13.12.09		V.B.		13.07.18	