


1 PILOT PLANT PLAN
1:50

NOTES:

1. ALLOWABLE LOAD ON ACCESS PLATFORM = 4.8 kPa.
2. SEE DWG WX-S0404 FOR ACCESS PLATFORM DETAILS.
3. MAX ALLOWABLE LL ON EXISTING FLOOR = 12 kPa.
4. T.O.C. ELEVATION OF EQUIPMENT PADS PER EQUIPMENT REQUIREMENTS. CROSSCHECK WITH PROCESS EQUIPMENT PRIOR TO FORMING.



REFERENCE DRAWINGS:

- 1-0601R-S0014-001-02 STRUCTURAL RESIDUALS HANDLING AREA SECOND FLOOR PLAN
- 1-0601R-M0005-001-04 PROCESS MECHANICAL SECOND FLOOR PLAN



B.M. ELEV.		CONSTRUCTION COMPLETION DATE: YYYY MM DD	
DESIGNED BY	KS	CHECKED BY	RP
DRAWN BY	JBC	APPROVED BY	BW
SCALE: HORIZONTAL	1:50	RELEASED FOR CONSTRUCTION	
SCALE: VERTICAL	-	DATE	2014 01 21
NO.	ISSUED FOR TENDER	DATE	BY
0	ISSUED FOR TENDER	14-01-21	JBC
	REVISIONS	DATE	BY

CH2MHILL

ENGINEER'S SEAL

CONSULTANT DRAWING NUMBER
WX-S0121

THE CITY OF WINNIPEG
WATER AND WASTE DEPARTMENT
ENGINEERING DIVISION

MEZZANINE, WALKWAY AND EQUIPMENT SUPPORTS
FOR A WATER TREATMENT RESEARCH AND
PROCESS OPTIMIZATION FACILITY
STRUCTURAL
PLAN AT 239.410

SHEET 2 OF 9
CITY DRAWING NUMBER
1-0601X-S0001-001-00