## FORM A: BID (See B9)

1.	Contract Title	2014 WATERMAIN RENEW	ALS – CONTRACT 4
2.	Bidder		
		Name of Bidder	
		Usual Business Name of Bidder as	it appears on Invoice (if different from above)
		Street	
		City	Province Postal Code
		Email Address of Bidder	
		Facsimile Number	
	(Mailing address if different)	Street or P.O. Box	
		City	Province Postal Code
		GST Registration Number (if applica	able)
	(Choose one)	The Bidder is:	
		a sole proprietor	
		a partnership	
		a corporation	
		carrying on business under t	he above name.
3.	Contact Person	The Bidder hereby authorize the Bidder for purposes of the	es the following contact person to represen e Bid.
		Contact Person	Title
		Telephone Number	Facsimile Number
4.	Definitions	All capitalized terms used ascribed to them in the Gene	in the Contract shall have the meanings eral Conditions.

5.	Offer	The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.
6.	Bid Security	In accordance with B12.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of Sixty (60) Calendar Days following the Submission Deadline.

12.	Signatures	The Bidder or the Bidder's authorized official or officials have signed this
		, 20
		Signature of Bidder or Bidder's Authorized Official or Officials
		(Print here name and official capacity of individual whose signature appears above)
		(Print here name and official capacity of individual whose signature appears above)

#### FORM B: PRICES (See B9) 2014 WATERMAIN RENEWALS - CONTRACT NO. 4 UNIT PRICES ITEM SPEC. APPROX. UNIT DESCRIPTION REF UNIT QUANTITY **PRICE AMOUNT** NO. Part A: Aldine St. Surface Restorations CW 2110 Partial Slab Patches Remove and replace E5 a) 150 mm reinforced concrete pavement 30 i) sq.m. Miscellaneous Concrete Slab Renewal CW 3235 Sidewalk 25 sq. m. a) Concrete Curb Renewal CW 3240 A.3 Lip Curb & Gutter SD-206A lin. m. 20 Ramp Curb SD-229C & SD-202B 10 ii) lin. m. Construction of Asphaltic Concrete Patches CW 3410 i) Type 1A 30 sq. m. A.5 Cement Stabilized Fill cu. m. 40 **Watermain Renewal** CW 2110 A.6 Watermain Renewal 150 mm 390 trenchless installation, Class B sand bedding, Class 3 backfill lin. m. i) b) trenchless installation, Class B sand bedding, Class 3 backfill lin. m. 30 CW 2110 Hydrant Assembly a) SD-007 each 4 A 8 Watermain Valve CW 2110 150 mm each 5 b) 250 mm each Fittings CW 2110 A.9 a) Bends 150 mm - 11¼° to 45° i) each 8 250 mm - 111/4° to 45° i) each 4 150 mm x 150mm x 150 mm x 150 mm each i) 150 mm x 150mm x 250 mm x 250 mm i) each Connection to Existing Watermain CW 2110 Inline Connection - No Plug Existing a) 150 mm watermain i) each 4 ii) 250 mm watermain each 2 Connecting Existing Copper Water CW 2110 A.11 Services to New Watermains 19 mm each 36 Water Services CW 2110 A.12 19 mm trenchless installation, Class B sand bedding, Class 3 backfill lin.m. 25 A.13 Corporation Stops CW 2110 19 mm each 36 a) A.14 Curb Stops a) 19 mm each A.15 Curb Stop Boxes each a) 19 mm Continuity Bonding each 10.9 Kilogram Sacrificial Zinc Anodes A.17 On Water Services each 35 On Metallic Watermains b) each Part A: Aldine St. Subtotal Part A:

	FORM B: PF					
	(See B9 2014 WATERMAIN RENEWAI		CT NO.	4		
	PRICES					
ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Part I	3: Bruce Ave.					
	Surface Restorations					1
B.1 a)	Partial Slab Patches Remove and replace	CW 2110 E5				
i)	150 mm reinforced concrete pavement		sq.m.	50		
ii)	200 mm reinforced concrete pavement		sq.m.	50		
B.2 a)	Miscellaneous Concrete Slab Renewal Sidewalk	CW 3235	sq.m.	100		
B.3	Concrete Curb Renewal	CW 3240				
i)	Barrier Curb SD-206A		lin.m.	50		
ii)	Ramp Curb SD-229C & SD-202B		lin.m.	20		
B.4 i)	Construction of Asphaltic Concrete Patches Type 1A	CW 3410	sq.m.	100		
	Watermain Renewal					
B.5 a)	Watermain Renewal 150 mm	CW 2110				
i)	trenchless installation, Class B sand bedding, Class 3 backfill		lin. m.	60		
ii)	trenchless installation, Class B sand bedding, Class 5 backfill		lin. m.	5		
b) i)	200 mm trenchless installation, Class B sand bedding, Class 3 backfill		lin. m.	260		
c) i)	300 mm trenchless installation, Class B sand bedding, Class 3 backfill		lin. m.	5		
B.6	Watermain Valve					
a)	150 mm 200 mm		each each	5 3		
b)	200 111111		eacn	3		
B.7	Fittings					
a) i)	Tees 150x150x150		each	2		
, L)	Danda					
b) i)	Bends 150 mm - 111/4° to 45°		each	8		
ii)	300 mm - 11¼° to 45°		each	4		
c)	Crosses					
i)	200 mm x 200 mm x 150 mm x 150 mm		each	1		
ii)	200 mm x 200 mm x 300 mm x 300 mm		each	1		
d) i)	Reducers 200mm - 150mm		each	2		
B.8	Connection to Existing Watermain					
a)	Inline Connection - No Plug Existing		ocak	6		
i) ii)	150 mm watermain 300 mm watermain		each each	6 2		
B.9	Continuity Bonding		each	1		
B.10	10.9 Kilogram Sacrificial Zinc Anodes					
a)	On Metallic Watermains		each	4		
Part I	3: Bruce Ave.	ı	Subto	otal Part B:		•

	FORM B: PR (See B9 2014 WATERMAIN RENEWAL	)	CT NO.	4		
UNIT	PRICES					
ITEM		SPEC.		APPROX.	UNIT	
NO.	DESCRIPTION	REF.	UNIT	QUANTITY	PRICE	AMOUNT
Part (	C: Heritage Blvd.					
	Surface Restorations					
C.1 a)	Partial Slab Patches Remove and replace	CW 2110 E5				
i)	150 mm reinforced concrete pavement		sq.m.	75		
0.0	Microllege ages Consents Clab Denous	CW 2025				
C.2 a)	Miscellaneous Concrete Slab Renewal Sidewalk	CW 3235	sq.m.	25		
C 2	Concrete Curb Renewal	CW 3240				
i)	Barrier Curb SD-206A	CW 3240	lin.m.	20		
ii)	Lip Curb & Gutter		lin.m.	25		
C 4	Construction of Asshaltic Consents Database	CW 2440				
C.4 i)	Construction of Asphaltic Concrete Patches Type 1A	CW 3410	sq. m.	20		
-/						
C.5	Watermain Renewal Watermain Renewal	CW 2110				
a)	150 mm	CW 2110				
i)	trenchless installation, Class B sand bedding, Class 3 backfill		lin. m.	20		
b)	200 mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		lin. m.	40		
ii)	trenchless installation, Class B sand bedding, Class 5 backfill		lin. m.	100		
C.6	Hydrant Assembly	CW 2110				
a)	SD-007		each	1		
C.7	Watermain Valve	CW 2110				
a)	150 mm	CW 2110	each	2		
b)	200 mm		each	2		
C.8	Fittings	CW 2110				
a)	Crosses	011.21.10				
i)	200 mm x 200 mm x 150 mm x 150 mm		each	1		
C.9	Connection to Existing Watermain	CW 2110				
a)	Inline Connection - No Plug Existing					
i) ii)	150 mm watermain 200 mm watermain		each each	2 2		
",	200 mm waterman		Cacii			
C.10	Connecting Existing Copper Water	CW 2110				
a)	Services to New Watermains 19 mm		each	2		
,						
C.11 a)	Water Services 19 mm	CW 2110				
i)	trenchless installation, Class B sand bedding, Class 3 backfill		lin.m.	10		
C 12	Corporation Stops	CW 2110				
a)	19 mm	000 2110	each	2		
0.40	Curb Stone	0141 044 0				
C.13 a)	Curb Stops 19 mm	CW 2110	each	1		
,						
C.14 a)	Curb Stop Boxes 19 mm	CW 2110	each	1		
a)	10 111111		Cauli	'		
C.15	Continuity Bonding	CW 2110	each	1		
C.16	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Water Services		each	1		
b)	On Metallic Watermains		each	1		
			1	1		ı
Part (	C: Heritage Blvd.		Subto	otal Part C:		

DESCRIPTION   SPEC.   MAPPROX.   UNIT   OUANTITY  PRICE	FORM B: PRICES (See B9)						
TEM			4	JI NO.	LS - CONTRAC	2014 WATERMAIN RENEWA	
NO	<del></del>	LINIT	I ADDDOV I	ı	CDEC		
Surface Restorations	AMOUNT			UNIT			
D.1   Partial Slab Patches   Row own oan teplace   150 mm reinforced concrete pavement   E5   sq.m.   100						D: Sandylands PI.	Part
Bernove and replace   E5   sq.m.   100						Surface Restorations	
150 mm reinforced concrete pavement							
D.2   Miscellaneous Concrete Slab Renewal   Sidewalk			100	sa m	E5		,
D.3   Sidewalk   Sq.m.   25				94		·	
Barrier Curb SD-206A			25	sq.m.	CW 3235		
iii)   Lip Curb & Gutter   Iin.m.   50   Iin.m.   50   Iin.m.   5					CW 3240	Concrete Curb Renewal	D.3
III)   Ramp Curb SD-229C & SD-202B							i)
D.4   Construction of Asphaltic Concrete Patches   Type 1A							,
Type 1A   Watermain Renewal   Sq. m.   20   Watermain Renewal   Sq. m.   20   Watermain Renewal   Sq. m.   20   Watermain Renewal   Sp. mm   Sp.			5	lin.m.		Ramp Curb SD-229C & SD-202B	III)
D.5   Watermain Renewal   150 mm   50   lin. m.   50   lin. m.   85   lin. m.   8			20	sq. m.	CW 3410		
ii) trenchless installation, Class B sand bedding, Class 3 backfill trenchless installation, Class B sand bedding, Class 5 backfill lin. m.   50   lin. m.   85     D.6   Hydrant Assembly SD-006   Each   1     D.7   Watermain Valve   150 mm   Each   3     D.8   Fittings   150x150x150   Each   1     D.9   Connection to Existing Watermain   150 mm sort   10     D.11   Water Services   19 mm   Each   10     D.12   Corporation Stops   19 mm   Each   10     D.13   Curb Stops   19 mm   Each   10     D.14   Curb Stops   19 mm   Each   10     D.15   Curb Stops   19 mm   Each   10     D.16   Curb Stops   19 mm   Each   10     D.17   Curb Stops   19 mm   Each   10     D.18   Curb Stops   19 mm   Each   10     D.19   Curb Stops   19 mm   Each   10     D.10   Curb Stops   19 mm   Each   10     D.11   Curb Stops   19 mm   Each   10     D.12   Curb Stops   19 mm   Each   10     D.13   Curb Stops   19 mm   Each   10     D.14   Curb Stops   19 mm   Each   10     D.15   Curb Stops   19 mm   Each   10     D.16   Curb Stops   19 mm   Each   10     D.17   Curb Stops   19 mm   Each   10     D.18   Curb Stops   19 mm   Each   10     D.19   Curb Stops   19 mm   Each   10     D.10   Curb Stops   19 mm   Each   10     D.11   Curb Stops   19 mm   Each   10     D.12   Curb Stops   19 mm   Each   10     D.13   Curb Stops   19 mm   Each   10     D.14   Curb Stops   19 mm   Each   10     D.15   Curb Stops   19 mm   Each   10     D.16   Curb Stops   10 mm   Each   10     D.17   Curb Stops   10 mm   Each   10     D.18   Curb Stops   10 mm   Each   10     D.19   Curb Stops   10 mm   Each   10     D.10   Curb Stops   10 mm   Each   1					CW 2110		D.5
ii)   trenchless installation, Class B sand bedding, Class 5 backfill   lin. m.   85     D.6							,
a)   SD-006   each   1     D.7   Watermain Valve   150 mm   each   3     D.8   Fittings   Tees   150x150x150   each   1     b)   Bends   150 mm - 11½° to 45°   each   2     D.9   Connection to Existing Watermain   Inline Connection - No Plug Existing   150 mm watermain   each   1     b)   Perpendicular Connection - No Plug Existing   i) 150 mm watermain   each   1     D.10   Connecting Existing Copper Water   Services to New Watermains   each   1     D.11   Water Services   19 mm   a) trenchless installation, Class B sand bedding, Class 3 backfill   each   25     D.12   Corporation Stops   19 mm   each   10     D.13   Curb Stops   19 mm   each   1							
a) 150 mm  D.8 Fittings a) Tees i) 150x150x150  Bends i) 150 mm - 11½° to 45°  D.9 Connection to Existing Watermain Illine Connection - No Plug Existing i) 150 mm watermain  b) Perpendicular Connection - No Plug Existing i) 150 mm watermain  b) Perpendicular Connection - No Plug Existing i) 150 mm watermain  connecting Existing Copper Water Services to New Watermains a) 19mm  D.11 Water Services 0 19 mm a) trenchless installation, Class B sand bedding, Class 3 backfill  D.12 Corporation Stops i) 19 mm  each 1  D.13 Curb Stops i) 19 mm  each 1			1	each	CW 2110		
a) Tees i) 150x150x150 b) Bends i) 150 mm - 111½° to 45°  D.9 Connection to Existing Watermain Inline Connection - No Plug Existing i) 150 mm watermain cach 1 b) Perpendicular Connection - No Plug Existing i) 150 mm watermain cach 1			3	each	CW 2110		
a) Tees i) 150x150x150  b) Bends i) 150 mm - 11½° to 45°  Connection to Existing Watermain Inline Connection - No Plug Existing i) 150 mm watermain  b) Perpendicular Connection - No Plug Existing i) 150 mm watermain  cach 1  D.10 Connecting Existing Copper Water Services to New Watermains a) 19mm  each 10  D.11 Water Services 0 19 mm a) trenchless installation, Class B sand bedding, Class 3 backfill  D.12 Corporation Stops i) 19 mm  each 10  D.13 Curb Stops i) 19 mm  each 10					CW 2110	Fittings	D 8
b) Bends 150 mm - 11½° to 45° each 2  D.9 Connection to Existing Watermain Inline Connection - No Plug Existing 150 mm watermain  b) Perpendicular Connection - No Plug Existing 150 mm watermain  cach 1  D.10 Connecting Existing Copper Water Services to New Watermains 19mm each 10  D.11 Water Services 19 mm each 25  D.12 Corporation Stops 19 mm each 10  D.13 Curb Stops 19 mm each 1					011 2110		
i) 150 mm - 111½° to 45°  D.9 Connection to Existing Watermain Inline Connection - No Plug Existing 150 mm watermain  b) Perpendicular Connection - No Plug Existing 150 mm watermain  D.10 Connecting Existing Copper Water Services to New Watermains 19mm  D.11 Water Services 19 mm trenchless installation, Class B sand bedding, Class 3 backfill  D.12 Corporation Stops i) 19 mm  D.13 Curb Stops i) 19 mm  Each 1  Each 2  CW 2110  Each 1  Each 1  Each 1  CW 2110  Each 1			1	each		150x150x150	i)
a) Inline Connection - No Plug Existing i) 150 mm watermain each 1  b) Perpendicular Connection - No Plug Existing 150 mm watermain each 1  D.10 Connecting Existing Copper Water Services to New Watermains a) 19mm each 10  D.11 Water Services 0 19 mm a) trenchless installation, Class B sand bedding, Class 3 backfill each 25  D.12 Corporation Stops i) 19 mm each 10  D.13 Curb Stops i) 19 mm each 1			2	each			
a) Inline Connection - No Plug Existing i) 150 mm watermain each 1  b) Perpendicular Connection - No Plug Existing 150 mm watermain each 1  D.10 Connecting Existing Copper Water Services to New Watermains a) 19mm each 10  D.11 Water Services 0 19 mm a) trenchless installation, Class B sand bedding, Class 3 backfill each 25  D.12 Corporation Stops i) 19 mm each 10  D.13 Curb Stops i) 19 mm each 1					CW 2110	Connection to Existing Watermain	Dα
i) 150 mm watermain each 1  b) Perpendicular Connection - No Plug Existing 150 mm watermain each 1  D.10 Connecting Existing Copper Water Services to New Watermains 19mm each 10  D.11 Water Services 0 19 mm each 10  D.12 Corporation Stops i) 19 mm each 10  D.13 Curb Stops i) 19 mm each 10					CW 2110		
i) 150 mm watermain  D.10 Connecting Existing Copper Water Services to New Watermains a) 19mm  each 10  D.11 Water Services 19 mm trenchless installation, Class B sand bedding, Class 3 backfill  D.12 Corporation Stops i) 19 mm each 10  D.13 Curb Stops i) 19 mm each 1			1	each			
Services to New Watermains 19mm  D.11 Water Services 0 19 mm a) trenchless installation, Class B sand bedding, Class 3 backfill  D.12 Corporation Stops i) 19 mm each 10  D.13 Curb Stops i) 19 mm each 1			1	each			
Services to New Watermains 19mm  D.11 Water Services 19 mm 19 mm trenchless installation, Class B sand bedding, Class 3 backfill  D.12 Corporation Stops i) 19 mm each 10  D.13 Curb Stops i) 19 mm each 1						Connecting Eviating Connecting	D 40
a) 19mm  D.11 Water Services 19 mm trenchless installation, Class B sand bedding, Class 3 backfill  each 25  D.12 Corporation Stops i) 19 mm each 10  D.13 Curb Stops i) 19 mm each 1							ט.10
0 a) 19 mm trenchless installation, Class B sand bedding, Class 3 backfill each 25  D.12 Corporation Stops each 10  D.13 Curb Stops i) 19 mm each 1			10	each			a)
0 a) 19 mm trenchless installation, Class B sand bedding, Class 3 backfill each 25  D.12 Corporation Stops each 10  D.13 Curb Stops i) 19 mm each 1						Water Services	D 11
a) trenchless installation, Class B sand bedding, Class 3 backfill  D.12 Corporation Stops i) 19 mm  each 10  D.13 Curb Stops i) 19 mm  each 1							
i) 19 mm			25	each			
i) 19 mm						Corporation Stans	D 40
i) 19 mm each 1			10	each			
i) 19 mm each 1						Curb Stops	D.13
D 14 Curb Stop Boxes			1	each			
111 1411 JUD 5100 BOYES						Curb Step Boyce	D 4 4
i) 19 mm each 1			1	each			
							,
D.15 Continuity Bonding each 1			1	each		Continuity Bonding	D.15
D.16 10.9 Kilogram Sacrificial Zinc Anodes a) On Water Services each 9			9	each			
Part D: Sandylands Pl. Subtotal Part D:	<u> </u>		otal Part D: _	Subto	I	D: Sandylands Pl.	Part

	FORM B: PRICES (See B9)					
	2014 WATERMAIN RENEWAL		CT NO.	4		
UNIT ITEM	PRICES	SPEC.		APPROX.	UNIT	
NO.	DESCRIPTION	REF.	UNIT	QUANTITY	PRICE	AMOUNT
Part	E: Thompson St.					
E.1	Surface Restorations Partial Slab Patches	CW 2110				
a) i)	Remove and replace 150 mm reinforced concrete pavement	E5	sq.m.	25.0		
E.2 a)	Miscellaneous Concrete Slab Renewal Sidewalk	CW 3235	sq.m.	25.0		
E.3 i) ii)	Concrete Curb Renewal Lip Curb & Gutter Ramp Curb SD-229C & SD-202B	CW 3240	lin.m. lin.m.	25.0 10.0		
E.4 i)	Construction of Asphaltic Concrete Patches Type 1A	CW 3410	sq. m.	25.0		
E.5	Cement Stabilized Fill		sq. m.	15.0		
E.6	Watermain Renewal Watermain Renewal	CW 2110				
a) i)	150 mm trenchless installation, Class B sand bedding, Class 3 backfill		lin. m.	140.0		
b) i)	250 mm trenchless installation, Class B sand bedding, Class 3 backfill		lin. m.	25.0		
E.7 a)	Hydrant Assembly SD-007	CW 2110	each	1.0		
E.8 a) b)	Watermain Valve 150 mm 250 mm	CW 2110	each each	3.0 1.0		
E.9 a)	Fittings Bends	CW 2110				
i) ii)	150 mm - 11¼° to 45° 250 mm - 11¼° to 45°		each each	2.0 4.0		
b) i)	Crosses 150 mm x 150 mm x 250 mm x 250 mm		each	1.0		
a)	Connection to Existing Watermain Inline Connection - No Plug Existing	CW 2110				
i) ii)	150 mm watermain 250 mm watermain		each each	2.0		
0	Connect Existing Copper Water Services to New Watermains	CW 2110		40.0		
a) E.12	19 mm Water Services	CW 2110	each	16.0		
a) i)	19 mm trenchless installation, Class B sand bedding, Class 3 backfill		lin. m.	25.0		
E.13 a)	Corporation Stops 19 mm	CW 2110	each	16.0		
E.14 a)	Curb Stops 19 mm	CW 2110	each	1.0		
E.15 a)	Curb Stop Boxes 19 mm	CW 2110	each	1.0		
E.16	Continuity Bonding	CW 2110	each	1.0		
E.17 a)	10.9 Kilogram Sacrificial Zinc Anodes On Water Services	CW 2110	each	15.0		
Part I	E: Thompson St.	•	Subto	otal Part E:		

	FORM B: PRI (See B9)	CES				
	2014 WATERMAIN RENEWALS - CONTRACT NO. 4					
	PRICES					
ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Part l	F: Valour Rd.					
	Surface Restorations					1
	Partial Slab Patches Remove and replace	CW 2110 E5				
a) i)	150 mm reinforced concrete pavement	E3	sq.m.	100.0		
F.2 a)	Miscellaneous Concrete Slab Renewal Sidewalk	CW 3235	sq.m.	200.0		
F.3	Concrete Curb Renewal	CW 3240				
i) ii)	Barrier Curb SD-206A Ramp Curb SD-229C & SD-202B		lin.m. lin.m.	60.0 15.0		
F.4	Construction of Asphaltic Concrete Patches	CW 3410				
i)	Type 1A	011 0410	sq. m.	100.0		
	Watermain Renewal					
F.5 a)	Watermain Renewal 200 mm	CW 2110				
i)	trenchless installation, Class B sand bedding, Class 3 backfill		lin. m.	350.0		
F.6	Hydrant Assembly	CW 2110		4.0		
a)	SD-007		each	4.0		
F.7 a)	Watermain Valve 200 mm	CW 2110	each	5.0		
F.8	Fittings	CW 2110				
b) i)	Bends 200 mm - 11¼° to 45°		each	4.0		
F.9	Connection to Existing Watermain	CW 2110				
a)	Inline Connection - No Plug Existing	011 2110				
i)	200 mm watermain		each	2.0		
F.10 0	Connect Existing Copper Water Services To New Watermains	CW 2110				
a)	19 mm		each	24.0		
	Water Sevices 19 mm	CW 2110				
a) i)	trenchless installation, Class B sand bedding, Class 3 backfill		lin. m.	375.0		
	Corporation Stops	CW 2110				
a)	19 mm		each	62.0		
F.12 a)	Curb Stops 19 mm	CW 2110	each	40.0		
	Curb Stop Boxes	CW 2110				
a)	19 mm	000 2110	each	40.0		
F.14	Continuity Bonding	CW 2110	each	1.0		
	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a) b)	On Water Services On Metallic Watermains		each each	86.0 2.0		
Ė			<u> </u>			
Part	F: Valour Rd.		Subte	otal Part F:		

	FORM B: PRICES					
	(See B9) 2014 WATERMAIN RENEWALS - CONTRACT NO. 4					
	2014 WATERMAIN REI	NEWALS - CONTRAC	JI NO.	4		
UNIT	PRICES					
ITEM		SPEC.		APPROX.	UNIT	
NO.	DESCRIPTION	REF.	UNIT	QUANTITY	PRICE	AMOUNT
Part (	G: Provisional					
	Surface Restorations					
G.1	Cement Stabilized Fill	CW 2030	cu m	50.0		
G.2	Sodding	CW 3510	sq.m.	100.0		
	Watermain Renewal	CW 2110				
G.3	Watermain Valve	CW 2110				
a)	300 mm		each	1.0		
C 4	Fittings	CW 2110				
a)	•	CVV 2110				
i)	150 mm - 11¼° to 45°		each	2.0		
ii)	200 mm - 11 1/4° - 45° bend		each	2.0		
iii)	300 mm - 11 1/4° - 45° bend		each	2.0		
C E	Watermain & Service Insulation	CW 2110				
д.5 a)	In a Trench - 50 mm thick	CVV 2110	lin.m.	10.0		
,				10.0		
G.6	Regrading of Existing Sewer	CW 2130				
	Services - up to 1.5 metres long	&				
a)	150 mm Class 5 Backfill	CW 2110	each	20.0		
b)	250 mm Class 3 Backfill		each	5.0		
G.7	Regrading Existing Interlocking					
	Paving Stone Installations	CW 3330	sq.m.	20.0		
C 8	Street Light Cable Installation	E3				
a)	Trenching		lin.m.	75.0		
b)	Coring		lin.m.	75.0		
G.9	Supply & Installation of Precast Sidewalk Blocks	CW 3234		50.0		
	Frecast Sidewalk blocks	CVV 3234	sq.m.	50.0		
G.10	Hydro Vac excavation		each	15.0		
G.11	Remove and Replace	CW 2130				
•	Existing Catchbasins	0.1.2.00				
a)	SD-024		each	4.0		
C 12	Construction of Ashbaltic Constate Database	CW 3410				
i)	Construction of Asphaltic Concrete Patches Overlays Type 1A	CVV 3410	tonne	50.0		
.,	overlaye type the		1011110	00.0		
G.13	Maintaining Curb Stop Excavations	CW 2110	day	2.0		
Part (	G: Provisional		Subto	otal Part G:		
				-		
TOTA	AL BID PRICE (GST extra) (in figures)\$					
1017	The little (GOT exita) (III ligures)					
(in wo	ords)					
						·
				Name of Bide	dor	
				Name of Bid	uei	

(Seal)

Template Version: C120131129- C BCivil

# FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B12)

## **BID BOND**

	סווס פטום	
KNOW ALL MEN BY THESE PRESENTS	THAT	
(hereinafter called the "Principal") and		
called the "Obligee") in the sum of ten per	and firmly bound unto <b>THE CITY OF WINI</b> recent (10%) of the Total Bid Price set out in the Principal and Surety bind themselves, the ntly and severally, firmly by these presents.	the Bid hereinafter
WHEREAS the Principal has submitted a B	id to the Obligee for	
BID OPPORTUNITY NO. 382-2014		
2014 WATERMAIN RENEWALS – CONTR	ACT 4	
as more fully set out in the Bid Opportunity.		
if said Bid is accepted and the Principal, in the said Obligee and furnishes the required	oligation is such that if the Bid of the Principal accordance with the terms of the Bid, enters in performance security for guaranteeing the fall, but otherwise shall remain in full force and e	nto a Contract with aithful performance
IN WITNESS WHEREOF the Principal and	Surety have signed and sealed this bond the	
day of	, 20	
SIGNED AND SEALED in the presence of:  (Witness as to Principal if no seal)	(Name of Principal)  Per:  Per:	,

(Name of Surety)

(Attorney-in-Fact)

Ву:

### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B12)

#### AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on \_\_\_\_\_\_, 20\_\_\_\_ for BID OPPORTUNITY NO. 382-2014 2014 WATERMAIN RENEWALS - CONTRACT 4 in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within Sixty (60) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this \_\_\_\_\_\_ day of \_\_\_\_\_\_ , 20\_\_\_\_\_ . (Name of Surety) By: \_\_\_\_(Attorney-in-Fact) (Seal)

# FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B12)

(Date)	
Corpo Materi 185 Ki	ty of Winnipeg rate Finance Department als Management Division ng Street, Main Floor leg MB R3B 1J1
RE:	BID SECURITY - BID OPPORTUNITY NO. 382-2014
	2014 WATERMAIN RENEWALS – CONTRACT 4
Pursua	ant to the request of and for the account of our customer,
(Name	of Bidder)
	EREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding aggregate
	Canadian dollars.
demar Letter payme	tandby Letter of Credit may be drawn on by you at any time and from time to time upon writtened for payment made upon us by you. It is understood that we are obligated under this Standby of Credit for the payment of monies only and we hereby agree that we shall honour your demand for the inquiring whether you have a right as between yourself and our customer to make sucled and without recognizing any claim of our customer or objection by the customer to payment by use
	nount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon ou or by formal notice in writing given to us by you if you desire such reduction or are willing that it be
Partial	drawings are permitted.
	gage with you that all demands for payment made within the terms and currency of this Standby of Credit will be duly honoured if presented to us at:
(Addres	s)
and w	e confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

# FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B12)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on June 30, 2014

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name	of bank or financial institution)
Per:	
	(Authorized Signing Officer)
Per:	
	(Authorized Signing Officer)