

FORM A: BID
(See B8)

1. Contract Title 2014 REGIONAL STREET PROGRAM - PORTAGE AVENUE
PAVEMENT REHABILITATION: PART A – EASTBOUND FROM
SHERBURN STREET TO MARYLAND STREET; PART B –
WESTBOUND FROM EMPRESS STREET TO MINTO STREET

2. Bidder

Name of Bidder

Usual Business Name of Bidder as it appears on Invoice (if different from above)

Street

City

Province

Postal Code

(Mailing address if different)

Email Address of Bidder

Facsimile Number

Street or P.O. Box

(Choose one)

City

Province

Postal Code

The Bidder is:

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent
the Bidder for purposes of the Bid.

Contact Person

Title

Telephone Number

Facsimile Number

4. Definitions

All capitalized terms used in the Contract shall have the meanings
ascribed to them in the General Conditions.

5. Offer The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

6. Bid Security In accordance with B11.1, the Bidder encloses bid security in the form of:

(Choose one)

- a bid bond (Form G1: Bid Bond and Agreement to Bond)
- an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- a certified cheque or draft

and agrees that it shall be held by the City in accordance with the Contract.

7. Execution of Contract The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.

8. Commencement of the Work The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.

9. Contract The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.

10. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No. _____ Dated _____

11. Time This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

12. Signatures

The Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____, 20_____.

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A	<u>PAVEMENT REHABILITATION: EASTBOUND PORTAGE AVENUE: SHERBURN STREET TO MARYLAND STREET</u>					
	EARTH AND BASE WORKS					
A.1	Excavation	CW 3110-R18	m ³	265		
A.2	Supplying and Placing Base Course Material	CW 3110-R18	m ³	402		
A.3	Grading of Boulevards	CW 3110-R18	m ²	40		
A.4	Removal of Existing Concrete Bases	CW 3110-R18				
i)	600 mm Diameter or Less		each	1		
	ROADWORKS - REMOVALS/RENEWALS					
A.5	Pavement Removal	CW 3110-R18				
i)	Concrete Pavement		m ²	915		
ii)	Asphalt Pavement		m ²	662		
A.6	Slab Replacement	CW 3230-R8				
i)	200 mm Concrete Pavement (Reinforced)		m ²	322		
A.7	Partial Slab Patches	CW 3230-R8				
i)	200 mm Concrete Pavement (Type A)		m ²	5		
ii)	200 mm Concrete Pavement (Type B)		m ²	139		
iii)	200 mm Concrete Pavement (Type C)		m ²	29		
iv)	200 mm Concrete Pavement (Type D)		m ²	15		
A.8	Slab Replacement - Early Opening (24 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Reinforced)		m ²	160		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORKS - REMOVALS/RENEWALS (Cont'd)					
A.9	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R87				
i)	200 mm Concrete Pavement (Type C)		m ²	20		
ii)	200 mm Concrete Pavement (Type D)		m ²	15		
A.10	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Reinforced)		m ²	161		
A.11	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Type C)		m ²	20		
A.12	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	433		
A.13	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	534		
ii)	25 M Deformed Tie Bar		each	450		
A.14	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	100 mm Sidewalk		m ²	5145		
A.15	Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)	100 mm Sidewalk c/w Paving Stone Band (Paving Stones Paid Separately in A.26 ii)		m ²	5145		
A.16	Concrete Curb Removal	CW 3240-R10				
i)	Barrier Separate		m	220		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORKS - REMOVALS/RENEWALS (Cont'd)					
A.17	Concrete Curb Renewal	CW 3240-R10				
	i) Barrier (100 mm reveal ht, Dowelled)	SD-205, SD-206A				
	a) Less than 3 m		m	30		
	b) 3 m to 30 m		m	425		
	c) Greater than 30 m		m	225		
	ii) Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	290		
A.18	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m ²	200		
A.19	Construction of Asphaltic Concrete Overlay	CW 3410-R10				
	i) Main Line Paving					
	a) Type IA		tonne	3670		
	ii) Tie-ins and Approaches					
	a) Type IA		tonne	277		
A.20	Planing of Pavement	CW 3450-R5				
	i) 0 - 50 mm Depth (Asphalt)		m ²	3315		
	ii) 50 - 100 mm Depth (Asphalt)		m ²	15200		
A.21	Pavement Repair Fabric	E10	m ²	150		
A.22	Detectable Warning Surface Tiles	CW 3326-R1				
	i) 610 mm X 1220 mm		each	75		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ROADWORK - NEW CONSTRUCTION						
A.23	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R15				
i)	Construction of 200 mm Concrete Pavement (Reinforced)		m ²	508		
A.24	Concrete Pavements for Early Opening	CW 3310-R15				
i)	Construction of 200 mm Concrete Pavement for Early Opening 24 hour (Reinforced)		m ²	254		
ii)	Construction of 200 mm Concrete Pavement for Early Opening 72 hour (Reinforced)		m ²	254		
A.25	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R15				
i)	Construction of Barrier (100 mm ht, Separate)	SD-203A	m	210		
ii)	Construction of Modified Barrier (100 mm ht, Dowelled)	SD-203B	m	220		
A.26	Interlocking Paving Stones	CW 3335-R1, E11				
i)	100 x 200 Blue Hollard Pavers in Soldier Course		m ²	1.6		
ii)	200 x 200 Holland Stone Charcoal (Sidewalk Paving Band)		m ²	195.0		
JOINT AND CRACK SEALING						
A.27	Reflective Crack Maintenance	CW 3250-R7	m	4970		
ASSOCIATED DRAINAGE AND UNDERGROUND WORKS						
A.28	Catch Basin	CW 2130-R12				
i)	SD-024, 1800 mm deep		each	12		
A.29	Catch Pit	CW 2130-R12				
i)	SD-023		each	3		
A.30	Drainage Connection Pipe	CW 2130-R12	m	18		

 Name of Bidder

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ASSOCIATED DRAINAGE AND UNDERGROUND WORKS (Cont'd)						
A.31	Sewer Repair - Up to 3.0 Meters Long	CW 2130-R12				
i)	250 mm					
a)	Class 1 Backfill		each	1		
A.32	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	5		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	5		
A.33	Connecting to Existing Catch Basin	CW 2130-R12				
i)	250 mm Drainage Connection Pipe		each	2		
A.34	Removal of Existing Catch Basins	CW 2130-R12	each	11		
A.35	Abandoning Existing Drainage Inlets	CW 2130-R12	each	9		
A.36	Catch Basin Cleaning	CW 2140-R3	each	3		
ADJUSTMENTS						
A.37	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	5		
i)	Pre-cast Concrete Risers		vert. m	1		
A.38	Lifter Rings	CW 3210-R7				
i)	51 mm		each	3		
ii)	76 mm		each	2		
A.39	Adjustment of Valve Boxes	CW 3210-R7	each	4		
A.40	Valve Box Extensions	CW 3210-R7	each	13		
A.41	Adjustment of Curb Stop Boxes	CW 3210-R7	each	4		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ADJUSTMENTS (Cont'd)						
A.42	Curb Stop Extensions	CW 3210-R7	each	2		
A.43	Adjustment of Traffic Signal Service Box Frames	CW 3210-R7	each	4		
A.44	Adjustment of MTS Frame / Installaiton of 50mm Steel Ring Riser	E13	each	10		
LANDSCAPING						
A.45	Sodding	CW 3510-R9				
i)	width < 600 mm		m ²	120		
ii)	width > or = 600 mm		m ²	55		
A.46	Tree Well Curbing	E14	m	13		
A.47	Supply and Install Precast Concrete Tree Covers	E14	each	2		
A.48	Install Planting Medium Soil	E14	m ³	5		
MISCELLANEOUS						
A.49	Remove and Reinstall Bike Racks	E12	each	4		
A.50	Hydro-Excavation	E16	hour	3		
A	<u>PAVEMENT REHABILITATION: EASTBOUND PORTAGE AVENUE: SHERBURN STREET TO MARYLAND STREET</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B	<u>PAVEMENT REHABILITATION: WESTBOUND PORTAGE AVENUE: EMPRESS STREET TO MINTO STREET</u>					
B.1	Excavation	CW 3110-R18	m ³	545		
B.2	Supplying and Placing Base Course Material	CW 3110-R18	m ³	663		
B.3	Grading of Boulevards	CW 3110-R18	m ²	165		
B.4	Removal of Existing Concrete Bases	CW 3110-R18				
i)	600 mm Diameter or Less		each	1		
ROADWORKS - REMOVALS/RENEWALS						
B.5	Pavement Removal	CW 3110-R18				
i)	Concrete Pavement		m ²	2250		
ii)	Asphalt Pavement		m ²	213		
B.6	Slab Replacement	CW 3230-R8				
i)	200 mm Concrete Pavement (Reinforced)		m ²	580		
B.7	Partial Slab Patches	CW 3230-R8				
i)	200 mm Concrete Pavement (Type A)		m ²	5		
ii)	200 mm Concrete Pavement (Type B)		m ²	15		
iii)	200 mm Concrete Pavement (Type C)		m ²	65		
iv)	200 mm Concrete Pavement (Type D)		m ²	80		
B.8	Slab Replacement - Early Opening (24 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Reinforced)		m ²	290		
B.9	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R87				
i)	200 mm Concrete Pavement (Type C)		m ²	30		
ii)	200 mm Concrete Pavement (Type D)		m ²	40		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORKS - REMOVALS/RENEWALS (Cont'd)					
B.10	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Reinforced)		m ²	290		
B.11	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Type A)		m ²	5		
ii)	200 mm Concrete Pavement (Type B)		m ²	15		
iii)	200 mm Concrete Pavement (Type C)		m ²	30		
iv)	200 mm Concrete Pavement (Type D)		m ²	40		
B.12	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	385		
B.13	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	1505		
ii)	25 M Deformed Tie Bar		each	575		
B.14	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	Monolithic Median Slab		m ²	62		
ii)	100 mm Sidewalk		m ²	3820		
B.15	Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)	100 mm Sidewalk c/w Paving Stone Band (Paving Stones Paid Separately in B.26 ii)		m ²	3820		
B.16	Concrete Curb Removal	CW 3240-R10				
i)	Barrier Separate		m	135		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORKS - REMOVALS/RENEWALS (Cont'd)					
B.17	Concrete Curb Renewal	CW 3240-R10				
	i) Barrier (100 mm reveal ht, Dowelled)	SD-205, SD-206A				
	a) Less than 3 m		m	35		
	b) 3 m to 30 m		m	265		
	c) Greater than 30 m		m	210		
	ii) Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	150		
B.18	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m ²	105		
B.19	Construction of Asphaltic Concrete Overlay	CW 3410-R10				
	i) Main Line Paving					
	a) Type IA		tonne	3450		
	ii) Tie-ins and Approaches					
	a) Type IA		tonne	465		
B.20	Planing of Pavement	CW 3450-R5				
	i) 0 - 50 mm Depth (Asphalt)		m ²	2515		
	ii) 50 - 100 mm Depth (Asphalt)		m ²	14245		
B.21	Pavement Repair Fabric	E10	m ²	450		
B.22	Detectable Warning Surface Tiles	CW 3326-R1				
	i) 610 mm X 1220 mm		each	28		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORK - NEW CONSTRUCTION					
B.23	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R15				
i)	Construction of 200 mm Concrete Pavement (Reinforced)		m ²	1120		
ii)	Construction of Concrete Safety Medians	SD-226B	m ²	41		
iii)	Construction of Monolithic Concrete Bull-noses	SD-227C	m ²	1		
B.24	Concrete Pavements for Early Opening	CW 3310-R15				
i)	Construction of 200 mm Concrete Pavement for Early Opening 24 hour (Reinforced)		m ²	560		
ii)	Construction of 200 mm Concrete Pavement for Early Opening 72 hour (Reinforced)		m ²	560		
B.25	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R15				
i)	Construction of Barrier (100 mm ht, Dowelled)	SD-205	m	215		
ii)	Construction of Modified Barrier (100 mm ht, Dowelled)	SD-203B	m	130		
iii)	Construction of Modified Barrier (100 mm ht, Integral)	SD-203B	m	20		
B.26	Interlocking Paving Stones	CW 3335-R1, E11				
i)	100 x 200 Blue Hollard Pavers in Soldier Course		m ²	0.9		
ii)	200 x 200 Holland Stone Charcoal (Sidewalk Paving Band)		m ²	155.0		
	JOINT AND CRACK SEALING					
B.27	Reflective Crack Maintenance	CW 3250-R7	m	6050		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
B.28	Catch Basin	CW 2130-R12				
i)	SD-024, 1800 mm deep		each	10		
ii)	SD-024, 1200 mm deep		each	2		
B.29	Sewer Service	CW 2130-R12				
i)	375 mm, PVC					
a)	Trenchless Installation, Class 3 Type B Bedding, Class 1 Backfill		m	12		
B.30	Sewer Repair - Up to 3.0 Meters Long	CW 2130-R12				
i)	250 mm					
a)	Class 1 Backfill		each	3		
ii)	300 mm					
a)	Class 1 Backfill		each	2		
B.31	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	16		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	13		
iii)	AP-006 - Standard Grated Cover for Standard Frame		each	3		
B.32	Connecting to Existing Manhole	CW 2130-R12				
i)	375 mm Catch Basin Lead		each	1		
B.33	Connecting to Existing Catch Basin	CW 2130-R12				
i)	375 mm Drainage Connection Pipe		each	1		
B.34	Removal of Existing Catch Basins	CW 2130-R12	each	12		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ASSOCIATED DRAINAGE AND UNDERGROUND WORKS						
B.35	Abandoning Existing Catch Basins	CW 2130-R12	each	1		
B.36	Abandoning Existing Drainage Inlets	CW 2130-R12	each	11		
B.37	Catch Basin Cleaning	CW 2140-R3	each	6		
ADJUSTMENTS						
B.38	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	19		
i)	Pre-cast Concrete Risers		vert. m	1		
B.39	Lifter Rings	CW 3210-R7				
i)	51 mm		each	15		
ii)	76 mm		each	5		
B.40	Adjustment of Valve Boxes	CW 3210-R7	each	8		
B.41	Valve Box Extensions	CW 3210-R7	each	15		
B.42	Adjustment of Curb Stop Boxes	CW 3210-R7	each	15		
B.43	Curb Stop Extensions	CW 3210-R7	each	9		
B.44	Adjustment of Traffic Signal Service Box Frames	CW 3210-R7	each	6		
B.45	Adjustment of MTS Frame / Installaiton of 50mm Steel Ring Riser	E13	each	8		
LANDSCAPING						
B.46	Sodding	CW 3510-R9				
i)	width < 600 mm		m ²	115		
ii)	width > or = 600 mm		m ²	50		

 Name of Bidder

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	MISCELLANEOUS					
B.47	Installation of Barrier Posts	CW 3650-R6	each	4		
B.48	Installation of Barrier Rails	CW 3650-R6	m	42		
B.49	Salvaging Existing Barrier Rail	CW 3650-R6	m	42		
B.50	Salvaging Existing Barrier Posts	CW 3650-R6	each	4		
B.51	Remove and Reinstall Bide Racks	E12	each	2		
B.52	Tree Well Curbing	E14	m	20.1		
B.53	Supply and Install Precast Concrete Tree Covers	E14	each	3		
B.54	Install Planting Medium Soil	E14	m ³	7.2		
B.55	Remove Concrete/I Beam Pile	E15	each	2.0		
B.56	Hydro-Excavation	E16	hour	15		
B	<u>PAVEMENT REHABILITATION: WESTBOUND PORTAGE AVENUE: EMPRESS STREET TO MINTO STREET</u>				Subtotal:	

 Name of Bidder

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
SUMMARY						
A	<u>PAVEMENT REHABILITATION: EASTBOUND PORTAGE AVENUE: SHERBURN STREET TO MARYLAND STREET</u>				Subtotal:	
B	<u>PAVEMENT REHABILITATION: WESTBOUND PORTAGE AVENUE: EMPRESS STREET TO MINTO STREET</u>				Subtotal:	
TOTAL BID PRICE (GST extra)					(in figures)	_____

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2)
(See B11)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

_____ (hereinafter called the "Principal") and

_____ (hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 404-2014

2014 REGIONAL STREET PROGRAM - PORTAGE AVENUE PAVEMENT REHABILITATION: PART A – EASTBOUND FROM SHERBURN STREET TO MARYLAND STREET; PART B – WESTBOUND FROM EMPRESS STREET TO MINTO STREET

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of _____, 20_____.

SIGNED AND SEALED
in the presence of:

(Witness as to Principal if no seal)

(Name of Principal)

Per: _____ (Seal)

Per: _____

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2)
(See B11)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

_____ of
(Name of Bidder)

(Place)

the Bidder to you on _____, 20____ for

BID OPPORTUNITY NO. 404-2014

2014 REGIONAL STREET PROGRAM - PORTAGE AVENUE PAVEMENT REHABILITATION: PART A – EASTBOUND FROM SHERBURN STREET TO MARYLAND STREET; PART B – WESTBOUND FROM EMPRESS STREET TO MINTO STREET

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20_____ .

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 1 of 2)
(See B11)**

(Date)

The City of Winnipeg
Corporate Finance Department
Materials Management Division
185 King Street, Main Floor
Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 404-2014

2014 REGIONAL STREET PROGRAM - PORTAGE AVENUE PAVEMENT REHABILITATION:
PART A – EASTBOUND FROM SHERBURN STREET TO MARYLAND STREET; PART B –
WESTBOUND FROM EMPRESS STREET TO MINTO STREET

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding
in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 2 of 2)
(See B11)**

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on September 8, 2014.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name of bank or financial institution)

Per: _____
(Authorized Signing Officer)

Per: _____
(Authorized Signing Officer)