FORM A: BID (See B9)

1.	Contract Title	2014 REGIONAL STREET RENEWAL PROGRAM – SHERBRO STREET REHABILITATION, SHERBROOK STREET AND BALM STREET MILL & FILL	
2.	Bidder	Name of Bidder	
		Usual Business Name of Bidder as it appears on Invoice (if different from above)	
		Street	
		City Province Po	ostal Code
	(Mailing address if different)	Email Address of Bidder	
		Facsimile Number	
		Street or P.O. Box	
	(Choose one)	City Province Po	ostal Code
		The Bidder is:	
		a sole proprietor	
		a partnership	
		a corporation	
		carrying on business under the above name.	
3.	Contact Person	The Bidder hereby authorizes the following contact person to rethe Bidder for purposes of the Bid.	epresent
		Contact Person Title	
		Telephone Number Facsimile Number	
4.	Definitions	All capitalized terms used in the Contract shall have the mascribed to them in the General Conditions.	neanings
5.	Offer	The Bidder hereby offers to perform the Work in accordance Contract for the Total Bid Price, in Canadian funds, set out on Prices, appended hereto.	

6.	Bid Security	In accordance with B12.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

12.	Signatures	The Bidder or the Bidder's authorized official or officials have signed this
		, 20
		Signature of Bidder or Bidder's Authorized Official or Officials
		(Print here name and official capacity of individual whose signature appears above)
		(Print here name and official capacity of individual whose signature appears above)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Α	SHERBROOK STREET - N/B MARYLAND	BRIDGE TO BR	OADWA	<u> </u>		
	EARTH AND BASE WORKS					
A.1	Excavation	CW 3110-R18	m³	50		
A.2	Sub-Grade Compaction	CW 3110-R18	m²	45		
A.3	Crushed Sub-base Material	CW 3110-R18				
i)	50 mm		tonne	65		
A.4	Supplying and Placing Base Course Material	CW 3110-R18	m³	7		
۹.5	Separation Geotextile Fabric	CW 3130-R4	m²	45		
	ROADWORK - REMOVALS/RENEWALS					
A.6	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Type A)		m²	17		
ii)	200 mm Concrete Pavement (Type B)		m²	110		
iii)	200 mm Concrete Pavement (Type C)		m²	50		
iv)	200 mm Concrete Pavement (Type D)		m²	105		
A.7	Partial Depth Planing of Existing Joints	E10	m²	42		
A.8	Asphalt Patching of Partial Depth Joints	E10	m²	42		
A.9	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	435		
A.10	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	555		
A.11	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	100 mm Sidewalk		m²	50		
A.12	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m²	55		
	b) 5 sq.m. to 20 sq.m.		m²	75		
ii)	Bullnose	SD-227C	m²	5		
iii)	Monolithic Curb and Sidewalk	SD-228B	m²	55		
			l	[

ITEM		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.13		Concrete Curb Renewal	CW 3240-R10				
i)		Barrier (125 mm reveal ht, Dowelled)	SD-205, SD-206A				
	a)	Less than 3 m		m	15		
	b)	3 m to 30 m		m	30		
ii)		Curb Ramp (8-12 mm reveal ht, Integral)	SD-229C,D	m	24		
iii)		Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	55		
A.14		Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	20		
A.15		Construction of Asphaltic Concrete Overlay	CW 3410-R10				
i)		Main Line Paving					
	a)	Type IA		tonne	2350		
ii)		Tie-ins and Approaches					
	a)	Type IA		tonne	350		
A.16		Planing of Pavement	CW 3450-R5				
i)		0 - 50 mm Depth (Asphalt)		m²	13500		
ii)		50 - 100 mm Depth (Asphalt)		m²	200		
iii)		0 - 50 mm Depth (Concrete)		m²	300		
A.17		Detectable Warning Surface Tiles	CW 3326-R1				
i)		300 mm X 300 mm		each	4		
ii)		610 mm X 1220 mm		each	18		
		ROADWORK - NEW CONSTRUCTION					
A.18		Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R15				
i)		Construction of Monolithic Curb and Sidewalk	SD-228B	m²	275		
ii)		Construction of Monolithic Concrete Bull- noses	SD-227C	m²	5		
A.19		Concrete Pavements for Early Opening	CW 3310-R15				
i)		Construction of 200 mm Concrete Pavement for Early Opening-24 hour (Reinforced)		m²	45		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.20	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R15				
i)	Construction of Barrier (125 mm ht, Separate)	SD-203A	m	25		
ii)	Construction of Curb Ramp (8-12 mm ht, Monolithic)	SD-229C	m	20		
iii)	Construction of Safety Curb (300mm ht)	SD-206B	m	30		
A.21	100 mm Concrete Sidewalk	CW 3325-R5	m²	50		
A.22	Interlocking Paving Stones	CW 3330-R5	m²	20		
	JOINT AND CRACK SEALING					
A.23	Reflective Crack Maintenance	CW 3250-R7	m	2500		
ASSO	' CIATED DRAINAGE AND UNDERGROUND \	WORKS				
A.24	Catch Pit	CW 2130-R12				
i)	SD-023		each	8		
A.25	Remove and Replace Existing Catch Basin	CW 2130-R12				
i)	SD-024		each	1		
A.26	Drainage Connection Pipe	CW 2130-R12	m	10		
A.27	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	6		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	6		
iii)	AP-006 - Standard Grated Cover for Standard Frame		each	1		
iv)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	1		
v)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	1		
A.28	Catch Basin Cleaning	CW 2140-R3	each	5		

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
	ADJUSTMENTS					
A.29	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	5		
A.30	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	1		
A.31	Lifter Rings	CW 3210-R7				
i)	38 mm		each	1		
ii)	51 mm		each	4		
iii)	64 mm		each	4		
iv)	76 mm		each	1		
A.32	Adjustment of Valve Boxes	CW 3210-R7	each	5		
A.33	Valve Box Extensions	CW 3210-R7	each	4		
A.34	Supply of Curb Inlet Box Covers	CW 3210-R7	each	1		
A.35	Supply of Curb Inlet Frames	CW 3210-R7	each	1		
A.36	Adjustment of Curb Inlet with New Inlet Box	CW 3210-R7	each	1		
A.37	Salt Tolerant Grass Seeding	E11	m²	50		
Α	SHERBROOK STREET - N/B MARYLAND	<u>Y</u>				

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
В	SHERBROOK STREET - N/B BROADWAY	TO PORTAGE	A <i>VENUE</i>	•		
	ROADWORK - REMOVALS/RENEWALS					
B.1	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Type A)		m²	20		
ii)	200 mm Concrete Pavement (Type B)		m²	250		
iii)	200 mm Concrete Pavement (Type C)		m²	175		
iv)	200 mm Concrete Pavement (Type D)		m²	300		
B.2	Partial Depth Planing of Existing Joints	E10	m²	84		
3.3	Asphalt Patching of Partial Depth Joints	E10	m²	84		
3.4	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	375		
3.5	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	475		
3.6	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
á	Less than 5 sq.m.		m²	50		
k	5 sq.m. to 20 sq.m.		m²	65		
3.7	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
á	Less than 3 m		m	15		
k	3 m to 30 m		m	152		
ii)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229C,D	m	10		
iii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	25		
3.8	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	20		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
3.9	Construction of Asphaltic Concrete Overlay	CW 3410-R10				
i)	Main Line Paving					
a)	Type IA		tonne	925		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	125		
3.10	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m²	4150		
ii)	50 - 100 mm Depth (Asphalt)		m²	200		
iii)	0 - 50 mm Depth (Concrete)		m²	350		
3.11	Detectable Warning Surface Tiles	CW 3326-R1				
i)	300 mm X 300 mm		each	2		
ii)	610 mm X 1220 mm		each	8		
	ROADWORK - NEW CONSTRUCTION					
3.12	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R15				
i)	Construction of 230 mm Concrete Pavement for Early Opening 24-Hour (Plain-Dowelled)		m²	175		
ii)	Construction of Monolithic Curb and Sidewalk	SD-228B	m²	350		
iii)	Construction of Monolithic Concrete Bull- noses	SD-227C	m²	20		
3.13	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R15				
i)	Construction of Barrier (150 mm ht, Separate)	SD-203A	m	50		
ii)	Construction of Curb Ramp (8-12 mm ht, Monolithic)	SD-229C	m	15		
3.14	100 mm Concrete Sidewalk	CW 3325-R5	m²	175		
	JOINT AND CRACK SEALING					
3.15	Reflective Crack Maintenance	CW 3250-R7	m	1750		
ASSO	I CIATED DRAINAGE AND UNDERGROUND I	WORKS				
3.16	Catch Pit	CW 2130-R12				
i)	SD-023		each	4		
3.17	Remove and Replace Existing Catch Basin	CW 2130-R12				
i)	SD-024		each	1		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.18	Drainage Connection Pipe	CW 2130-R12	m	2		
B.19	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	5		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	5		
iii)	AP-006 - Standard Grated Cover for Standard Frame		each	3		
iv)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	3		
v)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	3		
B.20	Catch Basin Cleaning	CW 2140-R3	each	4		
	ADJUSTMENTS					
B.21	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	3		
B.22	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	1		
B.23	Lifter Rings	CW 3210-R7				
i)	38 mm		each	4		
ii)	51 mm		each	4		
iii)	64 mm		each	4		
iv)	76 mm		each	1		
B.24	Adjustment of Valve Boxes	CW 3210-R7	each	5		
B.25	Valve Box Extensions	CW 3210-R7	each	5		
B.26	Adjustment of Curb Stop Boxes	CW 3210-R7	each	1		
B.27	Supply of Curb Inlet Box Covers	CW 3210-R7	each	1		
B.28	Supply of Curb Inlet Frames	CW 3210-R7	each	1		
B.29	Salt Tolerant Grass Seeding	E11	m²	150		
В	SHERBROOK STREET - N/B BROADWAY	TO PORTAGE	AVENUE			

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
С	SHERBROOK STREET - N/B PORTAGE AV	ENUE TO ELLI	CE AVE	<u>NUE</u>		
	EARTH AND BASE WORKS					
C.1	Excavation	CW 3110-R18	m³	50		
C.2	Sub-Grade Compaction	CW 3110-R18	m²	50		
C.3	Crushed Sub-base Material	CW 3110-R18				
i)	50 mm		tonne	75		
C.4	Supplying and Placing Base Course Material	CW 3110-R18	m³	10		
C.5	Separation Geotextile Fabric	CW 3130-R4	m²	50		
	ROADWORK - REMOVALS/RENEWALS					
2.6	Partial Slab Patches - Early Opening (24	CW 3230-R8				
i)	hour) 200 mm Concrete Pavement (Type A)		m²	15		
íi)	200 mm Concrete Pavement (Type B)		m²	60		
iii)	200 mm Concrete Pavement (Type C)		m²	25		
iv)	200 mm Concrete Pavement (Type D)		m²	35		
) 0.7	Partial Depth Planing of Existing Joints	E10	m²	35		
2.8	Asphalt Patching of Partial Depth Joints	E10	m²	35		
. .9	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	135		
.10	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	210		
2.11	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
•	Less than 5 sq.m.		m²	15		
) 5 sq.m. to 20 sq.m.		m²	30		
ii)	Monolithic Curb and Sidewalk	SD-228B	m²	10		
3.12	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	5		
2.13	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (125 mm reveal ht, Dowelled)	SD-205, SD-206A				
а) Less than 3 m		m	10		
b	3 m to 30 m		m	45		
ii)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229C,D	m	15		
iii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	15		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.14	Construction of Asphaltic Concrete Overlay	CW 3410-R10				
i)	Main Line Paving					
·	Type IA		tonne	1350		
ii)	Tie-ins and Approaches					
а	Type IA		tonne	200		
C.15	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m²	7100		
ii)	50 - 100 mm Depth (Asphalt)		m²			
iii)	0 - 50 mm Depth (Concrete)		m²	200		
C.16	Detectable Warning Surface Tiles	CW 3326-R1				
i)	300 mm X 300 mm		each	2		
ii)	610 mm X 1220 mm		each	6		
	ROADWORK - NEW CONSTRUCTION					
C.17	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R15				
i)	Construction of 200 mm Concrete Pavement for Early Opening-24 hour (Reinforced)		m²	50		
C.18	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R15				
i)	Construction of Barrier (125 mm ht, Separate)	SD-203A	m	35		
ii)	Construction of Curb Ramp (8-12 mm ht, Monolithic)	SD-229C	m	5		
	JOINT AND CRACK SEALING					
C.19	Reflective Crack Maintenance	CW 3250-R7	m	1450		
ASSC	। CIATED DRAINAGE AND UNDERGROUND ।	WORKS				
C.20	Catch Pit	CW 2130-R12				
i)	SD-023		each	5		
C.21	Remove and Replace Existing Catch Basin	CW 2130-R12				
i)	SD-024		each	1		
C.22	Drainage Connection Pipe	CW 2130-R12	m	3		

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
C.23	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	3		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	3		
iii)	AP-006 - Standard Grated Cover for Standard Frame		each	1		
iv)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	1		
v)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	2		
C.24	Catch Basin Cleaning	CW 2140-R3	each	4		
	ADJUSTMENTS					
C.25	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	3		
C.26	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	1		
C.27	Lifter Rings	CW 3210-R7				
i)	38 mm		each	2		
ii)	51 mm		each	2		
iii)	64 mm		each	1		
iv)	76 mm		each	1		
C.28	Adjustment of Valve Boxes	CW 3210-R7	each	2		
C.29	Valve Box Extensions	CW 3210-R7	each	1		
C.30	Salt Tolerant Grass Seeding	E11	m²	75		
С	SHERBROOK STREET - N/B PORTAGE AVENUE TO ELLICE AVENUE					

ITEN		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D		BALMORAL STREET N/B ELLICE AVENUE	TO CUMBERL	AND AV	<u>ENUE</u>		
		ROADWORK - REMOVALS/RENEWALS					
D.1		Partial Slab Patches - Early Opening (24 hour)	CW 3230-R8				
i)		200 mm Concrete Pavement (Type A)		m²	10		
ii)		200 mm Concrete Pavement (Type B)		m²	95		
iii)		200 mm Concrete Pavement (Type C)		m²	70		
iv)		200 mm Concrete Pavement (Type D)		m²	150		
D.2		Partial Depth Planing of Existing Joints	E10	m²	45		
D.3		Asphalt Patching of Partial Depth Joints	E10	m²	45		
D.4		Drilled Dowels	CW 3230-R8				
i)		19.1 mm Diameter		each	95		
0.5		Drilled Tie Bars	CW 3230-R8				
i)		20 M Deformed Tie Bar		each	165		
D.6		Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)		Median Slab	SD-227A	m²	10		
ii)		Monolithic Median Slab	SD-226A	m²	50		
iii)		100 mm Sidewalk	SD-228A				
	a)	Less than 5 sq.m.		m²	55		
	b)	5 sq.m. to 20 sq.m.		m²	100		
	c)	Greater than 20 sq.m.		m²	100		
iv)		Monolithic Curb and Sidewalk	SD-228B	m²	50		
D.7		Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	10		
D.8		Concrete Curb Renewal	CW 3240-R10				
i)		Barrier (125 mm reveal ht, Dowelled)	SD-205, SD-206A				
	a)	Less than 3 m		m	9		
	b)	3 m to 30 m		m	50		
ii)		Curb Ramp (8-12 mm reveal ht, Integral)	SD-229C,D	m	10		
iii)		Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	35		
		•	•	•	•		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.9	Construction of Asphaltic Concrete Overlay	CW 3410-R10		·		
i)	Main Line Paving					
a)	Type IA		tonne	1750		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	50		
0.10	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m²	9200		
ii)	50 - 100 mm Depth (Asphalt)		m²	200		
iii)	0 - 50 mm Depth (Concrete)		m²	200		
D.11	Detectable Warning Surface Tiles	CW 3326-R1				
i)	300 mm X 300 mm		each	2		
ii)	610 mm X 1220 mm		each	10		
	JOINT AND CRACK SEALING					
0.12	Reflective Crack Maintenance	CW 3250-R7	m	1600		
ASSO	 CIATED DRAINAGE AND UNDERGROUND \	NORKS				
D.13	Catch Pit	CW 2130-R12				
i)	SD-023		each	1		
).14	Remove and Replace Existing Catch Basin	CW 2130-R12				
	Thomas and hopiass Intellig east. I as in	011 2100 1112				
i)	SD-024		each	1		
0.15	Drainage Connection Pipe	CW 2130-R12	m	1		
D.16	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	1		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	1		
iii)	AP-006 - Standard Grated Cover for Standard Frame		each	1		
iv)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	1		
v)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	1		
).17	Catch Basin Cleaning	CW 2140-R3	each	3		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ADJUSTMENTS					
D.18	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	2		
D.19	Lifter Rings	CW 3210-R7				
i)	38 mm		each	1		
ii)	51 mm		each	2		
iii)	64 mm		each	2		
iv)	76 mm		each	1		
D.20	Adjustment of Valve Boxes	CW 3210-R7	each	1		
D.21	Valve Box Extensions	CW 3210-R7	each	1		
D.22	Adjustment of Curb Stop Boxes	CW 3210-R7	each	1		
D.23	Salt Tolerant Grass Seeding	E11	m²	10		
D	BALMORAL STREET N/B ELLICE AVENUE	<u>'ENUE</u>	Subtotal:			

The City of Winnipeg
Bid Opportunity No. 497-2014
Template Version: C420131129-RW

FORM B: PRICES (SEE B4)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT	
	SUMMARY						
Α	SHERBROOK STREET - N/B MARYLAND BRIDGE TO BROADWAY				Subtotal:		
В	SHERBROOK STREET - N/B BROADWAY TO PORTAGE AVENUE						
С	SHERBROOK STREET - N/B PORTAGE AV	Subtotal:					
D	BALMORAL STREET N/B ELLICE AVENUE TO CUMBERLAND AVENUE			ENUE	Subtotal:		
TOTAL BID PRICE (GST extra) (in figures)							

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B12)

BID BOND

(hereinafter called the "Principal") and

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 497-2014

2014 REGIONAL STREET RENEWAL PROGRAM – SHERBROOK STREET REHABILITATION, SHERBROOK STREET AND BALMORAL STREET MILL & FILL

as more fully set out in the Bid Opportunity.

KNOW ALL MEN BY THESE PRESENTS THAT

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

day of	, 20	
SIGNED AND SEALED in the presence of: (Witness as to Principal if no seal)	(Name of Principal) Per: Per:	
	(Name of Surety) By:	(Seal)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B12)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on ______, 20____ for BID OPPORTUNITY NO. 497-2014 2014 REGIONAL STREET RENEWAL PROGRAM - SHERBROOK STREET REHABILITATION, SHERBROOK STREET AND BALMORAL STREET MILL & FILL in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this ______ day of ______, 20_____. (Name of Surety) (Seal)

(Attorney-in-Fact)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B12)

(Date)
The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg MB R3B 1J1
RE: BID SECURITY – BID OPPORTUNITY NO. 497-2014
2014 REGIONAL STREET RENEWAL PROGRAM – SHERBROOK STREET REHABILITATION, SHERBROOK STREET AND BALMORAL STREET MILL & FILL
Pursuant to the request of and for the account of our customer,
(Name of Bidder)
WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate
Canadian dollars.
This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.
The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upor it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.
Partial drawings are permitted.
We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:
(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B12)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on August 11, 2014

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name	of bank or financial institution)
Per:	
	(Authorized Signing Officer)
Per:	
	(Authorized Signing Officer)