


MAYFAIR PLACE




- GENERAL NOTES:**
1. ALL DIMENSIONS ARE IN METERS UNLESS OTHERWISE SPECIFIED.
  2. ENSURE THE LOCATION OF ALL EXISTING SERVICES BOTH OLD AND RECENTLY INSTALLED ARE CLEARLY LOCATED ON SITE PRIOR TO CONSTRUCTION. THE CONTRACTOR WILL BE RESPONSIBLE FOR REPAIRING ALL DAMAGE CAUSED TO SERVICES DURING CONSTRUCTION.
- U/G SERVICE NOTES:**
1. LOCATIONS OF UNDERGROUND STRUCTURES AS SHOWN ARE BASED ON THE BEST INFORMATION AVAILABLE. BUT NO GUARANTEE IS GIVEN THAT ALL EXISTING ARE SHOWN OR THAT THE GIVEN LOCATIONS ARE EXACT. CONFIRMATION OF EXISTENCE AND EXACT LOCATION OF ALL SERVICES MUST BE OBTAINED FROM THE INDIVIDUAL UTILITIES BEFORE PROCEEDING WITH CONSTRUCTION. ANY ENCUMBRANCES SHALL BE REPORTED TO THE CONTRACT ADMINISTRATOR IMMEDIATELY.
  2. DUCTS CONTAIN FIBRE OPTIC CABLES MUST BE EXCAVATED IN ACCORDANCE WITH UTILITY'S EXPRESS REQUIREMENTS. THE CONTRACTOR SHALL CONTACT THE UTILITY AT LEAST SEVEN (7) DAYS PRIOR TO EXCAVATION.
  3. A MINIMUM CLEARANCE OF 1.0 METER MUST BE PROVIDED BETWEEN THE UNDERSIDE OF ANY EXISTING WATERMAIN OR SEWERMAIN AND THE TOP OF PROPOSED WORKS.
  4. A MINIMUM CLEARANCE OF 0.5 METER MUST BE PROVIDED BETWEEN THE UNDERSIDE OF THE PROPOSED WORKS AND THE TOP OF ANY EXISTING WATERMAIN OR SEWERMAIN.
  5. A MINIMUM CLEARANCE OF 2.0 METERS MUST BE PROVIDED BETWEEN ANY EXISTING WATERMAIN OR SEWERMAIN PIPE AND THE PROPOSED WORKS.
  6. CONTACT THE CUSTOMER TECHNICAL SERVICES BRANCH AT 986-3322, 48 HOURS PRIOR TO CONSTRUCTION FOR CLEARANCE OF EXISTING WATER AND WASTEWATER UTILITIES.

- GENERAL LEGEND**
- PROPERTY LINE — PROPERTY LINE
  - WM — WATERMAIN
  - CS — SEWER LINE
  - O/H HYDRO — OVERHEAD HYDRO LINE
  - U/G HYDRO — UNDERGROUND HYDRO
  - H — HYDRO POLE
  - △ — CATCH BASIN
  - ⊗ — WATER VALVE
  - ⊙ — HYDRANT
  - - - - - LIMIT OF WORK
  - — EXISTING TREES TO BE PROTECTED DURING CONSTRUCTION

- DEMOLITION LEGEND**
- ▨ — REMOVE SOD TOPSOIL AND SUBGRADE TO SUFFICIENT DEPTHS TO ACCOMMODATE NEW CONSTRUCTION
  - — REMOVE ASPHALT, GRANULAR BASE AND SUBGRADE TO SUFFICIENT DEPTHS TO ACCOMMODATE NEW CONSTRUCTION
  - - - - - REMOVE CHAIN LINK FENCE
  - ⊙ — REMOVE EXISTING LIGHT STANDARDS INCL. CONC. BASE. REFER TO E-1.0.
  - — REMOVE BASKETBALL POST INCL. CONC. BASE TO SUFFICIENT DEPTHS TO ACCOMMODATE NEW CONSTRUCTION
  - - - - - REMOVE TENNIS POSTS INCL. CONC. BASE TO SUFFICIENT DEPTHS TO ACCOMMODATE NEW CONSTRUCTION

1 DEMOLITION PLAN  
L1.0 SCALE: 1:100

No.	Date	Issue/Revision	By
3	14/05/26	ISSUED FOR TENDER	JH
2	14/05/02	ISSUED FOR 100% REVIEW	JH
1	11/02/14	ISSUED FOR 30% REVIEW	JH



Seal of the Manitoba Association of Professional Engineers and Surveyors, Member No. 1011, dated May 26/14.

Client: Winnipeg PLANNING PROPERTY AND DEVELOPMENT DEPARTMENT  
3rd Floor - 65 Garry Street, Winnipeg, MB R2C 4K4

Electrical Engineer: TOWER ENGINEERING GROUP  
UNIT 1 - 1140 WINDLEY ST. WINNIPEG, MB R3B 0N4  
TEL: (204) 925-1150 FAX: (204) 925-1155  
EMAIL: towereng@towereng.ca WEB: www.towereng.ca

Contract Administrator: HTFC PLANNING & DESIGN  
500-115 Bannatyne Avenue East, Winnipeg, MB R3B 0R3  
PHONE 204 944 9907 WEB htfc.mb.ca

Contact: James Hudson

Project: MAYFAIR PARK ASPHALT AND LIGHTING IMPROVEMENTS  
BCI II FORT ROUGE EAST FORT GARRY WARD  
WINNIPEG, MANITOBA

Sheet Title: DEMOLITION PLAN

Design: JH	Drawn: JH	Checked: MG	Scale: 1:100	Date: 11/02/14	File: 14-008
------------	-----------	-------------	--------------	----------------	--------------

Sheet No. L1.0 Rev. 3

Tuesday, May 27, 2014