Template Version: C420131129 - RW

FORM A: BID (See B8)

1.	Contract Title	2014 Regional Streets Program: Henderson Highway Northbound – McLeod Avenue to Springfield Road – Major Rehabilitation
2.	Bidder	Name of Bidder
		Usual Business Name of Bidder as it appears on Invoice (if different from above)
		Street
		City Province Postal Code
	(Mailing address if different)	Email Address of Bidder
		Facsimile Number
		Street or P.O. Box
	(Choose one)	City Province Postal Code
		The Bidder is: a sole proprietor a partnership a corporation carrying on business under the above name.
3.	Contact Person	The Bidder hereby authorizes the following contact person to representhe Bidder for purposes of the Bid.
		Contact Person Title
		Telephone Number Facsimile Number
4.	Definitions	All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions.
5.	Offer	The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B Prices, appended hereto.

Template V	ersion: C420131129 - RW	
6.	Bid Security	In accordance with B11.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

Template Version: C420131129 - RW

2.	Signatures	The Bidder or the Bidder's authorized official or officials have signed this

_	day of , 20
	Signature of Bidder or Bidder's Authorized Official or Officials
	(Print here name and official capacity of individual whose signature appears above)
	(Print here name and official capacity of individual whose signature appears above)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	 Henderson Highway (N/B) - McLeod Avenue to		id - Major			
Α	Rehabilitation	1	ı ı			
	EARTH AND BASE WORKS					
1	Stump Grinding	CW 3010-R4, E11	each	6		
.2	Excavation	CW 3110-R18	m³	40		
.3	Sub-Grade Compaction	CW 3110-R18	m²	220		
.4	Supplying and Placing Base Course Material	CW 3110-R18	m³	100		
5	Grading of Boulevards	CW 3110-R18	m²	320		
1.6	Removal of Existing Concrete Bases	CW 3110-R18				
i)	600 mm Diameter or Less		each	1		
A.7	Separation Geotextile Fabric	CW 3130-R4	m²	220		
	ROADWORKS - RENEWALS					
. .8	Slab Replacement	CW 3230-R8				
i)	250 mm Concrete Pavement (Plain-Dowelled)		m²	230		
ii)	200 mm Concrete Pavement (Plain-Dowelled)		m²	800		
iii)	150 mm Concrete Pavement (Reinforced)		m²	60		
. .9	Partial Slab Patches	CW 3230-R8				
i)	200 mm Concrete Pavement (Type A)		m²	10		
iii)	200 mm Concrete Pavement (Type B)		m²	1400		
iv)	200 mm Concrete Pavement (Type C)		m²	70		
vi)	200 mm Concrete Pavement (Type D)		m²	200		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.10	Slab Replacement - Early Opening (24 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Plain-Dowelled)		m²	70		
A.11	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Type B)		m²	120		
A.12	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	2300		
A.13	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	3000		
A.14	Miscellaneous Concrete Slab Removal	CW 3235-R9, E12				
i)	100 mm Sidewalk		m²	1670		
ii)	100 mm Sidewalk on Private Property		m²	135		
iiI)	Bullnose		m²	42		
A.15	Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)	Monolithic Median Slab	SD-226A	m²	20		
ii)	Safety Median	SD-226B	m²	60		
iii)	Bullnose	SD-227C	m²	80		
iv)	Monolithic Curb and Sidewalk	SD-228B, E13	m²	2115		
A.16	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m²	160		

ES DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	QUANTITY 7		
Concrete Curb Removal	CW 3240-R10				
Barrier Separate		m	1350		
Curb Ramp		m	124		
Concrete Curb Installation	CW 3240-R10				
Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	22		
Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229A,B,C	m	190		
Splash Strip (150 mm reveal ht, Monolithic Barrier Curb, 750 mm width)	SD-223A	m	441		
Concrete Curb Renewal	CW 3240-R10				
Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
Less than 3 m		m	25		
Supply and Installation of Dowel Assemblies	CW 3310-R15	m	92		
Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	4		
Construction of Asphaltic Concrete Overlay	CW 3410-R10				
Main Line Paving					
Type IA		tonne	1750		
Tie-ins and Approaches					
Type IA		tonne	235		
Construction of Asphalt Patches	CW 3410-R10	m²	120		
Planing of Pavement	CW 3450-R5				
0 - 50 mm Depth (Asphalt)		m²	2500		
50 - 100 mm Depth (Asphalt)		m²	6850		
	Adjustment of Precast Sidewalk Blocks Concrete Curb Removal Barrier Separate Curb Ramp Concrete Curb Installation Modified Barrier (150 mm reveal ht, Dowelled) Curb Ramp (8-12 mm reveal ht, Monolithic) Splash Strip (150 mm reveal ht, Monolithic Barrier Curb, 750 mm width) Concrete Curb Renewal Barrier (150 mm reveal ht, Dowelled) Less than 3 m Supply and Installation of Dowel Assemblies Regrading Existing Interlocking Paving Stones Construction of Asphaltic Concrete Overlay Main Line Paving Type IA Tie-ins and Approaches Type IA	Adjustment of Precast Sidewalk Blocks CW 3235-R9 Concrete Curb Removal Curb Ramp Concrete Curb Installation CW 3240-R10 Modified Barrier (150 mm reveal ht, Dowelled) Curb Ramp (8-12 mm reveal ht, Monolithic) SD-229A,B,C Splash Strip (150 mm reveal ht, Monolithic Barrier Curb, 750 mm width) Concrete Curb Renewal CW 3240-R10 SD-223A CW 3240-R10 SD-223A CW 3240-R10 SD-223A CW 3240-R10 SD-223A CW 3240-R10 SD-205, SD-206A CW 3240-R10 SD-205, SD-206A CW 3240-R10 CW 3240-R10 CW 3240-R10 SD-205, SD-206A CW 3310-R15 COnstruction of Asphaltic Concrete Overlay CW 3310-R15 Construction of Asphaltic Concrete Overlay Main Line Paving Type IA Tie-ins and Approaches Type IA Construction of Asphalt Patches CW 3410-R10 Planing of Pavement CW 3450-R5	DESCRIPTION SPEC. REF. Adjustment of Precast Sidewalk Blocks CW 3235-R9 m² Concrete Curb Removal CW 3240-R10 Barrier Separate m Curb Ramp m Concrete Curb Installation CW 3240-R10 Modified Barrier (150 mm reveal ht, Dowelled) SD-203B m Curb Ramp (8-12 mm reveal ht, Monolithic) SD-229A,B,C m Splash Strip (150 mm reveal ht, Monolithic Barrier Curb, 750 mm width) Concrete Curb Renewal CW 3240-R10 Barrier (150 mm reveal ht, Dowelled) SD-205, SD-206A Less than 3 m m Supply and Installation of Dowel Assemblies CW 3310-R15 m Regrading Existing Interlocking Paving Stones CW 3330-R5 m² Construction of Asphaltic Concrete Overlay CW 3410-R10 Main Line Paving Type IA Tie-ins and Approaches Type IA Construction of Asphalt Patches CW 3410-R10 m² Planing of Pavement CW 3450-R5 D - 50 mm Depth (Asphalt) m²	DESCRIPTION	DESCRIPTION

UNIT PRIC	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
A.26	Partial Depth Planing of Existing Joints	E14	m²	105		
A.27	Asphalt Patching of Partial-Depth Joints	E14	m²	7		
<u></u> .	copinal value and a second					
A.28	Detectable Warning Surface Tiles	CW 3326-R1				
.,	000 , 2000			00		
i)	300 mm X 300 mm		each	39		
ii)	610 mm X 1220 mm		each	26		
	ROADWORKS - NEW CONSTRUCTION					
A.29	Interlocking Paving Stones	CW 3335-R1,				
A.29	Interlocking Faving Stories	E15				
i)	Charcoal Holland Paver 60x105x210mm		m²	175		
	JOINT AND CRACK SEALING					
A.30	Reflective Crack Maintenance	CW 3250-R7	m	1800		
700	Tronger of Grant Maintenance	011 0200 1 ti	'''	1000		
	ASSOCIATED DRAINAGE AND					
	UNDERGROUND WORKS					
A.31	Catch Basin	CW 2130-R12				
i)	SD-024, 1800 mm deep		each	1		
,						
A.32	Catch Pit	CW 2130-R12				
:\	SD 022		ooob	1		
i)	SD-023		each	1		
A.33	Remove and Replace Existing Catch Basin	CW 2130-R12				
i)	SD-024		each	10		
A.34	Remove and Replace Existing Catch Pit	CW 2130-R12				
70-1	Tromove and replace Existing Caterria	OW 2100 1(12				
i)	SD-023		each	2		
A.35	Sewer Service	CW 2130-R12				
i)	150 mm, PVC					
-,						
a)	In a Trench, Class B Type 3 Bedding, Class 2		m	25		
	Backfill					

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.36	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	4		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	4		
iii)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	5		
iv)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	5		
A.37	Connecting to Existing Catch Basin	CW 2130-R12				
i)	150 mm Drainage Connection Pipe		each	1		
A.38	Connecting New Sewer Service to Existing Sewer Service	CW 2130-R12				
i)	150 mm		each	10		
A.39	Abandoning Existing Catch Basins	CW 2130-R12	each	1		
	ADJUSTMENTS					
A.40	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	7		
A.41	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	3		
ii)	Brick Risers		vert. m	1		
iii)	Cast-in-place Concrete		vert. m	1		
A.42	Lifter Rings	CW 3210-R7				
i)	38 mm		each	2		
ii)	51 mm		each	4		
iii)	64 mm		each	1		
iv)	76 mm		each	1		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT	
A.43	Adjustment of Valve Boxes	CW 3210-R7	each	10			
A.44	Valve Box Extensions	CW 3210-R7	each	15			
A.45	Adjustment of Curb Stop Boxes	CW 3210-R7	each	2			
A.46	Curb Stop Extensions	CW 3210-R7	each	1			
	LANDSCAPING						
A.47	Sodding	CW 3510-R9					
i)	width < 600 mm		m²	210			
A.48	Seeding	CW 3520-R7	m²	160			
A.49	Renewal of Treated Timber Edging	E16	m	280			
A.50	Topsoil and Wood Mulch	E16	m²	80			
A.51	Supply and Installation of Red Shale Mix	E17	m³	25			
	MISCELLANEOUS						
A.52	Installation of Barrier Rails	CW 3650-R6, E18	m	48			
A.53	Salvaging Existing Barrier Posts	CW 3650-R6, E18	each	16			
Α	Henderson Highway (N/B) - McLeod Avenue to Rehabilitation	Springfield Roa	nd - Majo	<u>r</u>	Subtotal:		
	SUMMARY						
Α	Henderson Highway (N/B) - McLeod Avenue to Rehabilitation	Springfield Roa	ıd - Majoı	<u>r</u>	Subtotal:		
TOTAL BII	OTAL BID PRICE (GST extra) (in figures)						

Name	of Bid	de
------	--------	----

(Seal)

Template Version: C420131129 - RW

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

BID BOND

KNOW ALL MEN BY THESE PRESENTS	THAT	
(hereinafter called the "Principal") and		
called the "Obligee") in the sum of ten per described, for the payment of which sum t	and firmly bound unto THE CITY OF WINNIPE reent (10%) of the Total Bid Price set out in the he Principal and Surety bind themselves, their he intly and severally, firmly by these presents.	Bid hereinafter
WHEREAS the Principal has submitted a B	did to the Obligee for	
BID OPPORTUNITY NO. 545-2014		
2014 Regional Streets Program: Henderson Major Rehabilitation	n Highway Northbound – McLeod Avenue to Sprii	ngfield Road –
as more fully set out in the Bid Opportunity.		
if said Bid is accepted and the Principal, in the said Obligee and furnishes the required	oligation is such that if the Bid of the Principal is n accordance with the terms of the Bid, enters into d performance security for guaranteeing the faithf l, but otherwise shall remain in full force and effec	a Contract with ul performance
IN WITNESS WHEREOF the Principal and	Surety have signed and sealed this bond the	
day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal)	
(Witness as to Principal if no seal)	Per: Per:	(Seal)
	(Name of Surety)	

Ву:

(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B11)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on ______, 20____ for BID OPPORTUNITY NO. 545-2014 2014 Regional Streets Program: Henderson Highway Northbound – McLeod Avenue to Springfield Road – Major Rehabilitation in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this ______ day of ______ , 20_____ . (Name of Surety) (Seal) (Attorney-in-Fact)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B11)

(Date)
The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg MB R3B 1J1
RE: BID SECURITY – BID OPPORTUNITY NO. 545-2014
2014 Regional Streets Program: Henderson Highway Northbound – McLeod Avenue to Springfield Road – Major Rehabilitation
Pursuant to the request of and for the account of our customer,
(Name of Bidder)
WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate
Canadian dollars.
This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.
The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.
Partial drawings are permitted.
We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:
(Address)
and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on August 26, 2014

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name of bank or financial institution)	
Per:	
	(Authorized Signing Officer)
Per:	
	(Authorized Signing Officer)