

ICF FOUNDATION WALL
C/W 70 mm OF
INSULATION ON B.S

PILE No.	PILE ELEVATION (m)	LENGTH (m)
1	230.35	7.5
2	230.58	7.5
3	230.85	7.5
4	230.80	7.5

LEGEND

○ PILE NUMBER
P1

○ SECTION/DETAIL No.
1
1 2


○ SECTION / DETAIL PAGE LOCATION

○ SECTION / DETAIL PAGE REFERENCE



NOTES

- ALL MEASUREMENTS IN METERS AND MUST BE VERIFIED BY CONTRACTOR PRIOR TO PILE PLACEMENT AS HOUSE DIMENSIONS ARE NOT EXACT.
- ALL PILE LOCATIONS AND ELEVATIONS ARE TO BE CONFIRMED BY CONTRACTOR PRIOR TO FINAL PLACEMENT.
- ALL PILES TO BE LOCATED IN CENTER OF FOUNDATION WALLS.



NO.	DATE	ISSUE / REVISION
0	Mar.31.14	Permit/Construction

6 - 854 Marion Street
Winnipeg, MB R2J 0K4
Phone: (204) 233-1694
Fax: (204) 235-1579

ENG-TECH
CONSULTING LIMITED

ENG STAMP:

PROVINCE OF MANITOBA
C.D.
HRYHORUK
REGISTERED PROFESSIONAL ENGINEER

APECM
Certificate of Authorization
ENG-TECH Consulting Limited
No 2475 Expiry: April 30, 2014

CLIENT: CITY OF WINNIPEG

PROJECT: FLOOD PROTECTION DESIGN - 70 MACBELL ROAD, WINNIPEG, MANITOBA

DWG DESCRIPTION: NEW FOUNDATION, RETAINING WALL AND BASEMENT FLOOR JOIST PLAN

SCALE: 1:75

DRAWN BY: TDR	DATE: MARCH 2014
FILE No: 11-217-06	CLIENT DWG/FIG. No.:
ENG-TECH DWG/FIG. No. 5	REV. 0