# FORM A: BID (See B8)

1.	Contract Title	2015 DOWNTOWN & REGION DETECTABLE WARNING SUF ASSOCIATED WORKS		AND
2.	Bidder	Name of Bidder		
		Usual Business Name of Bidder as it a	ppears on Invoice (if different from above	ve)
		Street		
		City	Province	Postal Code
	(Mailing address if different)	Email Address of Bidder		
		Facsimile Number		
		Street or P.O. Box		
	(Choose one)	City	Province	Postal Code
		The Bidder is:		
		a sole proprietor		
		a partnership		
		a corporation		
		carrying on business under the	above name.	
3.	Contact Person	The Bidder hereby authorizes the Bidder for purposes of the B		represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions	All capitalized terms used in ascribed to them in the Genera		meanings
5.	Offer	The Bidder hereby offers to p Contract for the Total Bid Price Prices, appended hereto.		

6.	Bid Security	In accordance with B12.1, the Bidder encloses bid security in the form of:				
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)				
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)				
		a certified cheque or draft				
		and agrees that it shall be held by the City in accordance with the Contract.				
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.				
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.				
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.				
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:				
		No Dated				
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.				

12.	Signatures	The Bidder or the Bidder's authorized official or officials have si	igned this
-----	------------	---	------------

\_\_\_\_\_ day of \_\_\_\_\_ , 20\_\_\_\_\_ .

Signature of Bidder or Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

\_\_\_\_\_

(Print here name and official capacity of individual whose signature appears above)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Α	Downtown Sidewalk Renewals	11211				
	EARTH AND BASE WORKS					
A.1	Supplying and Placing Base Course Material	CW 3110-R19	m³	85		
	ROADWORKS - RENEWALS					
A.2	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Type B)		m²	30		
A.3	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	90		
A.4	Removal of Paving Stones	E16	m²	1110		
A.5	Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)	Monolithic Curb and 100 mm Concrete Sidewalk with Blockouts for Paving Stones	E13	m²	1110		
A.6	Concrete Curb Removal	CW 3240-R10				
i)	Barrier 150 mm		m	175		
ii)	Curb and Gutter		m	45		
iii)	Curb Ramp		m	35		
A.7	Concrete Curb Installation	CW 3240-R10				
i)	Curb and Gutter (150mm reveal ht, Barrier, Integral, 600mm width, 150mm Plain Concrete Pavement)	SD-200	m	20		
ii)	Curb and Gutter (180mm reveal ht, Modified Barrier, Integral, 600mm width, 150mm Plain Concrete Pavement)	SD-200, SD-203B	m	15		
iii)	Curb and Gutter (10-15mm reveal ht, Curb Ramp, Integral, 600mm width, 150mm Plain Concrete Pavement)	SD-200	m	15		
iv)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229A,B,C	m	25		
A.8	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
a)	3 m to 30 m		m	90		
ii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	20		
A.9	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	55		
A.10	Construction of Asphalt Patches	CW 3410-R10	m²	135		
A.11	Detectable Warning Surface Tiles	CW 3326-R2	each	15		
	ROADWORKS - NEW CONSTRUCTION					
A.12	Interlocking Paving Stones	CW 3330-R5, E10				
i)	Endicott Clay Paver - Dark Ironspot		m²	280		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
A.13	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-006 - Standard Grated Cover for Standard Frame		each	2		
ii)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	1		
iii)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	2		
	ADJUSTMENTS					
A.14	Adjustment of Catch Basins/Manholes Frames	CW 3210-R7	each	2		
A.15	Lifter Rings	CW 3210-R7				
i)	38 mm		each	2		
ii)	51 mm		each	2		
A.16	Adjustment of Valve Boxes	CW 3210-R7	each	10		
A.17	Valve Box Extensions	CW 3210-R7	each	5		
A.18	Adjustment of Curb Stop Boxes	CW 3210-R7	each	5		

UNIT PRIC	CES					
ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
A.19	Adjustment of Curb and Gutter Inlet Frames	CW 3210-R7	each	2		
A.20	Curb Stop Extensions	CW 3210-R7	each	3		
	MISCELLANEOUS					
A.21	Reinforced Concrete Tree Well Curb	E14	m	60		
A.22	Supply and Install Cast Iron Tree Grate - ADA Compliant - 600 mm Diameter Tree Opening	E15	each	9		
Α	Downtown Sidewalk Renewals			•	Subtotal:	

ITEM	ICES DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
В	Regional Sidewalk Renewals					
	EARTH AND BASE WORKS					
B.1	Supplying and Placing Base Course Material	CW 3110-R19	m³	165		
B.2	Grading of Boulevards	CW 3110-R19	m²	500		
	ROADWORKS - RENEWALS					
B.3	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Type B)		m²	30		
B.4	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	95		
B.5	Removal of Paving Stones	E16	m²	220		
B.6	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a	)) 5 sq.m. to 20 sq.m.		m²	5		
b	) Greater than 20 sq.m.		m²	475		
ii)	Monolithic Curb and 100 mm Concrete Sidewalk with Blockouts for Paving Stones	E13	m²	1610		
B.7	Concrete Curb Installation	CW 3240-R10				
i)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229A,B,C	m	10		
B.8	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a	) Less than 3 m		m	10		
b	) 3 m to 30 m		m	30		
ii)	Modified Barrier (180 mm reveal ht, Dowelled)	SD-203B	m	5		
iii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	75		
iv)	Safety Curb (330 mm reveal ht)	SD-206B	m	10		

UNIT PRI	CES	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.9	Construction of Asphalt Patches	CW 3410-R10	m²	295		
B.10	Detectable Warning Surface Tiles	CW 3326-R2	each	15		
	ROADWORKS - NEW CONSTRUCTION					
B.11	Interlocking Paving Stones	CW 3330-R5, E10				
i)	Endicott Clay Paver - Dark Ironspot		m²	115		
ii)	Beldin Regimental - Red		m²	75		
	ADJUSTMENTS					
B.12	Adjustment of Catch Basins/Manholes Frames	CW 3210-R7	each	1		
B.13	Lifter Rings	CW 3210-R7				
i)	38 mm		each	1		
ii)	51 mm		each	1		
B.14	Adjustment of Valve Boxes	CW 3210-R7	each	9		
B.15	Valve Box Extensions	CW 3210-R7	each	4		
B.16	Adjustment of Curb Stop Boxes	CW 3210-R7	each	10		
B.17	Curb Stop Extensions	CW 3210-R7	each	6		
	LANDSCAPING					
B.18	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	10		
ii)	width > or = 600 mm		m²	65		
B.19	Salt Tolerant Grass Seeding	E8	each	335		
В	Regional Sidewalk Renewals				Subtotal:	

UNIT PRI	CES	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
С	Detectable Warning Surface Tile Installation	ons				
	EARTH AND BASE WORKS					
C.1	Supplying and Placing Base Course Material	CW 3110-R19	m³	30		
C.2	Grading of Boulevards	CW 3110-R19	m²	30		
	ROADWORKS - RENEWALS					
C.3	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Type B)		m²	5		
C.4	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	5		
C.5	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	235		
C.6	Removal of Paving Stones	E16	m²	100		
C.7	Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A	m²	30		
ii)	100 mm Concrete Sidewalk with Blockouts for Paving Stones	E9	m²	45		
C.8	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a	) Less than 5 sq.m.		m²	45		
b	) 5 sq.m. to 20 sq.m.		m²	140		
c	) Greater than 20 sq.m.		m²	70		
C.9	Concrete Curb Removal	CW 3240-R10				
i)	Barrier 105 mm		m	10		
ii)	Curb Ramp		m	5		
C.10	Concrete Curb Installation	CW 3240-R10				

	CES	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
i)	Modified Barrier (180 mm reveal ht, Dowelled)	SD-203B	m	5		
ii)	Curb and Gutter (150mm reveal ht, Barrier, Integral, 600mm width, 150mm Plain Concrete Pavement)	SD-200	m	30		
iii)	Curb and Gutter (180mm reveal ht, Modified Barrier, Integral, 600mm width, 150mm Plain Concrete Pavement)	SD-200, SD-203B	m	10		
iv)	Curb and Gutter (10-15mm reveal ht, Curb Ramp, Integral, 600mm width, 150mm Plain Concrete Pavement)	SD-200	m	30		
V)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229A,B,C	m	80		
C.11	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	5		
b)	3 m to 30 m		m	15		
ii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	110		
iii)	Splash Strip (150mm reveal ht, Monolithic Barrier Curb, 750mm width)	SD-223A	m	5		
C.12	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	40		
C.13	Construction of Asphalt Patches	CW 3410-R10	m²	80		
C.14	Detectable Warning Surface Tiles	CW 3326-R2	each	85		
	ROADWORKS - NEW CONSTRUCTION					
C.15	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R16				
i)	Construction of Curb Ramp (8-12 mm ht, Monolithic)	SD-229C	m	10		
C.16	Interlocking Paving Stones	CW 3330-R5, E10				
i)	Endicott Clay Paver - Dark Ironspot		m²	10		
C.17	100 mm Concrete Sidewalk	CW 3325-R5	m²	5		
	ADJUSTMENTS					
C.18	Adjustment of Valve Boxes	CW 3210-R7	each	3		

UNIT PRI	CES					
ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
C.19	Valve Box Extensions	CW 3210-R7	each	1		
	LANDSCAPING					
C.20	Salt Tolerant GrassSeeding	E8	m²	30		
С	Detectable Warning Surface Tile Installation	ons			Subtotal:	
•	Downtown Sidowalk Danowala					
A	Downtown Sidewalk Renewals				Subtotal:	
В	Regional Sidewalk Renewals				Subtotal:	
					Subiolai.	
С	Detectable Warning Surface Tile Installation		Subtotal:			
TOTAL BI	TOTAL BID PRICE (GST extra) (in figures)					
	· · · ·		,	<i>c</i> ,		

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B12)

#### **BID BOND**

KNOW ALL MEN BY THESE PRESENTS THAT

(hereinafter called the "Principal") and

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 323-2015

2015 DOWNTOWN & REGIONAL SIDEWALK RENEWALS, DETECTABLE WARNING SURFACE TILE INSTALLATIONS, AND ASSOCIATED WORKS

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal)	
(Witness as to Principal if no seal)	Per:	
	(Name of Surety) By:	(Seal)

of

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B12)

## AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

(Name of Bidder)

(Place)

the Bidder to you on \_\_\_\_\_\_, 20\_\_\_\_\_ , 20\_\_\_\_\_ for

BID OPPORTUNITY NO. 323-2015

# 2015 DOWNTOWN & REGIONAL SIDEWALK RENEWALS, DETECTABLE WARNING SURFACE TILE INSTALLATIONS, AND ASSOCIATED WORKS

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this \_\_\_\_\_\_ day of \_\_\_\_\_\_, 20\_\_\_\_\_,

(Name of Surety)

By:

(Attorney-in-Fact) (Seal)

## FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2)

(See B12)

(Date)

The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg MB R3B 1J1

## RE: BID SECURITY – BID OPPORTUNITY NO. 323-2015

2015 DOWNTOWN & REGIONAL SIDEWALK RENEWALS, DETECTABLE WARNING SURFACE TILE INSTALLATIONS, AND ASSOCIATED WORKS

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

#### FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B12)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on August 24, 2015.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name of bank or financial institution)	
Per:	(Authorized Signing Officer)
Per:	

(Authorized Signing Officer)