FORM A: BID (See B8)

1.	Contract Title	SUPPLY AND DELIVER	RY OF CLASS 5 CAB AND C	HASSIS VEHICLES
2.	Bidder			
		Name of Bidder		
		Usual Business Name of Bidd	er as it appears on Invoice (if differer	nt from above)
		Street		
		City	Province	Postal Code
	(Mailing address if different)	Email Address of Bidder		
		Facsimile Number		
		Street or P.O. Box		
	(Choose one)	City	Province	Postal Code
		GST Registration Number (if a	applicable)	
		The Bidder is:		
		a sole proprietor		
		a partnership		
		a corporation		
		carrying on business un	der the above name.	
3.	Contact Person	The Bidder hereby auth the Bidder for purposes	norizes the following contact of the Bid.	person to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
		Email Address		
4.	Definitions		sed in the Contract shall h General Conditions and D3.	nave the meanings

- 5. Offer The Bidder hereby offers to perform the Work in accordance with the Contract for the price(s), in Canadian funds, set out on Form B: Prices, appended hereto.
- 6. Commencement of the Work The Bidder agrees that no Work shall commence until he/she is in receipt of a notice of award from the Award Authority authorizing the commencement of the Work.
- 7. Contract The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
- 8. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No. _____ Dated _____

9. Time This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

10. Signatures The Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____ , 20_____ .

Signature of Bidder or Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

FORM B: PRICES (See B9)

SUPPLY AND DELIVERY OF CLASS 5 CAB AND CHASSIS VEHICLES

UNIT PRICES

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	QUANTITY	UNIT PRICE
1.	16,000 lbs. GVWR Crew Cab & Chassis	15022	Each	3	
2.	16,000 lbs. GVWR Crew Cab & Chassis w/Option 1: 4wd	15022	Each	3	
3.	19,000 lbs. GVWR Crew Cab & Chassis	15023	Each	2	

Name of Bidder

FORM N: DETAILED SPECIFICATIONS 15022

16,000 lbs. GVWR CREW CAB & CHASSIS

1. <u>TYPE</u>

1.1 Shall be a 16,000 lbs. GVWR, Crew Cab & Chassis suitable for use as a dump body truck. The cab & chassis shall be furnished complete and ready for use with all features and equipment as described herein.

1.2 STATE MAKE AND MODEL BEING BID: 2016_____

2. OTHER SPECIFICATIONS AND STANDARDS

2.1 All applicable SAE standards form an integral part of these specifications and shall have precedence in any conflict concerning minimum acceptable standards.

Society of Automotive Engineers, SAE: <u>http://en.wikipedia.org/wiki/Society_of_Automotive_Engineers</u>

2.2 The completed unit and all its components shall comply with all C.M.V.S.S. and Manitoba Highway Traffic Act regulations and requirements including, but not limited to, a Manitoba Government Inspection with Safety Sticker on the driver's side window.

Highway Traffic Act: http://web2.gov.mb.ca/laws/statutes/ccsm/h060e.pHP

Canadian Motor Vehicle Safety Standards, CMVSS: http://www.gnb.ca/0062/regs/83-163.htm

3. SERVICE FACILITY

3.1 For the purpose of warranty repairs, the manufacturer shall have an authorized service facility located within 10 km of the boundaries of the City of Winnipeg. The facility, or a portion thereof, shall be dedicated to the service and maintenance of the type equipment being offered. Further to B11, Bidders shall provide a description of the service facility including, but not limited to, number of qualified service staff, years of service experience, and general service capabilities within three (3) Business Days upon request of the Contract Administrator.

4. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

- 4.1 All items in these specifications must be answered indicating compliance or non-compliance. Bidders shall state "yes" for compliance or state deviation, or give reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 4.2 Each bidder is required to fill in every blank. Failure to do so may be used as a basis for rejection of bid.

ITEM		SPECIFICATION	BIDDER TO STATE "YES" OR STATE DEVIATION
5.	GVWR	16,000 lbs., state	
6.	Cab configuration	Crew cab	
7.	Wheelbase	176 in. approx., state	
8.	CA	60 in. nominal	

9.	Bumper to Back of Cab	152 in. BBC approx., state	
10.	Engine	Diesel, 6.0 L class, state displacement	
11.	Engine Idle Shutdown	Timer required to shut engine off after 15-min.	
12.	Engine cooling	Maximum factory cooling package	
13.	Coolant	Extended Life Coolant, -37°C (-35°F)	
14.	Block heater	Required, submersible coolant type, with cord through grille	
15.	Alternator	180 Amp	
16.	Batteries	Dual, 1300 CCA combined capacity	
17.	Transmission	Automatic	
18.	Transmission cooling	Maximum factory cooling package	
19.	Transmission PTO	Required	
20.	Rear axle	Limited slip or locking type	
21.	Rear axle ratio	Standard, state ratio	
22.	Shock absorbers	Standard, front and rear	
23.	Tires	Standard size to match GVWR, 225/70Rx19.5 approx.	
23.1	Front	G-rated, all season radials, state make, model and size	
23.2	Rear	G-rated, radial traction tires, state make, model and size	
24.	Wheels	Steel rims with wheel nut indicators installed on every second wheel nut, front and rear	
25.	Mudflaps	Required front mounted, OEM, moulded	
26.	Brakes	Power with ABS	
27.	Steering	Power	
28.	Cab steps	Not required	
29.	Seats, front	Split bench, cloth or cloth w/vinyl trim	
29.1	Seats, rear	Bench, cloth or cloth w/vinyl trim	
29.2	Seat covers	Required, front and rear, heavy duty, specifically designed for make and model of chassis seats being bid	
30.	Floor covering	Rubber matting throughout with throw-in, winter type rubber floor mats	
31.	Tilt steering	Required	
32.	Cruise control	Required	
33.	Door locks	Power	
34.	Remote keyless entry	Two (2) required	
35.	Auxiliary switches	Four (4) dash mounted switches	
36.	Ignition keys	Three (3) sets required	
37.	Windows	Power	
38.	Air bags	Required, front driver's and passenger	

39.	Windshield	Tinted	
40.	Windshield wipers	Intermittent	
40.1	Wiper blades	Winter blades with heavy duty rubber boot or Reflex style	
41.	Mirror, interior	Rearview, windshield mounted	
42.	Mirrors, exterior	Dual exterior, black polycarbonate, 5" x 8" approx., West Coast or recreational swing- out, manually telescoping for trailer towing	
43.	Lights	Interior dome with door switches	
43.1	Flasher circuit	Suitable for installation of LED style body lighting	
44.	Radio	Factory installed AM/FM with CD	
45.	12-Volt power point	Required	
46.	Bluetooth [®] technology	Required for use with cellular phones, "hands- free" capable, voice command activated through vehicle's radio circuit	
47.	Air conditioning	Required	
48.	Colour:		
	- Exterior	Bright white	
	- Interior	Blue or grey	
	- Wheels	Grey, argent or white	
49.	Fuel tank	150 L capacity approx., fully fuelled upon delivery	
50.	Fuel filler	Fuel filler kit required, supplied in cab	
51.	Towing prep package	Class IV, 10,000 lbs. capacity	
51.1	Trailer plug wiring	Wired into chassis manufacturer's OEM trailer wiring circuit, independently wired/fused from main truck lighting harness or circuits. Cable shall be routed along inside of vehicle frame to rear of vehicle, properly secured using UV resistant "Outdoor Black" cable ties	
51.2	Trailer plug	7-Way (Spade type) socket, black ABS or nylon construction, Grote 82-1058 or equal, wired to code, plug supplied loose in glove box	
51.3	Electric Brake Controller	Required, factory installed	
52.	Bumper, front	Chrome	
53.	Bumper, rear	Not required	
54.	License plate bracket	Required, front bumper mounted w/license plate mounting hardware	
55.	Flare kit	Three triangular reflectors, CVSA approved, Truck-Lite 798 or equal	
56.	Operator's manual	Required, one (1) per vehicle	
57.	Warranty:		
57.1	Basic vehicle	Three (3) years or 60 000 km	
57.2	Batteries	Three (3) years or 60 000 km	

57.3	Drivetrain	Three (3) years or 60 000 km	
57.4	Cab structure	Three (3) years or 60 000 km	
57.5	Cab corrosion	Five (5) years, unlimited km/miles	
57.6	Frame & crossmembers	Three (3) years or 60 000 km	
57.7	Cab paint	Three (3) years or 60 000 km	
57.8	Engine	Five (5) years or 160 000 km including engine electronics and injectors	
57.9	Towing coverage	Three (3) years or 60 000 km	
57.10	Transmission	Five (5) years or 100 000 km	
57.11	Axles, front & rear	Five (5) years or 100 000 km	
57.12	Exhaust system	Three (3) years or 60 000 km	
57.13	Biodiesel fuel	The above warranties shall be applicable with a B5 biodiesel fuel or less	
58.	Manuals	Parts, repair and technical service manuals including preventative maintenance schedules for life of unit, CD or online format preferred	
59.	Delivery point	Vehicles shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, including invoice and N.I.V.S. to the WFMA 185 Tecumseh Street, Winnipeg MB	
60.	Delivery time	Within 20-calendar weeks from the date of official notification of award of contract. Equip- ment shall be delivered within 8:00 am and 2:00 pm on Business Days	
61.	Delivery contact	The Contractor shall contact the Contract Administrator prior to delivery of the equipment	
62.	PDI	A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list	
<u>Optio</u>	<u>n:</u>		
Note:	Option to be priced only as	indicated on Form B: Prices (Item 2)	

63. Option 1: 4wd with dash mounted electronic shift

FORM N: DETAILED SPECIFICATIONS 15023

19,000 lbs. GVWR CREW CAB & CHASSIS

1. <u>TYPE</u>

1.1 Shall be a 19,000 lbs. GVWR, Crew Cab & Chassis suitable for use as a service body truck. The cab & chassis shall be furnished complete and ready for use with all features and equipment as described herein.

1.2 STATE MAKE AND MODEL BEING BID: 2016_____

2. OTHER SPECIFICATIONS AND STANDARDS

2.1 All applicable SAE standards form an integral part of these specifications and shall have precedence in any conflict concerning minimum acceptable standards.

Society of Automotive Engineers, SAE: <u>http://en.wikipedia.org/wiki/Society_of_Automotive_Engineers</u>

2.2 The completed unit and all its components shall comply with all C.M.V.S.S. and Manitoba Highway Traffic Act regulations and requirements including, but not limited to, a Manitoba Government Inspection with Safety Sticker on the driver's side window.

Highway Traffic Act: http://web2.gov.mb.ca/laws/statutes/ccsm/h060e.pHP

Canadian Motor Vehicle Safety Standards, CMVSS: http://www.gnb.ca/0062/regs/83-163.htm

3. SERVICE FACILITY

3.1 For the purpose of warranty repairs, the manufacturer shall have an authorized service facility located within 10 km of the boundaries of the City of Winnipeg. The facility, or a portion thereof, shall be dedicated to the service and maintenance of the type equipment being offered. Further to B11, Bidders shall provide a description of the service facility including, but not limited to, number of qualified service staff, years of service experience, and general service capabilities within three (3) Business Days upon request of the Contract Administrator.

4. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

- 4.1 All items in these specifications must be answered indicating compliance or non-compliance. Bidders shall state "yes" for compliance or state deviation, or give reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 4.2 Each bidder is required to fill in every blank. Failure to do so may be used as a basis for rejection of bid.

ITEM		SPECIFICATION	BIDDER TO STATE "YES" OR STATE DEVIATION
5.	GVWR	19,000 lbs., state	
6.	Cab configuration	Crew cab	
7.	Wheelbase	176 in. approx., state	
8.	CA	60 in. nominal	

	_		
9.	Bumper to Back of Cab	152 in. BBC approx., state	
10.	Front axle	4wd with dash mounted electronic shift	
11.	Engine	V8 or V10 Gasoline, state displacement	
12.	Engine idle shutdown	Timer required to shut engine off after 15-min.	
13.	Remote start	Required, OEM factory installed	
14.	Engine cooling	Maximum factory cooling package	
15.	Coolant	Extended Life Coolant, -37°C (-35°F)	
16.	Block heater	Required, submersible coolant type, with cord through grille	
17.	Alternator	180 Amp	
18.	Battery	650 CCA capacity	
19.	Transmission	Automatic	
20.	Transmission cooling	Maximum factory cooling package	
21.	Rear axle	Limited slip or locking type	
22.	Rear axle ratio	Standard, state ratio	
23.	Shock absorbers	Standard, front and rear	
24.	Tires	Standard size to match GVWR, 225/70Rx19.5 approx.	
24.1	Front	G-rated, all season radials, state make, model and size	
24.2	Rear	G-rated, radial traction tires, state make, model and size	
25.	Wheels	Steel rims with wheel nut indicators installed on every second wheel nut, front and rear	
26.	Mudflaps	Required front mounted, OEM, moulded	
27.	Brakes	Power with ABS	
28.	Steering	Power	
29.	Cab steps	Not required	
30.	Seats, front	Bucket seats, adjustable, cloth or cloth w/vinyl trim, including centre console	
30.1	Seats, rear	Bench, cloth or cloth w/vinyl trim	
30.2	Seat covers	Required, front and rear, heavy duty, specifically designed for make and model of chassis seats being bid	
31.	Floor covering	Rubber matting throughout with throw-in, winter type rubber floor mats	
32.	Tilt steering	Required	
33.	Cruise control	Required	
34.	Door locks	Power	
35.	Remote keyless entry	Two (2) required with factory remote start feature	
36.	Auxiliary switches	Four (4) dash mounted switches	
37.	Ignition keys	Three (3) sets required	
		х, , , , , , , , , , , , , , , , , , ,	

38.	Windows	Power	
39.	Air bags	Required, front driver's and passenger	
40.	Windshield	Tinted	
41.	Windshield wipers	Intermittent	
41.1	Wiper blades	Winter blades with heavy duty rubber boot or Reflex style	
42.	Mirror, interior	Rearview, windshield mounted	
43.	Mirrors, exterior	Dual exterior, black polycarbonate, 5" x 8" approx., West Coast or recreational swing- out, manually telescoping for trailer towing	
44.	Lights	Interior dome with door switches	
44.1	Flasher circuit	Suitable for installation of LED style body lighting	
45.	Radio	Factory installed AM/FM with CD	
46.	12-Volt power point	Required	
47.	Bluetooth [®] technology	Required for use with cellular phones, "hands- free" capable, voice command activated through vehicle's radio circuit	
48.	Air conditioning	Required	
49.	Colour:		
	- Exterior	Bright white	
	- Interior	Blue or grey	
	- Wheels	Grey, argent or white	
50.	Fuel tank	150 L capacity approx., fully fuelled upon delivery	
51.	Fuel filler	Fuel filler kit required, supplied in cab	
52.	Towing prep package	Class IV, 10,000 lbs. capacity	
52.1	Trailer plug wiring	Wired into chassis manufacturer's OEM trailer wiring circuit, independently wired/fused from main truck lighting harness or circuits. Cable shall be routed along inside of vehicle frame to rear of vehicle, properly secured using UV resistant "Outdoor Black" cable ties	
52.2	Trailer plug	7-Way (Spade type) socket, black ABS or nylon construction, Grote 82-1058 or equal, wired to code, plug supplied loose in glove box	
52.3	Electric Brake Controller	Required, factory installed	<u> </u>
53.	Bumper, front	Chrome	
54.	Bumper, rear	Not required	
55.	License plate bracket	Required, front bumper mounted w/license plate mounting hardware	
56.	Flare kit	Three triangular reflectors, CVSA approved, Truck-Lite 798 or equal	
57.	Operator's manual	Required, one (1) per vehicle	

58.	Warranty:		
58.1	Basic vehicle	Three (3) years or 60 000 km	
58.2	Batteries	Three (3) years or 60 000 km	
58.3	Drivetrain	Three (3) years or 60 000 km	
58.4	Cab structure	Three (3) years or 60 000 km	
58.5	Cab corrosion	Five (5) years, unlimited km	
58.6	Frame & crossmembers	Three (3) years or 60 000 km	
58.7	Cab paint	Three (3) years or 60 000 km	
58.8	Engine	Five (5) years or 100 000 km including engine electronics and injectors	
58.9	Towing coverage	Three (3) years or 60 000 km	
58.10	Transmission	Five (5) years or 100 000 km	
58.11	Axles, front & rear	Five (5) years or 100 000 km	
58.12	Exhaust system	Three (3) years or 60 000 km	
59.	Manuals	Parts, repair and technical service manuals including preventative maintenance schedules for life of unit, CD or online format preferred	
60.	Delivery point	Vehicles shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, including invoice and N.I.V.S. to the WFMA 185 Tecumseh Street, Winnipeg MB	
61.	Delivery time	Within 20-calendar weeks from the date of official notification of award of contract. Equip- ment shall be delivered within 8:00 am and 2:00 pm on Business Days	
62.	Delivery contact	The Contractor shall contact the Contract Administrator prior to delivery of the equipment	
63.	PDI	A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list	