



354-2015 ADDENDUM No. 1

PROVISION OF ROOF REPLACEMENT AT WINNIPEG TRANSIT

URGENT

**PLEASE FORWARD THIS DOCUMENT TO
WHOEVER IS IN POSSESSION OF THE BID
OPPORTUNITY**

ISSUED: 2015 05 20
BY: Jonathon Braun
TELEPHONE NO. (204) 371-0996

**THIS ADDENDUM SHALL BE INCORPORATED
INTO THE BID OPPORTUNITY AND SHALL
FORM A PART OF THE CONTRACT
DOCUMENTS**

Template Version: A20150105

Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid Opportunity, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph NO. 8 of Form A: Bid may render your Bid non-responsive.

PART B – BIDDING PROCEDURES

Revise: B2.1 to read: The Submission Deadline is 4:00 p.m. Winnipeg time, May 25, 2015

PART E – SPECIFICATIONS

Revise: E2.1 (c) read: Raising, re-setting, and protection of air conditioning equipment, ventilators, and exhaust fans may be required. Removal and re-installing of perimeter lighting if required. Removal and discard four (4) non-operational fan units and all non-operational roof curbs. Provision for temporary access onto the roof, such as scaffolding, portable railings, etc.

Revise: E7.4 (b) (i) to read: Tapered Insulation Panel (i) Description: Tapered insulation panel made of polystyrene designed to create back-slope as required to ensure positive drainage at drains and perimeters. (Back-slope (saddles, crickets etc.) shall be double field slope. Eg. 2% field-slope requires 4% back-slope).