### FORM A: BID (See B8)

1.	Contract Title	2015 Regional Streets Renewal Program – Mill and Fill Main Street Northbound from Higgins Avenue to Redwood Avenue and Main Street Southbound from Redwood Avenue to Inkster Avenue
2.	Bidder	Name of Bidder
		Name of Blader
		Usual Business Name of Bidder as it appears on Invoice (if different from above)
		Street
		City Province Postal Code
	(Mailing address if different)	Email Address of Bidder
		Facsimile Number
		Street or P.O. Box
	(Choose one)	City Province Postal Code
		The Bidder is:
		a sole proprietor
		a partnership
		a corporation
		carrying on business under the above name.
3.	Contact Person	The Bidder hereby authorizes the following contact person to represen the Bidder for purposes of the Bid.
		Contact Person Title
		Telephone Number Facsimile Number
4.	Definitions	All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions.
5.	Offer	The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B Prices, appended hereto.

Bid Security	In accordance with B11.1, the Bidder encloses bid security in the form of:
(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
	an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
	a certified cheque or draft
	and agrees that it shall be held by the City in accordance with the Contract.
Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
	No Dated
	(Choose one)  Execution of Contract  Commencement of the Work  Contract

12.	Signatures	The Bidder or the Bidder's authorized official or officials have signed this
		, day of, 20
		Signature of Bidder or Bidder's Authorized Official or Officials
		(Print here name and official capacity of individual whose signature appears above)
		(Print here name and official capacity of individual whose signature appears above)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Α	Main Street Northbound from Higgins Aver					
	EARTH AND BASE WORKS					
A.1	Excavation	CW 3110-R19	m³	60		
A.2	Sub-Grade Compaction	CW 3110-R19	m²	160		
A.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm - Limestone		tonne	100		
A.4	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m³	10		
	ROADWORKS - RENEWALS					
A.5	Slab Replacement - Early Opening (24 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Reinforced)		m²	1500		
A.6	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Type A)		m²	20		
ii)	200 mm Concrete Pavement (Type B)		m²	120		
iii)	200 mm Concrete Pavement (Type C)		m²	30		
iv)	200 mm Concrete Pavement (Type D)		m²	150		
A.7	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	550		
A.8	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	1950		
A.9	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m²	20		
b)	5 sq.m. to 20 sq.m.		m²	50		
A.10	Concrete Curb Installation	CW 3240-R10				
i)	Barrier (125 mm reveal ht, Separate)	SD-203A	m	130		

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
A.11	Concrete Curb Renewal	REF. CW 3240-R10		QUANTITY		
i)	Barrier (125 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	30		
b)	3 m to 30 m		m	75		
ii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229A,B,C	m	15		
A.12	Construction of Asphaltic Concrete Overlay	CW 3410-R10				
i)	Main Line Paving					
a)	Type IA		tonne	3600		
ii)	Tie-ins and Approaches					
a	Type IA		tonne	200		
A.13	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m²	5200		
ii)	50 - 100 mm Depth (Asphalt)		m²	16000		
A.14	Asphalt Levelling over Full Depth Concrete Repairs	E10				
i)	Type IA		tonne	90		
	JOINT AND CRACK SEALING					
A.15	Reflective Crack Maintenance	CW 3250-R7	m	6000		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
A.16	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	2		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	2		
iii)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	2		
iv)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	2		
A.17	Catch Basin Cleaning	CW 2140-R3	each	4		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ADJUSTMENTS	NEF.		QUANTITY		
A.18	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	4		
A.19	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	1		
ii)	Brick Risers		vert. m	1		
A.20	Lifter Rings	CW 3210-R7				
i)	38 mm		each	4		
ii)	51 mm		each	4		
A.21	Adjustment of Valve Boxes	CW 3210-R7	each	6		
A.22	Valve Box Extensions	CW 3210-R7	each	4		
A.23	Adjustment of Curb and Gutter Inlet Frames	CW 3210-R7	each	3		
Α	Main Street Northbound from Higgins Avenue to Redwood Avenue					

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
В	Main Street Southbound from Redwood Av	renue to Inkster	Avenue			
В	EARTH AND BASE WORKS					
B.1	Excavation	CW 3110-R19	m³	50		
B.2	Sub-Grade Compaction	CW 3110-R19	m²	120		
B.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm - Limestone		tonne	80		
B.4	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m³	10		
	ROADWORKS - RENEWALS					
B.5	Slab Replacement - Early Opening (24 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Reinforced)		m²	870		
B.6	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Type A)		m²	10		
ii)	200 mm Concrete Pavement (Type B)		m²	40		
iii)	200 mm Concrete Pavement (Type C)		m²	80		
iv)	200 mm Concrete Pavement (Type D)		m²	300		
B.7	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	300		
B.8	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	1150		
B.9	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m²	20		
	b) 5 sq.m. to 20 sq.m.		m²	150		

i) Ba B.11 Cc i) Ba a) Le b) 3 i ii) Cc B.12 Cc	concrete Curb Installation  carrier (125 mm reveal ht, Separate)  concrete Curb Renewal  carrier (125 mm reveal ht, Dowelled)  ess than 3 m  m to 30 m  curb Ramp (8-12 mm reveal ht, Monolithic)  construction of Asphaltic Concrete Overlay	REF. CW 3240-R10 SD-203A CW 3240-R10 SD-205, SD-206A SD-229A,B,C CW 3410-R10	m m m	70 70 30 75	
i) Ba B.11 Cc i) Ba a) Le b) 3 i ii) Cc B.12 Cc	concrete Curb Renewal carrier (125 mm reveal ht, Separate) concrete Curb Renewal carrier (125 mm reveal ht, Dowelled) cess than 3 m cm to 30 m curb Ramp (8-12 mm reveal ht, Monolithic)	SD-203A CW 3240-R10 SD-205, SD-206A SD-229A,B,C	m m	30	
B.11 Co i) Ba a) Le b) 3 ii) Cu B.12 Co	concrete Curb Renewal arrier (125 mm reveal ht, Dowelled) ess than 3 m m to 30 m curb Ramp (8-12 mm reveal ht, Monolithic)	CW 3240-R10 SD-205, SD-206A SD-229A,B,C	m m	30	
i) Ba a) Le b) 3 i ii) Cu B.12 Co	ess than 3 m m to 30 m curb Ramp (8-12 mm reveal ht, Monolithic)	SD-205, SD-206A SD-229A,B,C	m		
a) Le b) 3 i ii) Cu B.12 Co	ess than 3 m m to 30 m curb Ramp (8-12 mm reveal ht, Monolithic)	SD-206A SD-229A,B,C	m		
b) 3 ii) Cu	m to 30 m Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229A,B,C	m		
ii) Cu B.12 Co	Surb Ramp (8-12 mm reveal ht, Monolithic)			75	l
B.12 Co			m		
	Construction of Asphaltic Concrete Overlay	CW 3410-R10		15	
i) Ma					
1 1	lain Line Paving				
a) Ty	ype IA		tonne	3000	
ii) Tie	ie-ins and Approaches				
a) Ty	ype IA		tonne	150	
B.13 PI	laning of Pavement	CW 3450-R5			
i) 0 -	- 50 mm Depth (Asphalt)		m²	4500	
ii) 50	0 - 100 mm Depth (Asphalt)		m²	13400	
	sphalt Levelling over Full Depth Concrete	E10			
	depairs ype IA		tonne	60	
JC	OINT AND CRACK SEALING				
B.15 Re	deflective Crack Maintenance	CW 3250-R7	m	5000	
	SSOCIATED DRAINAGE AND INDERGROUND WORKS				
	Replacing Existing Manhole and Catch Basin rames & Covers	CW 2130-R12			
,	P-004 - Standard Frame for Manhole and atch Basin		each	2	
1 ' 1	P-005 - Standard Solid Cover for Standard rame		each	2	
	P-008 - Barrier Curb and Gutter Inlet Frame nd Box		each	3	
iv) AF	P-009 - Barrier Curb and Gutter Inlet Cover		each	3	

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT	
		REF.		QUANTITY			
B.17	Abandoning Existing Drainage Inlets	CW 2130-R12	each	1			
B.18	Catch Basin Cleaning	CW 2140-R3	each	2			
	ADJUSTMENTS						
B.19	Adjustment of Catch Basins / Manholes	CW 3210-R7	each	4			
B. 10	Frames	0W 02101W	Cuon	,			
B.20	Replacing Existing Risers	CW 2130-R12					
i)	Pre-cast Concrete Risers		vert. m	1			
ii)	Brick Risers		vert. m	1			
B.21	Lifter Rings	CW 3210-R7					
D.21		011 0210117					
i)	38 mm		each	4			
ii)	51 mm		each	4			
")			Cacii	4			
B.22	Adjustment of Valve Boxes	CW 3210-R7	each	4			
D 00	V. 5 5	014/00/00 57					
B.23	Valve Box Extensions	CW 3210-R7	each	4			
В	Main Street Southbound from Redwood Av	ronuo to Inkstor	Ανορμο		Subtotal:		
	Main Street Southbound from Nedwood Av	enue to mikster	Avenue		Subiolai.		
SUMMARY							
Α	Main Street Northbound from Higgins Avenue to Redwood Avenue						
В	B Main Street Southbound from Redwood Avenue to Inkster Avenue  Subtotal:						
	Subtotal:						
TOTAL BI	D PRICE (GST extra)		(iı	n figures)			

Name	~£	D: ~	۔ ۔ ا
warne	OI	D1010	ıeı

(Seal)

Template Version: C420150116 - RW

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

#### **BID BOND**

	110 111/1	

KNOW ALL MEN BY THESE PRESENTS T	HAT	
(hereinafter called the "Principal") and		
(hereinafter called the "Surety"), are held called the "Obligee") in the sum of ten perodescribed, for the payment of which sum the administrators, successors and assigns, joir	cent (10%) of the Total Bid Price set ne Principal and Surety bind themselv	out in the Bid hereinafter res, their heirs, executors,
WHEREAS the Principal has submitted a Bi	d to the Obligee for	
BID OPPORTUNITY NO. 376-2015		
2015 Regional Streets Renewal Program – Redwood Avenue and Main Street Southbo		
as more fully set out in the Bid Opportunity.		
NOW THEREFORE the condition of this obif said Bid is accepted and the Principal, in a the said Obligee and furnishes the required of the Contract, this obligation shall be void,	accordance with the terms of the Bid, or performance security for guaranteein	enters into a Contract with g the faithful performance
IN WITNESS WHEREOF the Principal and	Surety have signed and sealed this bo	ond the
day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal)	
(Witness as to Principal if no seal)	Per:	(Seal)
,	Per:	<del></del>

(Name of Surety)

(Attorney-in-Fact)

By:

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B11)

#### AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on \_\_\_\_\_\_, 20\_\_\_\_ for BID OPPORTUNITY NO. 376-2015 2015 Regional Streets Renewal Program - Mill and Fill Main Street Northbound from Higgins Avenue to Redwood Avenue and Main Street Southbound from Redwood Avenue to Inkster Avenue in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this \_\_\_\_\_\_ day of \_\_\_\_\_\_ , 20\_\_\_\_\_ . (Name of Surety) (Attorney-in-Fact) (Seal)

# FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B11)

(Date)
The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg MB R3B 1J1
RE: BID SECURITY – BID OPPORTUNITY NO. 376-2015
2015 Regional Streets Renewal Program – Mill and Fill Main Street Northbound from Higgins Avenue to Redwood Avenue and Main Street Southbound from Redwood Avenue to Inkster Avenue
Pursuant to the request of and for the account of our customer,
(Name of Bidder)
WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate
Canadian dollars.
This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.
The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.
Partial drawings are permitted.
We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:
(Address)
and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

# FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on July 7, 2015

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name of bank or financial institution)	
Per:	
	(Authorized Signing Officer)
Per:	
	(Authorized Signing Officer)