

FORM A: BID
(See B8)

1. Contract Title 2015 Local Improvements – Contract No.1

2. Bidder

Name of Bidder

Usual Business Name of Bidder as it appears on Invoice (if different from above)

Street

City

Province

Postal Code

(Mailing address if different)

Email Address of Bidder

Facsimile Number

Street or P.O. Box

(Choose one)

City

Province

Postal Code

The Bidder is:

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

Contact Person

Title

Telephone Number

Facsimile Number

4. Definitions

All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions and D2.

5. Offer

The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

6. Bid Security In accordance with B11.1, the Bidder encloses bid security in the form of:

(Choose one)

- a bid bond (Form G1: Bid Bond and Agreement to Bond)
- an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- a certified cheque or draft

and agrees that it shall be held by the City in accordance with the Contract.

7. Execution of Contract The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.

8. Commencement of the Work The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.

9. Contract The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.

10. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No.		Dated	
_____		_____	_____
_____		_____	_____
_____		_____	_____

11. Time This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

12. Signatures

The Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____, 20_____.

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 1 SURFACE WORKS						
A	<u>Barton Ave. / Havelock Ave. Lane - Bounded By Barton Ave., Havelock Ave., St. Annes Rd. and St. Andrew Rd.</u>					
	EARTH AND BASE WORKS					
A.1	Excavation	CW 3110-R19, E.12	m ³	440		
A.2	Sub-Grade Compaction	CW 3110-R19	m ²	800		
A.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	560		
A.4	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m ³	60		
A.5	Grading of Boulevards	CW 3110-R19	m ²	45		
A.6	Separation Geotextile Fabric	CW 3130-R4	m ²	800		
A.7	Preparation of Existing Roadway	CW 3150-R4	m ²	45		
A.8	Surfacing Material	CW 3150-R4				
i)	Limestone		tonne	15		
A.9	Supplying and Placing Approach Surfacing Material	E.13	tonne	30		
	ROADWORKS - RENEWALS					
A.10	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m ²	140		
ii)	Asphalt Pavement		m ²	85		
A.11	Slab Replacement	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m ²	140		
A.12	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	10		
A.13	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	10		
A.14	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m ²	5		
A.15	Supply of Precast Sidewalk Blocks	CW 3235-R9	m ²	5		
A.16	Removal of Precast Sidewalk Blocks	CW 3235-R9	m ²	5		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.17	Concrete Curb Removal	CW 3240-R10				
i)	Barrier (Separate)		m	10		
A.18	Concrete Curb Installation	CW 3240-R10				
i)	Modified Barrier (180 mm reveal ht, Dowelled)	SD-203B	m	15		
A.19	Construction of Asphaltic Concrete Overlay	CW 3410-R10				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	15		
ROADWORKS - NEW CONSTRUCTION						
A.20	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R16				
i)	Construction of 150 mm Concrete Pavement (Reinforced)		m ²	25		
A.21	Construction of Asphaltic Concrete Pavements	CW 3410-R10				
i)	Main Line Paving					
a)	Type IA		tonne	80		
A.22	Construction of Asphaltic Concrete Base Course (Type III)	CW 3410-R10	tonne	135		
LANDSCAPING						
A.23	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m ²	55		
A	<u>Barton Ave. / Havelock Ave. Lane - Bounded By Barton Ave., Havelock Ave., St. Annes Rd. and St. Andrew Rd.</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B	<u>Bristal Ave. / Rue Youville Lane - Bounded By Bristal Ave., Rue Youville, Rue St. Luc and Yardley St.</u>					
	EARTH AND BASE WORKS					
B.1	Excavation	CW 3110-R19, E.12	m ³	449		
B.2	Sub-Grade Compaction	CW 3110-R19	m ²	852		
B.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	588		
B.4	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m ³	64		
B.5	Grading of Boulevards	CW 3110-R19	m ²	44		
B.6	Separation Geotextile Fabric	CW 3130-R4	m ²	852		
B.7	Supply and Install Geogrid	CW 3135-R1	m ²	170		
B.8	Preparation of Existing Roadway	CW 3150-R4	m ²	50		
B.9	Surfacing Material	CW 3150-R4				
i)	Limestone		tonne	31		
B.10	Supplying and Placing Approach Surfacing Material	E.13	tonne	12		
	ROADWORKS - RENEWALS					
B.11	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m ²	210		
B.12	Slab Replacement	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m ²	210		
B.13	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	20		
B.14	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	20		
B.15	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	5 sq.m. to 20 sq.m.		m ²	5		
B.16	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m ²	5		
B.17	Supply of Precast Sidewalk Blocks	CW 3235-R9	m ²	5		
B.18	Removal of Precast Sidewalk Blocks	CW 3235-R9	m ²	5		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.19	Concrete Curb Removal	CW 3240-R10				
i)	Barrier (Separate)		m	12		
B.20	Concrete Curb Installation	CW 3240-R10				
i)	Modified Barrier (180 mm reveal ht, Dowelled)	SD-203B	m	40		
B.21	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	3 m to 30 m		m	12		
B.22	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m ²	5		
ROADWORKS - NEW CONSTRUCTION						
B.24	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R16				
i)	Construction of 150 mm Concrete Pavement (Reinforced)		m ²	25		
B.25	Construction of Asphaltic Concrete Pavements	CW 3410-R10				
i)	Main Line Paving					
a)	Type IA		tonne	79		
B.26	Construction of Asphaltic Concrete Base Course (Type III)	CW 3410-R10	tonne	132		
LANDSCAPING						
B.27	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m ²	44		
B	<u>Bristol Ave. / Rue Youville Lane - Bounded By Bristol Ave., Rue Youville, Rue St. Luc and Yardley St.</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C	<u>Clonard Ave. / Stranmillis Ave. Lane - Bounded By Clonard Ave., Stranmillis Ave., St. Annes Rd., and Rue Des Meurons</u>					
	EARTH AND BASE WORKS					
C.1	Excavation	CW 3110-R19, E.12	m ³	1050		
C.2	Sub-Grade Compaction	CW 3110-R19	m ²	1920		
C.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	1325		
C.4	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m ³	150		
C.5	Grading of Boulevards	CW 3110-R19	m ²	30		
C.6	Separation Geotextile Fabric	CW 3130-R4	m ²	1920		
C.7	Supply and Install Geogrid	CW 3135-R1	m ²	290		
C.8	Preparation of Existing Roadway	CW 3150-R4	m ²	140		
C.9	Surfacing Material	CW 3150-R4				
i)	Limestone		tonne	35		
C.10	Supplying and Placing Approach Surfacing Material	E.13	tonne	125		
	ROADWORKS - RENEWALS					
C.11	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m ²	115		
ii)	Asphalt Pavement		m ²	25		
C.12	Slab Replacement	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m ²	115		
C.13	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	10		
C.14	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	10		
C.15	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	5 sq.m. to 20 sq.m.		m ²	15		
C.16	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m ²	10		
C.17	Supply of Precast Sidewalk Blocks	CW 3235-R9	m ²	10		
C.18	Removal of Precast Sidewalk Blocks	CW 3235-R9	m ²	10		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.19	Concrete Curb Removal	CW 3240-R10				
i)	Barrier (Separate)		m	10		
C.20	Concrete Curb Installation	CW 3240-R10				
i)	Modified Barrier (180 mm reveal ht, Dowelled)	SD-203B	m	15		
ii)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229C,D	m	6		
C.21	Construction of Asphaltic Concrete Overlay	CW 3410-R10				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	5		
ROADWORKS - NEW CONSTRUCTION						
C.22	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R16				
i)	Construction of 150 mm Concrete Pavement (Reinforced)		m ²	130		
C.23	Construction of Asphaltic Concrete Pavements	CW 3410-R10				
i)	Main Line Paving					
a)	Type IA		tonne	225		
C.24	Construction of Asphaltic Concrete Base Course (Type III)	CW 3410-R10	tonne	325		
LANDSCAPING						
C.25	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m ²	40		
C	<u>Clonard Ave. / Stranmillis Ave. Lane - Bounded By Clonard Ave., Stranmillis Ave., St. Annes Rd., and Rue Des Meurons</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D	<u>Edgewood St. / Lariviere St. Lane - Bounded By Edgewood St., Lariviere St., Rue Youville, and Seine River</u>					
	EARTH AND BASE WORKS					
D.1	Excavation	CW 3110-R19, E.12	m ³	485		
D.2	Sub-Grade Compaction	CW 3110-R19	m ²	915		
D.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	630		
D.4	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m ³	70		
D.5	Grading of Boulevards	CW 3110-R19	m ²	75		
D.6	Separation Geotextile Fabric	CW 3130-R4	m ²	915		
D.7	Preparation of Existing Roadway	CW 3150-R4	m ²	20		
D.8	Surfacing Material	CW 3150-R4				
i)	Limestone		tonne	5		
D.9	Supplying and Placing Approach Surfacing Material	E.13	tonne	50		
	ROADWORKS - RENEWALS					
D.10	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m ²	140		
ii)	Asphalt Pavement		m ²	5		
D.11	Slab Replacement	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m ²	140		
D.12	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	10		
D.13	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	10		
D.14	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	5 sq.m. to 20 sq.m.		m ²	30		
D.15	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m ²	5		
D.16	Supply of Precast Sidewalk Blocks	CW 3235-R9	m ²	5		
D.17	Removal of Precast Sidewalk Blocks	CW 3235-R9	m ²	5		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.18	Concrete Curb Removal	CW 3240-R10				
i)	Barrier (Separate)		m	15		
D.19	Concrete Curb Installation	CW 3240-R10				
i)	Modified Barrier (180 mm reveal ht, Dowelled)	SD-203B	m	25		
D.20	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	3 m to 30 m		m	15		
ii)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229C,D	m	12		
D.21	Construction of Asphaltic Concrete Overlay	CW 3410-R10				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	5		
ROADWORKS - NEW CONSTRUCTION						
D.22	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R16				
i)	Construction of 150 mm Concrete Pavement (Reinforced)		m ²	35		
D.23	Construction of Asphaltic Concrete Pavements	CW 3410-R10				
i)	Main Line Paving					
a)	Type IA		tonne	90		
D.24	Construction of Asphaltic Concrete Base Course (Type III)	CW 3410-R10	tonne	150		
LANDSCAPING						
D.25	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m ²	75		
D	<u>Edgewood St. / Lariviere St. Lane - Bounded By Edgewood St., Lariviere St., Rue Youville, and Seine River</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E	<u>Fernwood Ave. / Thorndale Ave. Lane - Bounded By Fernwood Ave., Thorndale Ave., St. Mary's Rd., St. David Rd.</u>					
	EARTH AND BASE WORKS					
E.1	Excavation	CW 3110-R19, E.12	m ³	905		
E.2	Sub-Grade Compaction	CW 3110-R19	m ²	1550		
E.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	1070		
E.4	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m ³	120		
E.5	Grading of Boulevards	CW 3110-R19	m ²	30		
E.6	Separation Geotextile Fabric	CW 3130-R4	m ²	1550		
E.7	Preparation of Existing Roadway	CW 3150-R4	m ²	120		
E.8	Surfacing Material	CW 3150-R4				
i)	Limestone		tonne	30		
E.9	Supplying and Placing Approach Surfacing Material	E.13	tonne	75		
	ROADWORKS - RENEWALS					
E.10	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m ²	170		
ii)	Asphalt Pavement		m ²	25		
E.11	Slab Replacement	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m ²	170		
E.12	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	10		
E.13	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	10		
E.14	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m ²	5		
E.15	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m ²	10		
E.16	Supply of Precast Sidewalk Blocks	CW 3235-R9	m ²	10		
E.17	Removal of Precast Sidewalk Blocks	CW 3235-R9	m ²	10		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E.18	Concrete Curb Removal	CW 3240-R10				
i)	Barrier (Separate)		m	20		
E.19	Concrete Curb Installation	CW 3240-R10				
i)	Modified Barrier (180 mm reveal ht, Dowelled)	SD-203B	m	20		
E.20	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	3 m to 30 m		m	10		
E.21	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m ²	5		
E.22	Construction of Asphaltic Concrete Overlay	CW 3410-R10				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	5		
ROADWORKS - NEW CONSTRUCTION						
E.23	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R16				
i)	Construction of 150 mm Concrete Pavement (Reinforced)		m ²	65		
E.24	Construction of Asphaltic Concrete Pavements	CW 3410-R10				
i)	Main Line Paving					
a)	Type IA		tonne	165		
E.25	Construction of Asphaltic Concrete Base Course (Type III)	CW 3410-R10	tonne	245		
LANDSCAPING						
E.26	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m ²	30		
E	<u>Fernwood Ave. / Thorndale Ave. Lane - Bounded By Fernwood Ave., Thorndale Ave., St. Mary's Rd., St. David Rd.</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F	<u>Fifth Ave. / Guay Ave. Lane - Bounded By Fifth Ave., Guay Ave., Rue Des Meurons and Rue Youville</u>					
	EARTH AND BASE WORKS					
F.1	Excavation	CW 3110-R19, E.12	m ³	620		
F.2	Sub-Grade Compaction	CW 3110-R19	m ²	1120		
F.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	430		
F.4	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m ³	50		
F.5	Grading of Boulevards	CW 3110-R19	m ²	55		
F.6	Separation Geotextile Fabric	CW 3130-R4	m ²	1120		
F.7	Preparation of Existing Roadway	CW 3150-R4	m ²	55		
F.8	Surfacing Material	CW 3150-R4				
i)	Limestone		tonne	15		
F.9	Supplying and Placing Approach Surfacing Material	E.13	tonne	105		
	ROADWORKS - RENEWALS					
F.10	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m ²	90		
ii)	Asphalt Pavement		m ²	20		
F.11	Slab Replacement	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m ²	90		
F.12	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	20		
F.13	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	20		
F.14	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	5 sq.m. to 20 sq.m.		m ²	15		
F.15	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m ²	10		
F.16	Supply of Precast Sidewalk Blocks	CW 3235-R9	m ²	10		
F.17	Removal of Precast Sidewalk Blocks	CW 3235-R9	m ²	10		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F.18	Concrete Curb Removal	CW 3240-R10				
i)	Barrier (Separate)		m	15		
F.19	Concrete Curb Installation	CW 3240-R10				
i)	Modified Barrier (180 mm reveal ht, Dowelled)	SD-203B	m	15		
F.20	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	12		
ii)	Modified Barrier (180 mm reveal ht, Dowelled)	SD-203B	m	24		
iii)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229C,D	m	6		
F.21	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m ²	5		
F.22	Construction of Asphaltic Concrete Overlay	CW 3410-R10				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	5		
ROADWORKS - NEW CONSTRUCTION						
F.23	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R16				
i)	Construction of 150 mm Concrete Pavement (Reinforced)		m ²	45		
F.24	Construction of Asphaltic Concrete Pavements	CW 3410-R10				
i)	Main Line Paving					
a)	Type IA		tonne	115		
F.25	Construction of Asphaltic Concrete Base Course (Type III)	CW 3410-R10	tonne	185		
LANDSCAPING						
F.26	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m ²	55		
F	<u>Fifth Ave. / Guay Ave. Lane - Bounded By Fifth Ave., Guay Ave., Rue Des Meurons and Rue Youville</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
G	<u>Harrowby Ave. / Dunraven Ave. Lane - Bounded By Harrowby Ave., Dunraven Ave., Rue Des Meurons and Egerton Ave.</u>					
	EARTH AND BASE WORKS					
G.1	Excavation	CW 3110-R19, E.12	m ³	820		
G.2	Sub-Grade Compaction	CW 3110-R19	m ²	1545		
G.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	1070		
G.4	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m ³	120		
G.5	Grading of Boulevards	CW 3110-R19	m ²	70		
G.6	Separation Geotextile Fabric	CW 3130-R4	m ²	1545		
G.7	Supply and Install Geogrid	CW 3135-R1	m ²	305		
G.8	Preparation of Existing Roadway	CW 3150-R4	m ²	90		
G.9	Surfacing Material	CW 3150-R4				
i)	Limestone		tonne	20		
G.10	Supplying and Placing Approach Surfacing Material	E.13	tonne	125		
	ROADWORKS - RENEWALS					
G.11	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m ²	215		
ii)	Asphalt Pavement		m ²	51		
G.12	Slab Replacement	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m ²	215		
G.13	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	30		
G.14	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	30		
G.15	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	5 sq.m. to 20 sq.m.		m ²	40		
b)	Greater than 20 sq.m.		m ²	5		
G.16	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m ²	5		
G.17	Supply of Precast Sidewalk Blocks	CW 3235-R9	m ²	5		
G.18	Removal of Precast Sidewalk Blocks	CW 3235-R9	m ²	5		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
G.19	Concrete Curb Removal	CW 3240-R10				
i)	Barrier (Separate)		m	20		
G.20	Concrete Curb Installation	CW 3240-R10				
i)	Modified Barrier (180 mm reveal ht, Dowelled)	SD-203B	m	50		
G.21	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	3 m to 30 m		m	20		
ii)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229C,D	m	20		
G.22	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m ²	5		
G.23	Construction of Asphaltic Concrete Overlay	CW 3410-R10				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	10		
ROADWORKS - NEW CONSTRUCTION						
G.24	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R16				
i)	Construction of 150 mm Concrete Pavement (Reinforced)		m ²	105		
G.25	Construction of Asphaltic Concrete Pavements	CW 3410-R10				
i)	Main Line Paving					
a)	Type IA		tonne	155		
G.26	Construction of Asphaltic Concrete Base Course (Type III)	CW 3410-R10	tonne	245		
LANDSCAPING						
G.27	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m ²	70		
G	<u>Harowby Ave. / Dunraven Ave. Lane - Bounded By Harowby Ave., Dunraven Ave., Rue Des Meurons and Egerton Ave.</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
H	<u>Imperial Ave. / Pilgrim Ave. Lane - Bounded By Imperial Ave., Pilgrim Ave., St. Annes Rd., and Rue Des Meurons</u>					
	EARTH AND BASE WORKS					
H.1	Excavation	CW 3110-R19, E.12	m ³	1280		
H.2	Sub-Grade Compaction	CW 3110-R19	m ²	2305		
H.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	1595		
H.4	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m ³	175		
H.5	Grading of Boulevards	CW 3110-R19	m ²	50		
H.6	Separation Geotextile Fabric	CW 3130-R4	m ²	2305		
H.7	Preparation of Existing Roadway	CW 3150-R4	m ²	190		
H.8	Surfacing Material	CW 3150-R4				
i)	Limestone		tonne	45		
H.9	Supplying and Placing Approach Surfacing Material	E.13	tonne	135		
	ROADWORKS - RENEWALS					
H.10	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m ²	170		
ii)	Asphalt Pavement		m ²	65		
H.11	Slab Replacement	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m ²	170		
H.12	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	30		
H.13	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	30		
H.14	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	5 sq.m. to 20 sq.m.		m ²	55		
H.15	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m ²	10		
H.16	Supply of Precast Sidewalk Blocks	CW 3235-R9	m ²	10		
H.17	Removal of Precast Sidewalk Blocks	CW 3235-R9	m ²	10		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
H.18	Concrete Curb Removal	CW 3240-R10				
i)	Barrier (Separate)		m	15		
H.19	Concrete Curb Installation	CW 3240-R10				
i)	Modified Barrier (180 mm reveal ht, Dowelled)	SD-203B	m	25		
H.20	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	3 m to 30 m		m	15		
ii)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229C,D	m	20		
H.21	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m ²	5		
H.22	Construction of Asphaltic Concrete Overlay	CW 3410-R10				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	15		
ROADWORKS - NEW CONSTRUCTION						
H.23	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R16				
i)	Construction of 150 mm Concrete Pavement (Reinforced)		m ²	120		
H.24	Construction of Asphaltic Concrete Pavements	CW 3410-R10				
i)	Main Line Paving					
a)	Type IA		tonne	240		
H.25	Construction of Asphaltic Concrete Base Course (Type III)	CW 3410-R10	tonne	375		
LANDSCAPING						
H.26	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m ²	50		
H	<u>Imperial Ave. / Pilgrim Ave. Lane - Bounded By Imperial Ave., Pilgrim Ave., St. Annes Rd., and Rue Des Meurons</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
I	<u>Loraine St. / Oakleigh Pl. Lane - Bounded By Loraine St., Oakleigh Pl. and St. Mary's Rd.</u>					
	EARTH AND BASE WORKS					
I.1	Excavation	CW 3110-R19, E.12	m ³	650		
I.2	Sub-Grade Compaction	CW 3110-R19	m ²	1160		
I.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	800		
I.4	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m ³	90		
I.5	Grading of Boulevards	CW 3110-R19	m ²	50		
I.6	Separation Geotextile Fabric	CW 3130-R4	m ²	1160		
I.7	Preparation of Existing Roadway	CW 3150-R4	m ²	80		
I.8	Surfacing Material	CW 3150-R4				
i)	Limestone		tonne	20		
I.9	Supplying and Placing Approach Surfacing Material	E.13	tonne	60		
	ROADWORKS - RENEWALS					
I.10	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m ²	190		
ii)	Asphalt Pavement		m ²	55		
I.11	Slab Replacement	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m ²	190		
I.12	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	20		
I.13	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	20		
I.14	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	5 sq.m. to 20 sq.m.		m ²	30		
I.15	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m ²	5		
I.16	Supply of Precast Sidewalk Blocks	CW 3235-R9	m ²	5		
I.17	Removal of Precast Sidewalk Blocks	CW 3235-R9	m ²	5		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
I.18	Concrete Curb Removal	CW 3240-R10				
i)	Barrier (Separate)		m	15		
I.19	Concrete Curb Installation	CW 3240-R10				
i)	Modified Barrier (180 mm reveal ht, Dowelled)	SD-203B	m	10		
I.20	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	3 m to 30 m		m	15		
ii)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229C,D	m	12		
I.21	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m ²	5		
I.22	Construction of Asphaltic Concrete Overlay	CW 3410-R10				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	10		
ROADWORKS - NEW CONSTRUCTION						
I.23	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R16				
i)	Construction of 150 mm Concrete Pavement (Reinforced)		m ²	85		
I.24	Construction of Asphaltic Concrete Pavements	CW 3410-R10				
i)	Main Line Paving					
a)	Type IA		tonne	125		
I.25	Construction of Asphaltic Concrete Base Course (Type III)	CW 3410-R10	tonne	185		
LANDSCAPING						
I.26	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m ²	50		
I	<u>Loraine St. / Oakleigh Pl. Lane - Bounded By Loraine St., Oakleigh Pl. and St. Mary's Rd.</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
J	<u>Portland Ave. / Poplarwood Ave. Lane - Bounded By Portland Ave., Poplarwood Ave., St. David Rd. and Neepawa St.</u>					
	EARTH AND BASE WORKS					
J.1	Excavation	CW 3110-R19, E.12	m ³	685		
J.2	Sub-Grade Compaction	CW 3110-R19	m ²	1215		
J.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	840		
J.4	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m ³	95		
J.5	Grading of Boulevards	CW 3110-R19	m ²	95		
J.6	Separation Geotextile Fabric	CW 3130-R4	m ²	1215		
J.7	Preparation of Existing Roadway	CW 3150-R4	m ²	150		
J.8	Surfacing Material	CW 3150-R4				
i)	Limestone		tonne	30		
J.9	Supplying and Placing Approach Surfacing Material	E.13	tonne	45		
	ROADWORKS - RENEWALS					
J.10	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m ²	215		
J.11	Slab Replacement	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m ²	215		
J.12	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	20		
J.13	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	20		
J.14	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	5 sq.m. to 20 sq.m.		m ²	5		
J.15	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m ²	5		
J.16	Supply of Precast Sidewalk Blocks	CW 3235-R9	m ²	5		
J.17	Removal of Precast Sidewalk Blocks	CW 3235-R9	m ²	5		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
J.18	Concrete Curb Removal	CW 3240-R10				
i)	Barrier (Separate)		m	15		
J.19	Concrete Curb Installation	CW 3240-R10				
i)	Modified Barrier (180 mm reveal ht, Dowelled)	SD-203B	m	15		
J.20	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	3 m to 30 m		m	15		
ROADWORKS - NEW CONSTRUCTION						
J.21	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R16				
i)	Construction of 150 mm Concrete Pavement (Reinforced)		m ²	50		
J.22	Construction of Asphaltic Concrete Pavements	CW 3410-R10				
i)	Main Line Paving					
a)	Type IA		tonne	120		
J.23	Construction of Asphaltic Concrete Base Course (Type III)	CW 3410-R10	tonne	185		
LANDSCAPING						
J.24	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m ²	95		
J	<u>Portland Ave. / Poplarwood Ave. Lane - Bounded By Portland Ave., Poplarwood Ave., St. David Rd. and Neepawa St.</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
K	<u>St David Rd. / Hull Ave. Lane - Bounded By St. David Rd., Hull Ave., St. Mary's Rd. and St. David Pl.</u>					
	EARTH AND BASE WORKS					
K.1	Excavation	CW 3110-R19, E.12	m ³	1235		
K.2	Sub-Grade Compaction	CW 3110-R19	m ²	2170		
K.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	1500		
K.4	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m ³	165		
K.5	Grading of Boulevards	CW 3110-R19	m ²	30		
K.6	Separation Geotextile Fabric	CW 3130-R4	m ²	2170		
K.7	Preparation of Existing Roadway	CW 3150-R4	m ²	175		
K.8	Surfacing Material	CW 3150-R4				
i)	Limestone		tonne	45		
K.9	Supplying and Placing Approach Surfacing Material	E.13	tonne	115		
	ROADWORKS - RENEWALS					
K.10	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m ²	255		
ii)	Asphalt Pavement		m ²	20		
K.11	Slab Replacement	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m ²	255		
K.12	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	30		
K.13	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	30		
K.14	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	5 sq.m. to 20 sq.m.		m ²	30		
K.15	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m ²	5		
K.16	Supply of Precast Sidewalk Blocks	CW 3235-R9	m ²	5		
K.17	Removal of Precast Sidewalk Blocks	CW 3235-R9	m ²	5		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
K.18	Concrete Curb Removal	CW 3240-R10				
i)	Barrier (Separate)		m	20		
K.19	Concrete Curb Installation	CW 3240-R10				
i)	Modified Barrier (180 mm reveal ht, Dowelled)	SD-203B	m	35		
K.20	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	3 m to 30 m		m	20		
ii)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229C,D	m	6		
K.21	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m ²	5		
K.22	Construction of Asphaltic Concrete Overlay	CW 3410-R10				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	5		
ROADWORKS - NEW CONSTRUCTION						
K.23	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R16				
i)	Construction of 150 mm Concrete Pavement (Reinforced)		m ²	125		
K.24	Construction of Asphaltic Concrete Pavements	CW 3410-R10				
i)	Main Line Paving					
a)	Type IA		tonne	220		
K.24	Construction of Asphaltic Concrete Base Course (Type III)	CW 3410-R10	tonne	345		
LANDSCAPING						
K.25	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m ²	30		
K	<u>St David Rd. / Hull Ave. Lane - Bounded By St. David Rd., Hull Ave., St. Mary's Rd. and St. David Pl.</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
L	<u>Thorndale Ave. / Frederick Ave. Lane - Bounded By Thorndale Ave., Frederick Ave., St. David Rd. and St. George Rd.</u>					
	EARTH AND BASE WORKS					
L.1	Excavation	CW 3110-R19, E.12	m ³	620		
L.2	Sub-Grade Compaction	CW 3110-R19	m ²	1095		
L.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	755		
L.4	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m ³	85		
L.5	Grading of Boulevards	CW 3110-R19	m ²	85		
L.6	Separation Geotextile Fabric	CW 3130-R4	m ²	1095		
L.7	Preparation of Existing Roadway	CW 3150-R4	m ²	70		
L.8	Surfacing Material	CW 3150-R4				
i)	Limestone		tonne	20		
L.9	Supplying and Placing Approach Surfacing Material	E.13	tonne	30		
	ROADWORKS - RENEWALS					
L.10	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m ²	200		
ii)	Asphalt Pavement		m ²	85		
L.11	Slab Replacement	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m ²	200		
L.12	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	20		
L.13	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	20		
L.14	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	5 sq.m. to 20 sq.m.		m ²	5		
L.15	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m ²	5		
L.16	Supply of Precast Sidewalk Blocks	CW 3235-R9	m ²	5		
L.17	Removal of Precast Sidewalk Blocks	CW 3235-R9	m ²	5		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
L.18	Concrete Curb Removal	CW 3240-R10				
i)	Barrier (Separate)		m	15		
L.19	Concrete Curb Installation	CW 3240-R10				
i)	Modified Barrier (180 mm reveal ht, Dowelled)	SD-203B	m	25		
L.20	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	3 m to 30 m		m	15		
L.21	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m ²	5		
L.22	Construction of Asphaltic Concrete Overlay	CW 3410-R10				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	20		
ROADWORKS - NEW CONSTRUCTION						
L.23	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R16				
i)	Construction of 150 mm Concrete Pavement (Reinforced)		m ²	50		
L.24	Construction of Asphaltic Concrete Pavements	CW 3410-R10				
i)	Main Line Paving					
a)	Type IA		tonne	105		
L.25	Construction of Asphaltic Concrete Base Course (Type III)	CW 3410-R10	tonne	175		
LANDSCAPING						
L.26	Sodding	CW 3510-R9				
ii)	width > or = 600 mm		m ²	85		
L	<u>Thorndale Ave. / Frederick Ave. Lane - Bounded By Thorndale Ave., Frederick Ave., St. David Rd. and St. George Rd.</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 2 DRAINAGE AND UNDERGROUND WORKS						
AA	<u>Barton Ave. / Havelock Ave. Lane - Land Drainage Sewer</u>					
AA.1	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m ²	15		
AA.2	Partial Slab Patches	CW 3230-R8				
i)	150 mm Concrete Pavement (Type B)		m ²	15		
AA.3	Manhole	CW 2130-R12				
i)	SD-010, 1200 mm diameter base		vert. m	4.0		
AA.4	Catch Basin	CW 2130-R12				
i)	SD-025, 1800 mm deep		each	1.0		
AA.5	Land Drainage Sewer	CW 2130-R12				
i)	250 mm					
a)	Trenchless installation, Class B sand bedding, Class 2 backfill		m	48.5		
AA.6	Connecting to Existing Manhole	CW 2130-R12				
i)	250 mm Catch Basin Lead		each	1.0		
AA.7	Installation of Subdrains	CW 3120-R4				
			m	12.0		
AA.8	Sewer Inpsection	CW 2145-R3				
i)	250 mm		m	48.5		
AA.9	Outlet Flow Restrictor	E.14				
i)	200 mm		each	1.0		
ADJUSTMENTS						
AA.8	Lifter Rings	CW 3210-R7				
i)	51 mm		each	3.0		
AA	<u>Barton Ave. / Havelock Ave. Lane - Land Drainage Sewer</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
BB	<u>Bristal Ave. / Rue Youville Lane - Land Drainage Sewer</u>					
BB.1	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m ²	5		
BB.2	Partial Slab Patches	CW 3230-R8				
i)	150 mm Concrete Pavement (Type B)		m ²	5		
BB.3	Manhole	CW 2130-R12				
i)	SD-010, 1200 mm diameter base		vert. m	1.8		
BB.4	Catch Basin	CW 2130-R12				
i)	SD-025, 1800 mm deep		each	1.0		
BB.5	Land Drainage Sewer	CW 2130-R12				
i)	250 mm					
a)	Trenchless installation, Class B sand bedding, Class 2 backfill		m	62.0		
BB.6	Connecting to Existing Sewer	CW 2130-R12				
i)	250 mm PVC Connecting Pipe					
a)	Connecting to 375 mm (Concrete) Sewer		each	1.0		
BB.7	Installation of Subdrains	CW 3120-R4				
			m	12.0		
BB.8	Sewer Inpsection	CW 2145-R3				
i)	250 mm		m	62.0		
BB.9	Lifter Rings	CW 3210-R7				
i)	51 mm		each	2.0		
BB	<u>Bristal Ave. / Rue Youville Lane - Land Drainage Sewer</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
CC	<u>Clonard Ave. / Stranmillis Ave. Lane - Land Drainage Sewer</u>					
CC.1	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	5 sq.m. to 20 sq.m.		m ²	10		
CC.2	Manhole	CW 2130-R12				
i)	SD-010, 1200 mm diameter base		vert. m	1.9		
CC.3	Catch Basin	CW 2130-R12				
i)	SD-025, 1200 mm deep		each	3.0		
ii)	SD-025, 1800 mm deep		each	3.0		
CC.4	Land Drainage Sewer	CW 2130-R12				
i)	375 mm					
a)	Trenchless installation, Class B sand bedding, Class 2 backfill		m	412.0		
CC.5	Connecting to Existing Manhole	CW 2130-R12				
i)	375 mm Catch Basin Lead		each	1.0		
CC.6	Installation of Subdrains	CW 3120-R4				
			m	72.0		
CC.7	Sewer Inpsection	CW 2145-R3				
i)	375 mm		m	412.0		
	ADJUSTMENTS					
CC.8	Catchbasin Risers	CW 2130-R12, E.15				
i)	Pre-cast Concrete Risers		vert. m	0.2		
CC.9	Lifter Rings	CW 3210-R7				
i)	51 mm		each	7.0		
CC	<u>Clonard Ave. / Stranmillis Ave. Lane - Land Drainage Sewer</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
DD	<u>Edgewood St. / Lariviere St. Lane - Land Drainage Sewer</u>					
DD.1	Catch Basin	CW 2130-R12				
i)	SD-025, 1800 mm deep		each	1.0		
DD.2	Land Drainage Sewer	CW 2130-R12				
i)	250 mm					
a)	Trenchless installation, Class B sand bedding, Class 2 backfill		m	36.5		
DD.3	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	1.0		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	1.0		
DD.4	Connecting to Existing Manhole	CW 2130-R12				
i)	250 mm Catch Basin Lead		each	1.0		
DD.5	Installation of Subdrains	CW 3120-R4	m	12.0		
DD.6	Sewer Inspection	CW 2145-R3				
i)	250 mm		m	36.5		
	ADJUSTMENTS					
DD.7	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	1.0		
DD.8	Catchbasin Risers	CW 2130-R12, E.15				
i)	Pre-cast Concrete Risers		vert. m	0.3		
DD.9	Lifter Rings	CW 3210-R7				
i)	51 mm		each	2.0		
DD	<u>Edgewood St. / Lariviere St. Lane - Land Drainage Sewer</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT	
EE	<u>Fernwood Ave. / Thorndale Ave. Lane - Land Drainage Sewer</u>						
EE.1	Manhole	CW 2130-R12					
i)	SD-010, 1200 mm diameter base		vert. m	3.7			
EE.2	Catch Basin	CW 2130-R12					
i)	SD-025, 1800 mm deep		each	3.0			
EE.3	Land Drainage Sewer	CW 2130-R12					
i)	250 mm						
a)	Trenchless installation, Class B sand bedding, Class 2 backfill		m	260.5			
EE.4	Connecting to Existing Sewer	CW 2130-R12					
i)	250 mm PVC Connecting Pipe						
a)	Connecting to 1200 mm (Concrete) Sewer		each	1.0			
EE.5	Installation of Subdrains	CW 3120-R4	m	36.0			
EE.6	Sewer Inspection	CW 2145-R3					
i)	250 mm		m	260.5			
	ADJUSTMENTS						
EE.7	Catchbasin Risers	CW 2130-R12, E.15					
i)	Pre-cast Concrete Risers		vert. m	2.4			
EE.8	Lifter Rings	CW 3210-R7					
i)	51 mm		each	4.0			
EE	<u>Fernwood Ave. / Thorndale Ave. Lane - Land Drainage Sewer</u>					Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
FF	<u>Fifth Ave. / Guay Ave. Lane - Land Drainage Sewer</u>					
FF.1	Catch Basin	CW 2130-R12				
i)	SD-025, 1800 mm deep		each	2.0		
FF.2	Land Drainage Sewer	CW 2130-R12				
i)	250 mm					
a)	Trenchless installation, Class B sand bedding, Class 2 backfill		m	125.0		
FF.3	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	1.0		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	1.0		
FF.4	Connecting to Existing Manhole	CW 2130-R12				
i)	250 mm Catch Basin Lead		each	1.0		
FF.5	Installation of Subdrains	CW 3120-R4	m	24.0		
FF.6	Sewer Inspection	CW 2145-R3				
i)	250 mm		m	125.0		
	ADJUSTMENTS					
FF.7	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	1.0		
FF.8	Catchbasin Risers	CW 2130-R12, E.15				
i)	Pre-cast Concrete Risers		vert. m	0.3		
FF.9	Lifter Rings	CW 3210-R7				
i)	51 mm		each	3.0		
FF	<u>Fifth Ave. / Guay Ave. Lane - Land Drainage Sewer</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
GG	<u>Harrowby Ave. / Dunraven Ave. Lane - Land Drainage Sewer</u>					
GG.1	Catch Basin	CW 2130-R12				
i)	SD-025, 1200 mm deep		each	3.0		
GG.2	Land Drainage Sewer	CW 2130-R12				
i)	250 mm					
a)	Trenchless installation, Class B sand bedding, Class 2 backfill		m	52.0		
ii)	300 mm					
a)	Trenchless installation, Class B sand bedding, Class 2 backfill		m	117.0		
GG.3	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	3.0		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	2.0		
iii)	AP-006 - Standard Grated Cover for Standard Frame		each	1.0		
GG.4	Connecting to Existing Catch Basin	CW 2130-R12				
i)	250 mm Drainage Connection Pipe		each	1.0		
GG.5	Connecting to Existing Sewer	CW 2130-R12				
i)	300 mm PVC Connecting Pipe					
a)	Connecting to 600 mm (Concrete) Sewer		each	1.0		
GG.6	Abandoning Existing Catch Basins	CW 2130-R12	each	1.0		
GG.7	Removal of Existing Catch Basins	CW 2130-R12	each	1.0		
GG.8	Installation of Subdrains	CW 3120-R4	m	48.0		
GG.9	Sewer Inspection	CW 2145-R3				
i)	250 mm		m	52.0		
ii)	300 mm		m	117.0		
	ADJUSTMENTS					
GG.10	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	5.0		
GG.11	Catchbasin Risers	CW 2130-R12, E.15				
i)	Pre-cast Concrete Risers		vert. m	0.3		
GG.12	Lifter Rings	CW 3210-R7				
i)	51 mm		each	6.0		
GG	<u>Harrowby Ave. / Dunraven Ave. Lane - Land Drainage Sewer</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
HH	<u>Imperial Ave. / Pilgrim Ave. Lane - Land Drainage Sewer</u>					
HH.1	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	5 sq.m. to 20 sq.m.		m ²	10		
HH.2	Manhole	CW 2130-R12				
i)	SD-010, 1200 mm diameter base		vert. m	4.1		
HH.3	Catch Basin	CW 2130-R12				
i)	SD-025, 1200 mm deep		each	2.0		
ii)	SD-025, 1800 mm deep		each	2.0		
HH.4	Land Drainage Sewer	CW 2130-R12				
i)	375 mm					
a)	Trenchless installation, Class B sand bedding, Class 2 backfill		m	319.5		
HH.5	Connecting to Existing Manhole	CW 2130-R12				
i)	375 mm Catch Basin Lead		each	1.0		
HH.6	Installation of Subdrains	CW 3120-R4	m	48.0		
HH.7	Sewer Inpsection	CW 2145-R3				
i)	375 mm		m	319.5		
	ADJUSTMENTS					
HH.8	Catchbasin Risers	CW 2130-R12, E.?				
i)	Pre-cast Concrete Risers		vert. m	0.3		
HH.9	Lifter Rings	CW 3210-R7				
i)	51 mm		each	5.0		
HH	<u>Imperial Ave. / Pilgrim Ave. Lane - Land Drainage Sewer</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
II	<u>Loraine St. / Oakleigh Pl. Lane - Land Drainage Sewer</u>					
II.1	Manhole	CW 2130-R12				
i)	SD-010, 1200 mm diameter base		vert. m	4.9		
II.2	Catch Basin	CW 2130-R12				
i)	SD-025, 1800 mm deep		each	2.0		
II.3	Land Drainage Sewer	CW 2130-R12				
i)	250 mm					
a)	Trenchless installation, Class B sand bedding, Class 2 backfill		m	155.0		
II.4	Connecting to Existing Sewer	CW 2130-R12				
i)	250 mm PVC Connecting Pipe					
a)	Connecting to 375 mm (Concrete) Sewer		each	1.0		
II.5	Installation of Subdrains	CW 3120-R4	m	24.0		
II.6	Sewer Inspection	CW 2145-R3				
i)	250 mm		m	155.0		
	ADJUSTMENTS					
II.7	Catchbasin Risers	CW 2130-R12, E.15				
i)	Pre-cast Concrete Risers		vert. m	0.3		
II.8	Lifter Rings	CW 3210-R7				
i)	51 mm		each	4.0		
II	<u>Loraine St. / Oakleigh Pl. Lane - Land Drainage Sewer</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
JJ	<u>Portland Ave. / Poplarwood Ave. Lane - Land Drainage Sewer</u>					
JJ.1	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m ²	10		
JJ.2	Partial Slab Patches	CW 3230-R8				
i)	150 mm Concrete Pavement (Type B)		m ²	10		
JJ.3	Manhole	CW 2130-R12				
i)	SD-010, 1200 mm diameter base		vert. m	2.6		
JJ.4	Catch Basin	CW 2130-R12				
i)	SD-025, 1800 mm deep		each	2.0		
JJ.5	Land Drainage Sewer	CW 2130-R12				
i)	250 mm					
a)	Trenchless installation, Class B sand bedding, Class 2 backfill		m	133.0		
JJ.6	Connecting to Existing Manhole	CW 2130-R12				
i)	250 mm Catch Basin Lead		each	1.0		
JJ.7	Installation of Subdrains	CW 3120-R4	m	24.0		
JJ.8	Sewer Inpsection	CW 2145-R3				
i)	250 mm		m	133.0		
	ADJUSTMENTS					
JJ.9	Catchbasin Risers	CW 2130-R12, E.15				
i)	Pre-cast Concrete Risers		vert. m	0.4		
JJ.10	Lifter Rings	CW 3210-R7				
i)	51 mm		each	3.0		
JJ	<u>Portland Ave. / Poplarwood Ave. Lane - Land Drainage Sewer</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
KK	<u>St. David Rd. / Hull Ave. Lane - Land Drainage Sewer</u>					
KK.1	Manhole	CW 2130-R12				
i)	SD-010, 1200 mm diameter base		vert. m	2.8		
KK.2	Catch Basin	CW 2130-R12				
i)	SD-025, 1800 mm deep		each	5.0		
KK.3	Land Drainage Sewer	CW 2130-R12				
i)	250 mm					
a)	Trenchless installation, Class B sand bedding, Class 2 backfill		m	222.0		
KK.4	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	3.0		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	3.0		
KK.5	Connecting to Existing Manhole	CW 2130-R12				
i)	250 mm Catch Basin Lead		each	1.0		
KK.6	Connecting to Existing Sewer	CW 2130-R12				
i)	250 mm PVC Connecting Pipe					
a)	Connecting to 1350 mm LDS		each	1.0		
KK.7	Installation of Subdrains	CW 3120-R4	m	48.0		
KK.8	Sewer Inpsection	CW 2145-R3				
i)	250 mm		m	222.0		
	ADJUSTMENTS					
KK.9	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	3.0		
KK.10	Catchbasin Risers	CW 2130-R12, E.15				
i)	Pre-cast Concrete Risers		vert. m	1.9		
KK.11	Lifter Rings	CW 3210-R7				
i)	51 mm		each	6.0		
KK	<u>St. David Rd. / Hull Ave. Lane - Land Drainage Sewer</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
LL	<u>Thorndale Ave. /Frederick Ave. Lane - Drainage Sewer</u>					
LL.1	Manhole	CW 2130-R12				
i)	SD-010, 1200 mm diameter base		vert. m	1.8		
LL.2	Catch Basin	CW 2130-R12				
i)	SD-025, 1800 mm deep		each	1.0		
LL.3	Land Drainage Sewer	CW 2130-R12				
i)	250 mm					
a)	Trenchless installation, Class B sand bedding, Class 2 backfill		m	62.0		
LL.4	Connecting to Existing Sewer	CW 2130-R12				
i)	250 mm PVC Connecting Pipe					
a)	Connecting to 375 mm (Concrete) Sewer		each	1.0		
LL.5	Installation of Subdrains	CW 3120-R4	m	12.0		
LL.6	Sewer Inspection	CW 2145-R3				
i)	250 mm		m	62.0		
	ADJUSTMENTS					
LL.7	Lifter Rings	CW 3210-R7				
i)	51 mm		each	2.0		
LL	<u>Thorndale Ave. /Frederick Ave. Lane - Drainage Sewer</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
SUMMARY						
PART 1 SURFACE WORKS						
A	<u>Barton Ave. / Havelock Ave. Lane - Bounded By Barton Ave., Havelock Ave., St. Annes Rd. and St. Andrew Rd.</u>				Subtotal:	
B	<u>Bristol Ave. / Rue Youville Lane - Bounded By Bristol Ave., Rue Youville, Rue St. Luc and Yardley St.</u>				Subtotal:	
C	<u>Clonard Ave. / Stranmillis Ave. Lane - Bounded By Clonard Ave., Stranmillis Ave., St. Annes Rd., and Rue Des Meurons</u>				Subtotal:	
D	<u>Edgewood St. / Lariviere St. Lane - Bounded By Edgewood St., Lariviere St., Rue Youville, and Seine River</u>				Subtotal:	
E	<u>Fernwood Ave. / Thorndale Ave. Lane - Bounded By Fernwood Ave., Thorndale Ave., St. Mary's Rd., St. David Rd.</u>				Subtotal:	
F	<u>Fifth Ave. / Guay Ave. Lane - Bounded By Fifth Ave., Guay Ave., Rue Des Meurons and Rue Youville</u>				Subtotal:	
G	<u>Harrowby Ave. / Dunraven Ave. Lane - Bounded By Harrowby Ave., Dunraven Ave., Rue Des Meurons and Egerton Ave.</u>				Subtotal:	
H	<u>Imperial Ave. / Pilgrim Ave. Lane - Bounded By Imperial Ave., Pilgrim Ave., St. Annes Rd., and Rue Des Meurons</u>				Subtotal:	
I	<u>Loraine St. / Oakleigh Pl. Lane - Bounded By Loraine St., Oakleigh Pl. and St. Mary's Rd.</u>				Subtotal:	
J	<u>Portland Ave. / Poplarwood Ave. Lane - Bounded By Portland Ave., Poplarwood Ave., St. David Rd. and Neepawa St.</u>				Subtotal:	
K	<u>St David Rd. / Hull Ave. Lane - Bounded By St. David Rd., Hull Ave., St. Mary's Rd. and St. David Pl.</u>				Subtotal:	
L	<u>Thorndale Ave. / Frederick Ave. Lane - Bounded By Thorndale Ave., Frederick Ave., St. David Rd. and St. George Rd.</u>				Subtotal:	
					(total price) PART 1	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 2 DRAINAGE AND UNDERGROUND WORKS						
AA	<u>Barton Ave. / Havelock Ave. Lane - Land Drainage Sewer</u>				Subtotal:	
BB	<u>Bristol Ave. / Rue Youville Lane - Land Drainage Sewer</u>				Subtotal:	
CC	<u>Clonard Ave. / Stranmillis Ave. Lane - Land Drainage Sewer</u>				Subtotal:	
DD	<u>Edgewood St. / Lariviere St. Lane - Land Drainage Sewer</u>				Subtotal:	
EE	<u>Fernwood Ave. / Thorndale Ave. Lane - Land Drainage Sewer</u>				Subtotal:	
FF	<u>Fifth Ave. / Guay Ave. Lane - Land Drainage Sewer</u>				Subtotal:	
GG	<u>Harrowby Ave. / Dunraven Ave. Lane - Land Drainage Sewer</u>				Subtotal:	
HH	<u>Imperial Ave. / Pilgrim Ave. Lane - Land Drainage Sewer</u>				Subtotal:	
II	<u>Loraine St. / Oakleigh Pl. Lane - Land Drainage Sewer</u>				Subtotal:	
JJ	<u>Portland Ave. / Poplarwood Ave. Lane - Land Drainage Sewer</u>				Subtotal:	
KK	<u>St. David Rd. / Hull Ave. Lane - Land Drainage Sewer</u>				Subtotal:	
LL	<u>Thorndale Ave. / Frederick Ave. Lane - Drainage Sewer</u>				Subtotal:	
					(total price) PART 2	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
SUMMARY						
A-L	<u>PART 1 SURFACE WORKS</u>				Subtotal:	
AA-LL	<u>PART 2 DRAINAGE AND UNDERGROUND WORKS</u>				Subtotal:	
TOTAL BID PRICE (GST extra)					(in figures)	_____

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2)
(See B11)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

_____ (hereinafter called the "Principal") and

_____ (hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 426-2015

2015 Local Improvements – Contract No.1

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of _____, 20_____.

SIGNED AND SEALED
in the presence of:

(Witness as to Principal if no seal)

(Name of Principal)

Per: _____ (Seal)

Per: _____

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2)
(See B11)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

_____ of
(Name of Bidder)

(Place)

the Bidder to you on _____, 20____ for

BID OPPORTUNITY NO. 426-2015

2015 Local Improvements – Contract No.1

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20_____ .

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 1 of 2)
(See B11)**

(Date)

The City of Winnipeg
Corporate Finance Department
Materials Management Division
185 King Street, Main Floor
Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 426-2015
2015 Local Improvements – Contract No.1

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 2 of 2)
(See B11)**

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on July 20, 2015

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name of bank or financial institution)

Per: _____
(Authorized Signing Officer)

Per: _____
(Authorized Signing Officer)