

**FORM A: BID**  
(See B8)

1. Contract Title SUPPLY AND DELIVERY OF A POLICE ARMORED VEHICLE

2. Bidder

\_\_\_\_\_  
Name of Bidder

\_\_\_\_\_  
Usual Business Name of Bidder as it appears on Invoice (if different from above)

\_\_\_\_\_  
Street

\_\_\_\_\_  
City

\_\_\_\_\_  
Province

\_\_\_\_\_  
Postal Code

(Mailing address if different)

\_\_\_\_\_  
Email Address of Bidder

\_\_\_\_\_  
Facsimile Number

\_\_\_\_\_  
Street or P.O. Box

\_\_\_\_\_  
City

\_\_\_\_\_  
Province

\_\_\_\_\_  
Postal Code

(Choose one)

\_\_\_\_\_  
GST Registration Number (if applicable)

The Bidder is:

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

\_\_\_\_\_  
Contact Person

\_\_\_\_\_  
Title

\_\_\_\_\_  
Telephone Number

\_\_\_\_\_  
Facsimile Number

\_\_\_\_\_  
Email Address

4. Definitions

All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions and D3.

5. Offer The Bidder hereby offers to perform the Work in accordance with the Contract for the price(s), in Canadian funds, set out on Form B: Prices, appended hereto.

6. Commencement of the Work The Bidder agrees that no Work shall commence until he/she is in receipt of a notice of award from the Award Authority authorizing the commencement of the Work.

7. Contract The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.

8. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No.	Dated
_____	_____
_____	_____
_____	_____

9. Time This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

10. Signatures The Bidder or the Bidder's authorized official or officials have signed this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_.

Signature of Bidder or  
Bidder's Authorized Official or Officials

\_\_\_\_\_  
\_\_\_\_\_  
(Print here name and official capacity of individual whose signature appears above)

\_\_\_\_\_  
\_\_\_\_\_  
(Print here name and official capacity of individual whose signature appears above)

**FORM B: PRICES**  
(See B9)

SUPPLY AND DELIVERY OF A POLICE ARMORED VEHICLE

UNIT PRICES

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	QUANTITY	UNIT PRICE
1.	4WD Armored Vehicle	15052	Each	1	

\_\_\_\_\_  
Name of Bidder

## FORM N: DETAILED SPECIFICATIONS 15052

### 4WD Armored Vehicle

#### **1.0 DESCRIPTION OF EQUIPMENT**

- 1.1 Shall be a 19,500 lbs. GVWR, **4WD Armored Vehicle**. The Vehicle shall be furnished complete and ready for use with all features and equipment as described herein.
- 1.2 Eligible models are: **Gurkha MPV or EQUIVALENT IN ACCORDANCE TO B6. SUBSTITUTES.**
- 1.3 **STATE YEAR, MAKE AND MODEL BEING BID:** \_\_\_\_\_

#### **2. OTHER SPECIFICATIONS AND STANDARDS**

- 2.1 All applicable SAE standards form an integral part of these specifications and shall have precedence in any conflict concerning minimum acceptable standards.

Society of Automotive Engineers, SAE:

[http://en.wikipedia.org/wiki/Society\\_of\\_Automotive\\_Engineers](http://en.wikipedia.org/wiki/Society_of_Automotive_Engineers)

- 2.2 The completed unit and all its components shall comply with all C.M.V.S.S. and Manitoba Highway Traffic Act regulations and requirements including, but not limited to, a Manitoba Government Inspection.

Highway Traffic Act: <http://web2.gov.mb.ca/laws/statutes/ccsm/h060e.pHP>

Canadian Motor Vehicle Safety Standards, CMVSS: <http://www.gnb.ca/0062/regs/83-163.htm>

#### **3. SERVICE FACILITY**

- 3.1 For the purpose of warranty repairs, the Bidder shall have an authorized service facility located within 10 km of the boundaries of the City of Winnipeg Police Services. The facility, or a portion thereof, shall be dedicated to the service and maintenance of the type equipment being offered. Further to B9.1, Bidders shall provide a description of the service facility including, but not limited to, number of qualified service staff, years of service experience, and general service capabilities within three (3) Business Days upon request of the Contract Administrator.
- 3.2 If a suitable warranty facility is not available within 10 km of the boundaries of the City of Winnipeg, the Bidder may propose that the City of Winnipeg Police Services Repair Facility perform warranty work. Any Work performed by the City of Winnipeg Police Services Repair Facility shall be charged to the Contractor at the Facility's shop rate in effect at the time the work is performed (**for example, shop rate for 2014: \$88.00/hour and \$118.00/hour for overtime and callout**).
- 3.3 Location of the service facility located within 10 km of the boundaries of the City of Winnipeg Police Services.

**The Bidder shall choose and fill in one of the Clauses listed below. --- 3.4) or 3.5)**

- 3.4 Bidder's own facility location. **State the location of the service facility below.**

---

- 3.5 Bidder elects to have warranty work be performed by the City of Winnipeg Police Services. Bidder shall provide all warranty authorization processes.

---

**4. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS**

- 4.1 All items in these specifications must be answered indicating compliance or non-compliance. **Bidders shall state “yes” for compliance or state deviation**, or give reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 4.2 Each bidder is required to fill in every blank. **Failure to do so may be used as a basis for rejection of bid.**

<b>5.0 SPECIFICATIONS</b>	<b>BIDDER TO STATE “YES” OR STATE DEVIATION</b>
5.1 GVWR: 19,500 lbs.	_____
5.2 Engine: 6.7L V8 turbo diesel 300HP/ 660 lb-ft torque	_____
5.3 Drive Line: Electronically controlled 6 speed automatic transmission. Acceptable Drive line shall be shift on the fly Four Wheel Drive (4X4) with the ability to engage 2 wheel or 4 wheel drive. (On/off road capability)	_____
5.4 Tow/haul mode with engine braking	_____
5.5 Wheelbase: approx. 141 inches (Unaltered)	_____
5.6 Dual batteries, <b>state CCA</b>	_____
5.7 Limited slip differential 4.88 ratio	_____
5.8 Dual 157 AMP alternators	_____
5.9 Block heater with cord through grille	_____
5.10 Coolant: antifreeze to -35°C	_____
5.11 Brakes: 4 wheel vented disc power with ABS	_____
5.12 Fuel capacity: approx. 40 gal / 151L	_____
5.13 Vehicle weight: approx. 17,000 lbs.	_____
5.14 Armoring: CEN B7 / STANAG II / .50 Cal	_____
5.15 Dimensions: LOA = 242 116 " [6148.6 mm] WOA = 98 516 " [2496.5 mm] HOA = 106 1316 " [2712.6 mm]	_____
5.16 LED exterior lighting & headlights	_____
5.17 LED red / white interior lighting	_____
5.18 Seven (7) gun ports	_____
5.19 Factory air conditioning in front cabin and rear ceiling mounted Auxiliary AC/Heating system	_____
5.20 Two (2) forward facing cab seats and rear side facing bench seats. Bench seats lift up to access storage	_____

- 5.21 Fully insulated occupant area (floor / roof / verticals) \_\_\_\_\_
- 5.22 SRW Off-road wheel package ( quantity of 4 plus spare ): Hutchinson  
20" 2- piece aluminum wheels with rotgard run flats and Continental  
335/80/R20 MPT 81 tires ( raises ground clearance by 4 1/2"); customed  
tuned off road shocks with external reservoir by Fox Defense \_\_\_\_\_
- 5.23 Reverse camera with monitor \_\_\_\_\_
- 5.24 Remote power door locks \_\_\_\_\_
- 5.25 Reverse sensors in rear bumper \_\_\_\_\_
- 5.26 FMVSS/CMVSS Compliant \_\_\_\_\_
- 5.27 Fuel tank: Fully fuelled upon delivery \_\_\_\_\_
- 5.28 Manual rotating roof hatch with slewing ring and gun port. Hatch hold  
open lock 90 degrees. Floor mount manual height adjustment operator  
stand. \_\_\_\_\_
- 5.29 Power operable skip shield system \_\_\_\_\_
- 5.30 Front bumper mounted electric winch \_\_\_\_\_
- 5.31 Battery charge system with Kassmaul auto eject \_\_\_\_\_
- 5.32 Police light package – Red/Blue light bar with alley lights, Four  
red/blue/white single lights mounted on the front. Two red/blue/white lights  
mounted on the front sides. Two red/blue/white double stack lights  
mounted on rear sides. Two red/blue/white single lights mounted in the  
rear bumper. Front and rear wig/wag included. P/A system with 200 watt  
siren. \_\_\_\_\_
- 5.33 Heated windshield \_\_\_\_\_
- 5.34 Two (2) roof mounted LED remote control operated search lights \_\_\_\_\_
- 5.35 Additional gun ports \_\_\_\_\_
- 5.36 Additional seating \_\_\_\_\_
- 5.37 LED search lights \_\_\_\_\_
- 5.38 360 degree pan/tilt/zoom camera system with night vision and view  
monitor mounted inside the vehicle \_\_\_\_\_
- 5.39 Blackout switch for exterior lighting \_\_\_\_\_
- 5.40 Center console with accessory controls \_\_\_\_\_
- 5.41 Toughbook pedestal CF-31 style customer will supply laptop and  
antennae \_\_\_\_\_
- 5.42 Differential air lock \_\_\_\_\_
- 5.43 Front mounted receiver with ram port and plate- powered \_\_\_\_\_
- 5.44 Two (2) side mounted LED scene lights \_\_\_\_\_
- 5.45 Intercom system – inside / outside \_\_\_\_\_
- 5.46 Rear hitch/receiver class IV and wiring \_\_\_\_\_

- 5.47 Fuel tank protection with attached rear step \_\_\_\_\_
- 5.48 Radiator protection with louvers and vents \_\_\_\_\_
- 5.49 Two tow hooks mounted to front, Two tow hooks mounted to rear \_\_\_\_\_
- 5.50 Two extended side mirrors – power adjustable \_\_\_\_\_
- 5.51 Fuel tank locking cap \_\_\_\_\_
- 5.52 Grab handles at doorways \_\_\_\_\_
- 5.53 Secured door locks with draw handles \_\_\_\_\_
- 5.54 entrance step running board at curb side, street side and rear entry/exit doors \_\_\_\_\_
- 5.55 Steel roof mounted handrails on curb side and street side upper body line, positive grip coated \_\_\_\_\_
- 5.56 Steel roof mounted handrails on rear upper body line, positive grip coated \_\_\_\_\_
- 5.57 Positive grip strips added to roof top \_\_\_\_\_
- 5.58 Front side doors \_\_\_\_\_
- 5.59 Rear doors – 70/30 \_\_\_\_\_
- 5.60 Pre wired for antennae \_\_\_\_\_
- 5.61 Tilt steering \_\_\_\_\_
- 5.62 Rubber floor with positive grip in crew compartment \_\_\_\_\_
- 5.63 Seats 8, 2+6 \_\_\_\_\_
  
- 6.0 **Warranty**
- 6.1 **Chassis Warranty**
- 6.2 Basic vehicle: Three (3) years or 60000 km \_\_\_\_\_
- 6.3 Powertrain coverage: Five (5) years or 100,000 km \_\_\_\_\_
- 6.4 Corrosion rust-through - 60 months/100,000 km \_\_\_\_\_
- 6.5 **Armoring: State** warranty coverage and duration \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_
  
- 6.6 Warranty- (all warranty information shall be detailed and include all exclusions. The successful bidder shall provide all published warranty information upon delivery of the equipment. Bidder shall state all warranty information. \_\_\_\_\_
  
- 7.0 **DELIVERY**
- 7.1 **Delivery Point:** The complete unit shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, including invoice and N.I.V.S. (if applicable) to the WPS Division 30 Vehicle Services, 55 \_\_\_\_\_

Princess St., Winnipeg MB.

- 7.2 **Delivery Time: State approx. delivery time in weeks** from the date of award. Equipment shall be delivered between 8:00 am and 2:00 pm on Business Days. \_\_\_\_\_
- 7.3 **Delivery Contact:** The Contractor shall contact the Supervisor, Vehicle Services WPS Lee Trakalo prior to delivery of the equipment. \_\_\_\_\_
- 7.4 **P.D.I:** A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list \_\_\_\_\_
- 8.0 **MANUALS**
- 8.1 Manuals supplied under this Contract. The manuals shall cover the complete equipment including all components thereof, CD is preferred where available. \_\_\_\_\_
- 8.2 Operator's manual: One (1) per unit shall be supplied with the units when delivered: \_\_\_\_\_