



- NOTES:**
1. PROVIDE 200mm THICK VOID FORMS BETWEEN SOIL AND CONCRETE SLABS.
 2. DESIGN LIVE LOAD FOR PUMP ROOM AND SERVICE GALLERY IS 15 kPa. DESIGN SNOW LOAD IS 5 kPa.
 3. * - DENOTES LOCATION OF TYPE 1 DAVIT CRANE BASE INSERT.
⊗ - DENOTES LOCATION OF TYPE 2 DAVIT CRANE BASE INSERT.



UPPER LEVEL PLAN
1:50



APEGM
Certificate of Authorization
CH2M HILL Canada Ltd.
No. 1441

00	ISSUED FOR TENDER	08/2015	G.O. J.C.
NO.	REVISIONS	DATE	DESIGN CHECK

CH2MHILL
SNC-LAVALIN

DESIGNED BY: E. LUI
DRAWN BY: G. OMORI
SCALE: 1:50
DATE: 2015/08/13

CHECKED BY: R. PARIKH
APPROVED BY: E. LUI
ISSUED FOR CONSTRUCTION BY: T. TURZAK
DATE: 2015/08/13

CONSULTANT NO.: 474248

ENGINEER'S SEAL
13 AUG 2015
PROVINCE OF MANITOBA
S.L.E. LUI
Member 37003
REGISTERED PROFESSIONAL ENGINEER

THE CITY OF WINNIPEG
Winnipeg WATER AND WASTE DEPARTMENT

SEWPPC UPGRADING/EXPANSION PROJECT
STRUCTURAL
GRIT TANKS 1 AND 2
UPPER LEVEL PLAN

CITY DRAWING NUMBER: 1-0102-SGAD-G003
SHEET: 00
REV: A1
SIZE: A1