Template Version: C420150116 - RW

FORM A: BID (See B8)

1.	Contract Title	2015 Intersection Improvement Works	s, New Local Sidewalk and Asso	ociated
2.	Bidder	Name of Bidder		
		Usual Business Name of Bidder as it a	opears on Invoice (if different from above	e)
		Street		
		City	Province	Postal Code
	(Mailing address if different)	Email Address of Bidder		
		Facsimile Number		
		Street or P.O. Box		
	(Choose one)	City	Province	Postal Code
		The Bidder is: a sole proprietor a partnership a corporation carrying on business under the	above name.	
3.	Contact Person	The Bidder hereby authorizes the Bidder for purposes of the B	the following contact person to Bid.	represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions	All capitalized terms used in ascribed to them in the General	the Contract shall have the Conditions.	meanings
5.	Offer		erform the Work in accordance e, in Canadian funds, set out or	

Template Version. 0420130110 - 104

Template V	ersion: C420150116 - RW						
6.	Bid Security	In accordance with B12.1, the Bidder encloses bid security in the form of:					
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)					
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)					
		a certified cheque or draft					
		and agrees that it shall be held by the City in accordance with the Contract.					
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.					
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.					
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.					
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:					
		No Dated					
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of Sixty (60) Calendar Days following the Submission Deadline.					

Signatures

Template Version: C420150116 - RW

12.

The Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____ , 20_____ .

Signature of Bidder or Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

INIT PRI		0050				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A	<u>New Local Sidewalk - Donan Street from Pa Avenue</u>					
	EARTH AND BASE WORKS					
\.1	Excavation	CW 3110-R19	m³	80		
.2	Supplying and Placing Base Course Material	CW 3110-R19	m³	35		
.3	Grading of Boulevards	CW 3110-R19	m²	135		
\.4	Ditch Grading	CW 3110-R19	m²	1000		
A.5	Ditch Excavation	CW 3110-R19	m³	65		
\.6	Fill Material	CW 3170-R3				
i)	Supplying and Placing Imported Material		m³	144		
	ROADWORKS - RENEWALS					
A.7	Concrete Curb Removal	CW 3240-R10				
i)	Barrier separate		m	3		
ii)	Modified Barrier (Integral)		m	7		
A.8	Concrete Curb Renewal	CW 3240-R10				
i)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229C,D	m	3		
	ROADWORKS - NEW CONSTRUCTION					
A.9	100 mm Concrete Sidewalk	CW 3325-R5	m²	550		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
A.10	Corrugated Steel Pipe Culvert - Supply	CW 3610-R4				
i)	(450 mm,18 gauge, Galvinized)		m	20		
A.11	Corrugated Steel Pipe Culvert - Install	CW 3610-R4				
i)	(450 mm, 18 gauge, Galvinized)		m	20		

		(SEE D9)				
UNIT PRI				-		
ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
	ADJUSTMENTS					
A.12	Adjustment of Valve Boxes	CW 3210-R7	each	5		
A.13	Valve Box Extensions	CW 3210-R7	each	5		
A.14	Adjustment of Curb Stop Boxes	CW 3210-R7	each	3		
A.15	Curb Stop Extensions	CW 3210-R7	each	3		
	LANDSCAPING					
A.16	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	150		
ii)	width > or = 600 mm		m²	1200		
Α	New Local Sidewalk - Donan Street from	Park Manor Boul	evard to	Murray		
	Avenue					

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
в	Intersection Improvement - Jefferson Aven					
	EARTH AND BASE WORKS					
B.1	Excavation	CW 3110-R19	m³	172		
B.2	Sub-Grade Compaction	CW 3110-R19	m²	172		
B.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	190		
B.4	Supplying and Placing Base Course Material	CW 3110-R19	m³	14		
B.5	Grading of Boulevards	CW 3110-R19	m²	35		
B.6	Boulevard Excavation	CW 3110-R19	m³	23		
B.7	Separation Geotextile Fabric	CW 3130-R4	m²	275		
	ROADWORKS - RENEWALS					
B.8	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	250		
B.9	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	Monolithic Median Slab		m²	53		
ii)	Bullnose		m²	17		
B.10	Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)	Bullnose	SD-227C	m²	1		
B.11	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	Monolithic Median Slab	SD-226A	m²	143		
ii)	100mm Sidewalk	SD-228A				
а) Less than 5 sq. m.		m²	6		
b) 5 sq. m. to 20 sq. m.		m²	26		

JNIT PRI		· · · · · · · · · · · · · · · · · · ·				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
3.12	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150mm reveal ht, Separate)	SD-203A				
a	Less than 3 m		m	4		
ii)	Modified Barrier (150mm reveal ht, Integral)	SD-203B	m	4		
iii)	Curb Ramp (10mm reveal ht, Integral)	SD-229C,D	m	4		
iv)	Curb Ramp (10mm reveal ht, Monolithic)	SD-229C,D	m	7		
B.13	Construction of Asphaltic Concrete Overlay	CW 3410-R10				
i)	Main Line Paving					
a	Туре 1А		tonne	13		
ii)	Tie-ins and Approaches					
a)	Туре 1А		tonne	19		
B.14	Construction of Asphalt Patches	CW 3410-R10	m²	10		
B.15	Detectable Warning Surface Tiles	CW 3326-R2	each	8		
	ROAD WORKS - NEW CONSTRUCTION					
B.16	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R16				
i)	Construction of 200 mm Concrete Pavement (Reinforced)		m²	275		
ii)	Construction of Monolithic Concrete Median Slabs	SD-226A	m²	56		
	JOINT AND CRACK SEALING					
B.17	Joint Sealing	CW 3250-R7	m	58		
B.18	Reflective Crack Maintenance	CW 3250-R7	m	198		

UNIT PRI	CES	(OLL D3)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	LANDSCAPING					
B.19	Sodding	CW 3510-R9				
i)	width < 600mm		m²	3		
ii)	width > or = 600mm		m²	6		
B.20	Salt Tolerant Grass Seeding	E9	m²	36		
	MISCELLANEOUS					
B.21	Tree Removal	E10	each	4		
В	B <u>Intersection Improvement - Jefferson Avenue at Adsum Drive</u>					

UNIT PR ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
С	Intersection Improvement - Princess Street					
	EARTH AND BASE WORKS					
C.1	Supplying and Placing Base Course Material	CW 3110-R19	m³	12		
	ROADWORKS - RENEWALS					
C.2	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	22		
C.3	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	Monolithic Curb and Sidewalk		m²	152		
C.4	Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)	Monolithic Curb and Sidewalk	SD-228B	m²	240		
C.5	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	Monolithic Curb and Sidewalk	SD-228B	m²	22		
C.6	Concrete Curb Renewal	CW 3240-R10				
i)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	24		
C.7	Construction of Asphaltic Concrete Overlay	CW 3410-R10				
i)	Main Line Paving					
a	ı) Type IA		tonne	26		
ii)	Tie-ins and Approaches					
a) Type IA		tonne	5		
C.8	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m²	260		
C.9	Detectable Warning Surface Tiles	CW 3326-R2	each	6		
	JOINT AND CRACK SEALING					
C.10	Reflective Crack Maintenance	CW 3250-R7	m	50		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
C.11	New Hydrant Assembly on Existing Watermain	CW 2110-R11	each	1		

		(SEE D9)				
UNIT PRI	CES					
ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
	ADJUSTMENTS					
C.12	Adjustment of Valve Boxes	CW 3210-R7	each	2		
C.13	Valve Box Extensions	CW 3210-R7	each	1		
C.14	Adjustment of Traffic Signal Service Box Frames	CW 3210-R7	each	1		
	LANDSCAPING					
C.15	Salt Tolerant Grass Seeding	E9	m²	20		
С	Intersection Improvement - Princess Street at Henry Avenue					

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	SUMMARY					
Α	New Local Sidewalk - Donan Street from Pa	Subtotal:				
В	Intersection Improvement - Jefferson Avenue at Adsum Drive					
С	Intersection Improvement - Princess Street at Henry Avenue					
TOTAL BI	OTAL BID PRICE (GST extra) (in figures)					

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B12)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

(hereinafter called the "Principal") and

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 631-2015

2015 Intersection Improvements, New Local Sidewalk and Associated Works

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal)	
(Witness as to Principal if no seal)	Per:	(Seal)
	Per:	
	(Name of Surety)	
	By: (Attorney-in-Fact)	(Seal)

_____ of

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B12)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

(Name of Bidder)

(Place)

the Bidder to you on ______, 20_____, 20_____

BID OPPORTUNITY NO. 631-2015

2015 Intersection Improvements, New Local Sidewalk and Associated Works

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within Sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this ______ day of ______, 20_____,

(Name of Surety)

By: (Seal) (Seal)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B12)

(Date)

The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 631-2015

2015 Intersection Improvements, New Local Sidewalk and Associated Works

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B12)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on September 30, 2015

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name of bank or financial institution)	
Per:	
	(Authorized Signing Officer)
Per:	

(Authorized Signing Officer)