

FORM A: BID
(See B9)

1. Contract Title FERRY ROAD AND RIVERBEND COMBINED SEWER RELIEF
CONTRACT 5 WEST

2. Bidder

Name of Bidder

Usual Business Name of Bidder as it appears on Invoice (if different from above)

Street

City

Province

Postal Code

Email Address of Bidder

Facsimile Number

(Mailing address if different)

Street or P.O. Box

City

Province

Postal Code

GST Registration Number (if applicable)

(Choose one)

The Bidder is:

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

Contact Person

Title

Telephone Number

Facsimile Number

4. Definitions

All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions.

5. Offer The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.
6. Bid Security In accordance with B13.1, the Bidder encloses bid security in the form of:
(Choose one)
 a bid bond (Form G1: Bid Bond and Agreement to Bond)
 an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
 a certified cheque or draft
and agrees that it shall be held by the City in accordance with the Contract.
7. Execution of Contract The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8. Commencement of the Work The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9. Contract The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
No. _____ Dated _____

11. Time This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

12. Signatures

The Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____, 20_____.

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

FORM B: PRICES
FERRY ROAD AND RIVERBEND COMBINED SEWER RELIEF WORKS CONTRACT 5 WEST
 (See B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A	<i>Deer Lodge Place West Leg - Portage Avenue to Deer Lodge Place South Leg</i>					
A.1	Sewers	CW 2130-R12				
a)	300mm PVC SDR-35					
i)	trenchless installation, Class B Type 3		m	90		
A.2	Manholes	CW 2130-R12				
a)	SD-010					
i)	1200mm Diam 1800 high base S505		vt.m	4		
ii)	1200mm Diam 1800 high base S506		vt.m	4		
iii)	1200mm Diam 1800 high base S507		vt.m	4		
A.3	Catch Basin					
a)	SD-025 1200mm deep		each	2		
A.4	Catch Basin Lead	CW 2130-R12				
a)	250mm SDR 35					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	55		
A.5	Catch Basin Lead Riser	CW 2130-R12				
a)	SD-015					
i)	250mm		vt.m	3		
A.6	Connecting to Existing Catchbasin	CW 2130-R12				
a)	250mm		each	6		
A.7	Connecting to Existing Manhole	CW 2130-R12				
a)	250mm		each	1		
b)	300mm		each	1		
A.8	Connecting to Existing Sewer					
a)	250mm Catchbasin Lead					
i)	To a 300mm PVC LDS		each	4		
A.9	Abandoning Existing Catch Basin Lead Under Pavement	CW 2130-R12	each	6		
A.10	Catch Basin Cleaning	SP E15	each	7		

FORM B: PRICES
FERRY ROAD AND RIVERBEND COMBINED SEWER RELIEF WORKS CONTRACT 5 WEST
 (See B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.11	Sewer Cleaning	CW 2140-R3				
a)	300mm Combined Sewer		m	230		
A.12	Sewer Inspection	CW 2145-R3				
a)	300mm		m	90		
A.13	Repeat Sewer Inspection (PVC pipe)	CW 2145-R3				
a)	300mm	SP E8	m	90		
A	<u>Deer Lodge Place West Leg - Portage Avenue to Deer Lodge Place South Leg</u>				SUBTOTAL	

B	<u>Deer Lodge Place South Leg - Deer Lodge Place West Leg to Outfall</u>					
B.1	Sewers	CW 2130-R12				
a)	450mm RCP C-76 CL IV / PVC SDR-35	CW 2130-R12				
i)	trenchless installation, Class B Type 3 bedding, Class 3 backfill		m	65		
b)	525mm RCP C-76 CL IV / PVC SDR-35	CW 2130-R12				
i)	trenchless installation, Class B Type 3 bedding, Class 3 backfill		m	65		
c)	600mm RCP C-76 CL IV / PVC SDR-35	CW 2130-R12				
i)	trenchless installation, Class B Type 3 bedding, Class 3 backfill		m	90		
B.2	Manholes	CW 2130-R12				
a)	SD-010					
i)	1200mm Diam 1800 high base S502		vt.m	5		
ii)	1500mm Diam 1800 high base S503		vt.m	5		
iii)	2700mm Diam 2440 high base S504 c/w ballasting base	SP E8	vt.m	4.7		
B.3	Fittings	CW 2130-R12				
a)	Specialized Bends					
i)	450mm 8.6 Degree Bend		each	1		
ii)	525mm 4.5 Degree Bend		each	1		
B.3	New Manhole on Existing Sewer	CW 2130-R12				
a)	1200mm Diam 1800 high base S501 On Existing 300 PVC LDS		vt.m	3		

FORM B: PRICES
FERRY ROAD AND RIVERBEND COMBINED SEWER RELIEF WORKS CONTRACT 5 WEST
 (See B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.4	Catch Basin	CW 2130-R12				
a)	SD-025 1800mm deep		each	2		
B.5	Catch Basin Lead	CW 2130-R12				
a)	250mm SDR 35					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	15		
B.6	Supply and Install Polymercoat CSP Outfall c/w granular underdrain	CW 3610-R4 SP E22				
a)	750mm diam CSP (2.0mm)		m	10		
B.7	Construct Concrete Collar	SP E22				
a)	750mm diam CSP		each	1		
B.8	Supply and Install External slip joint	SP E22				
a)	750mm diam CSP		each	1		
B.9	Supply and Install Outfall Bar Screen	SP E22				
a)	750mm diam CSP		each	1		
B.10	Sewer Inspection	CW 2145-R3				
a)	450mm		m	65		
b)	525mm		m	65		
c)	600mm		m	90		
B.11	Repeat Sewer Inspection (PVC pipe)	CW 2145-R3				
a)	450mm	SP E8	m	65		
b)	525mm		m	65		
c)	600mm		m	90		
B.12	Abandoning Existing Sewers With Cement-Stabilized Flowable Fill	CW 2130-R12				
a)	375mm		m ³	8		
B.13	Removal of End of Existing 300/375mm Outfall Pipe	SP E8				
			l.s.	1		
B.14	Tree Removal	SP E5				
a)	0 to 10cm		each	3		
b)	10 to 30cm		each	3		

FORM B: PRICES
FERRY ROAD AND RIVERBEND COMBINED SEWER RELIEF WORKS CONTRACT 5 WEST
 (See B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
c)	over 30cm		each	1		
B.15	Stump Removal	SP E5				
a)	0 to 60cm		each	4		
b)	over 60cm		each	1		
B.16	Creek Flow Control	SP E21	l.s.	1		
B.17	Creekbank Excavation	SP E23	m ³	500		
B.18	Supply, Install and Maintain Silt Fence	SP E24	m	35		
B.19	Supply and Install Fieldstone Riprap	SP E26				
a)	450 Thick (D50 = 200mm, D100 = 300mm)		m ²	160		
B.20	Separation Geotextile Fabric	CW 3130-R4	m ²	140		
B.21	Soil Amendment and Finish Grading	SP E27	m ²	1000		
B.22	Chemical Application of Herbicide	SP E28	m ²	400		
B.23	Grass Seeding	CW 3520-R7				
a)	Park and Boulevard Mix		m ²	600		
b)	Native Grass Mix		m ²	400		
B.24	Trees	SP E30				
a)	Manitoba Maple, 60-70mm cal		each	3		
b)	Plains Cottonwood, 60-70mm cal		each	2		
c)	American Basswood, 60-70mm cal		each	3		
B	<u>Deer Lodge Place South Leg - Deer Lodge Place West Leg to Outfall</u>			SUBTOTAL		

FORM B: PRICES
FERRY ROAD AND RIVERBEND COMBINED SEWER RELIEF WORKS CONTRACT 5 WEST
 (See B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
------	-------------	------------	------	------------------	------------	--------

C PUBLIC LANE - DEER LODGE PLACE EAST LEG TO LANE WEST						
C.1	Sewers	CW 2130-R12				
a)	300mm PVC SDR-35	SP E 8				
i)	trenchless installation, Class B Type 3 bedding, Class 3 backfill		m	70		
C.2	Manholes	CW 2130-R12				
a)	Remove and Replace Existing MH (SD-010)					
i)	1200mm Diam 1800 high base S510		vt.m	5		
C.3	New Manhole on Existing Sewer	CW 2130-R12				
a)	1200mm Diam 1800 high base S5111 On Existing 300mm CS		vt.m	4		
C.4	Abandoning Existing Sewer With Cement-Stabilised Flowable Fill	CW 2130-R12				
a)	300mm		m ³	1		
C.5	Sewer Cleaning	CW 2140-R3				
a)	300mm Combined Sewer		m	45		
C.6	Sewer Inspection	CW 2145-R3				
a)	300mm		m	70		
C.7	Repeat Sewer Inspection (PVC pipe)	CW 2145-R3				
a)	300mm		m	70		
C	<u>PUBLIC LANE - DEER LODGE PLACE EAST LEG TO LANE WEST</u>				SUBTOTAL	

D Deer Lodge Place East Leg - Portage Avenue to Deer Lodge South Leg						
D.1	Sewers	CW 2130-R12				
a)	300mm PVC SDR35	SP E 8				
i)	trenchless installation, Class B Type 3 bedding, Class 3 backfill		m	100		
b)	375mm RCP C-76 CL IV / PVC SDR35	SP E 8				
i)	trenchless installation, Class B Type 3 bedding, Class 3 backfill		m	115		

FORM B: PRICES
FERRY ROAD AND RIVERBEND COMBINED SEWER RELIEF WORKS CONTRACT 5 WEST
 (See B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.2	Manholes	CW 2130-R12				
a)	SD-010					
i)	1200mm Diam 1800 high base S508		vt.m	5		
ii)	1200mm Diam 1800 high base S509		vt.m	5		
D.3	Catch Basin Lead	CW 2130-R12				
a)	250mm SDR 35					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	45		
D.4	Connect to Existing Catch Basin	CW 2130-R12				
a)	250mm	SP E 18	each	6		
D.5	Abandoning Existing Catch Basin Lead Under Pavement	CW 2130-R12	each	6		
D.6	Catchbasin Cleaning	SP E 15	each	7		
D.7	Sewer Cleaning	CW 2140-R3				
a)	300mm Combined Sewer		m	150		
D.8	Sewer Inspection	CW 2145-R3				
a)	300mm		m	95		
b)	375mm		m	115		
D.9	Repeat Sewer Inspection (PVC pipe)	CW 2145-R3				
a)	300mm		m	95		
b)	375mm		m	115		
D	<u>Deer Lodge Place East Leg - Portage Avenue to Deer Lodge South Leg</u>				SUBTOTAL	

E	<u>Provisional Items</u>					
E.1	Trenchless Obstructions	SP E11	Allowance	1		
E.2	Replacing Existing Risers	CW 2130-R12				
a)	900mm Diam on New C/B		vt.m	2		
b)	900mm Diam on Existing C/B		vt.m	2		

FORM B: PRICES
FERRY ROAD AND RIVERBEND COMBINED SEWER RELIEF WORKS CONTRACT 5 WEST
 (See B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
c)	1200mm Diam on Existing Manholes		vt.m	2		
E.3	Remove and Replace Existing Catch Basin / Catch Pit (AP 008 Frame and AP 009 Cover)	CW 2130-R12 SP E18				
a)	SD-023		each	3		
E.4	Remove and Replace Existing Catch Basin / Catch Pit (AP 004 Frame and AP 006 Cover)	CW 2130-R12 SP E18				
a)	SD-025		each	3		
E.5	Connecting Existing Sewer Service To New Sewer	CW 2130-R12 SP E18				
a)	Catch Basin Lead		each	3		
E.6	Abandoning Existing Sewers With Cement Stabilized Flowable Fill	CW 2130-R12				
a)	300mm and larger		m ³	10		
E.7	Regrading of Existing Sewer Service	CW 2110-R11				
a)	100 or 150 mm					
i)	Up to 1.5 m long		each	3		
ii)	Longer than 1.5 m		m	25		
E.8	Misc. Sewer Inspection (Existing Sewers)	CW 2130-R12 SP E17				
a)	300mm		m	20		
E.9	Drainage Inlet Cleaning	CW 2140-R3 SP E15				
			each	5		
E.10	Water Service Replacement	CW 2110-R11 SP E14				
a)	19mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	10		
b)	25mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	10		

FORM B: PRICES
FERRY ROAD AND RIVERBEND COMBINED SEWER RELIEF WORKS CONTRACT 5 WEST
 (See B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E.11	Corporation Stops	CW 2110-R11 SP E14				
a)	19mm		each	3		
b)	25mm		each	3		
E.12	Curb Stops	CW 2110-R11 SP E14				
a)	19mm		each	3		
b)	25mm		each	3		
E.13	Curb Stop Boxes	CW 2110-R11 SP E14				
a)	19mm		each	3		
b)	25mm		each	3		
E.14	10.9 Kilogram Zinc Anodes	CW 2110-R11 SP E14				
a)	On water service		each	10		
E.15	Watermain and Water Service Insulation	CW 2110-R11 SP E20	m ²	15		
E.16	Manhole Lifter Rings (AP-007)	CW 3210-R7				
a)	38mm		each	3		
b)	51mm		each	3		
E.17	Replacing Standard Frames and Covers	CW 2130-R12 SP E14				
a)	AP-004 Frame		each	2		
b)	AP-005 Solid Cover		each	2		
E.18	Replacing Existing Manhole or Catch Basin Rungs	CW 2130-R12	each	5		
E.19	Replacing Existing Catch Basin Hoods	CW 2130-R12	each	2		
E.20	Patching Existing Manhole or Catch Basin	CW 2130-R12	each	2		
E.21	Foundation, Bedding and Backfill	CW 2030-R7 SP E12				
a)	Cement Stabilized Backfill Material		m ³	30		

FORM B: PRICES
FERRY ROAD AND RIVERBEND COMBINED SEWER RELIEF WORKS CONTRACT 5 WEST
 (See B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E.22	150mm Sacrificial Concrete Pavement	SP E12	m ²	100		
E.23	Partial Slab Patches	CW 3230-R7				
a)	150mm Reinforced Concrete Pavement		m ²	25		
b)	200mm Reinforced Concrete Pavement		m ²	15		
E.24	Concrete Curb Installation	CW 3240-R10				
a)	Barrier Curb (SD-204)		m	10		
b)	Ramp Curb (SD-229B)		m	5		
E.25	Detectable Warning Surface Tiles	CW 3326				
a)	610mm x 1210mm tile		each	2		
E.26	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
a)	100mm Sidewalk (SD-228A)		m ²	20		
E.27	Asphalt Planing 0-50mm depth	CW 3410-R9	m ²	50		
E.28	Construction of Asphaltic Concrete Overlay	CW 3410-R9				
a)	Main Line Paving Type 1A		tonne	40		
E.29	Construction of Asphalt Patches	CW 3410-R9	m ²	200		
E.30	Supplying and Placing Base Course Material	CW 3110-R17				
a)	Limestone		m ³	15		
E.31	Regrading Existing Private Sidewalks	CW 3330-R5				
a)	Interlocking Paving Stone Installations		m ²	10		
b)	Sidewalk Blocks		m ²	10		
E.32	Sodding	CW 3510-R9	m ²	50		
E.33	Ditch Grading	CW-3110-R19	m ²	100		
E	<u>Provisional Items</u>			SUBTOTAL		

FORM B: PRICES
FERRY ROAD AND RIVERBEND COMBINED SEWER RELIEF WORKS CONTRACT 5 WEST
 (See B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
------	-------------	------------	------	------------------	------------	--------

Summary

Part A - Deer Lodge Place West Leg - Portage Avenue to Deer Lodge Place South Leg

Part B - Deer Lodge Place South Leg - Deer Lodge Place West Leg to Outfall

Part C - Public Lane - Deer Lodge Place East Leg to Lane West

Part D - Deer Lodge Place East Leg - Portage Avenue to Deer Lodge Place South Leg

Part E - Provisional Items

TOTAL BID PRICE (GST extra) (in figures)

 Name of Bidder

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2)
(See B13)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

(hereinafter called the "Principal") and

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 881-2015

FERRY ROAD AND RIVERBEND COMBINED SEWER RELIEF CONTRACT 5 WEST

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of _____, 20_____.

SIGNED AND SEALED
in the presence of:

(Witness as to Principal if no seal)

(Name of Principal)

Per: _____ (Seal)

Per: _____

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2)
(See B13)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

_____ of
(Name of Bidder)

(Place)

the Bidder to you on _____, 20____ for

BID OPPORTUNITY NO. 881-2015

FERRY ROAD AND RIVERBEND COMBINED SEWER RELIEF CONTRACT 5 WEST

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20_____ .

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 1 of 2)
(See B13)

(Date)

The City of Winnipeg
Corporate Finance Department
Materials Management Division
185 King Street, Main Floor
Winnipeg MB R3B 1J1

RE: BID SECURITY - BID OPPORTUNITY NO. 881-2015

FERRY ROAD AND RIVERBEND COMBINED SEWER RELIEF CONTRACT 5 WEST

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

_____ Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 2 of 2)
(See B13)**

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on January 2, 2016

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name of bank or financial institution)

Per: _____
(Authorized Signing Officer)

Per: _____
(Authorized Signing Officer)