GENERAL NOTES:

- 1. COORDINATION COORDINATE THE REMOVAL OF THE EXISTING DISPLAY AND INSTALLATION OF NEW WITH THE FACILITY STAFF AROUND PROGRAMS AND ACTIVITIES. A SCHEDULE TO COMPLETION DETAILING WHEN THE WORK IS TO BE COMPLETED MUST BE SUBMITTED FOR APPROVAL PRIOR TO WORK COMMENCING.
- 2. EXISTING FACILITY- WILL BE IN OPERATION THROUGHOUT. DO NOT INTERRUPT EXISTING SERVICES, FACILITIES AND ACTIVITIES AT THE COMPLEX, EXCEPT FOR AUTHORIZED AND SCHEDULED INTERRUPTIONS OF SERVICES ACCEPTABLE TO THE CITY OF WINNIPEG. OBTAIN WRITTEN PERMISSION OF CITY OF WINNIPEG AT LEAST 3 WORKING DAYS IN ADVANCE OF ANY SHUTDOWN REQUIRED FOR TIE-IN OF NEW CONSTRUCTION SYSTEMS. WRITTEN REQUESTS FOR SHUTDOWN PERMISSION SHALL CLEARLY IDENTIFY EXACT EXTENT OF SYSTEMS AFFECTED, TIME AND DURATION.
- 3. SITE PROTECTION PROTECT ALL AREAS OF THE FACILITY THAT COULD BE AFFECTED BY SCOPE OF WORK, INCLUDING, BUT NOT LIMITED TO, THE POOL DECK, SHELL, STAIRWELLS, DOORS, WALLS, ROOF, FINISHES, ETC., FROM POTENTIAL DAMAGE.
- 4. POST ADEQUATE WARNING SIGNAGE PROMINENTLY DISPLAYING WARNING OF THE ILLEGALITY AND DANGER OF UNAUTHORIZED TRESPASSING INTO THE PARTS OF THE PLACE OF WORK UNDER CONSTRUCTION.
- 5. EXCLUDE NON-CONSTRUCTION PERSONNEL AND PUBLIC FROM PARTS OF

THE PLACE OF WORK UNDER CONSTRUCTION.

- 6. WORK AREA THE CONTRACTOR SHALL WORK WITH THE CONTRACT ADMINISTRATOR AND CITY OF WINNIPEG DURING THE DESIGN PROCESS TO DEFINE THE LOCATION AND SIZE OF THE WORK AREA.
- 7. TAKE CARE NOT TO DAMAGE THE EXISTING DISPLAY DURING THE REMOVAL. ONCE REMOVED TURN THE DISPLAY OVER TO THE CITY OF
- 8. WASTE REMOVAL REMOVE THE SECTIONS OF THE BULKHEAD FROM THE FACILITY AND DISPOSE OF. CLEAN UP THE AREA OF THE DEMOLITION.
- 9. THE CONTRACTOR WILL BE RESPONSIBLE FOR ALL COSTS ASSOCIATED WITH THE REMOVAL OF THE EXISTING BOARD AND DISPOSAL FROM THE LOCATION AS WELL ANY COSTS ASSOCIATED WITH ENSURING THAT THE POOL SHELL AND DECK AND ALL OTHER AREAS OF THE FACILITY ARE PROTECTED DURING THIS PROCESS.
- 10. PROVIDE STAMPED SCAFFOLDING DRAWING FOR MOVING PRODUCT AND PEOPLE UP TO THE FACE OF THE DISPLAY.

GENERAL STRUCTURAL REQUIREMENTS:

- EXISTING STRUCTURAL: THE CONTRACTOR IS RESPONSIBLE TO RETAIN A STRUCTURAL ENGINEER LICENSED IN THE PROVINCE OF MANITOBA TO INSPECT THE EXISTING WALL
- VIDEO DISPLAY THE CONTRACTOR IS TO DESIGN THE MOUNTING SYSTEM TO UTILIZE THE EXISTING ANCHORS TO THE


STRUCTURE TO BE ABLE TO SUPPORT THE NEW


- THE STRUCTURAL ENGINEER WILL REVIEW THE EXISTING WALL DETAILS, INSPECT THE SITE AND
- GENERATE A REPORT TO THE CONDITION OF THE EXISTING MOUNTING AND ANCHORING SYSTEM IF ADDITIONS ARE REQUIRED THEN THE STRUCTURAL
- ENGINEER WILL GENERATE THE REQUIRED MODIFICATIONS TO SUIT THE NEW INSTALLATION THE COST OF MATERIAL, GENERATION AND INSTALLATION OF THE NEW ANCHORING WILL BE


RESPONSIBILITY OF CONTRACTOR

SCAFFOLDING:

TO PROVIDE TO THE CONTRACT ADMINISTRATOR AN ENGINEERED STAMPED DRAWING OF THE SCAFFOLDING STRUCTURE, THE ENGINEER MUST BE LICENSED IN THE PROVINCE OF MANITOBA








PROJECT ADDRESS:

25 POSEIDON BAY, WINNIPEG, MANITOBA





THIS DRAWING IS NOT TO BE SCALED. REFER TO APPROPRIATE SURVEY, STRUCTURAL, MECHANICAL, ELECTRICAL, LANDSCAPE, ETC., CONTRACT ADMINISTRATOR DRAWINGS BEFORE PROCEEDING WITH THE WORK. THE CONTRACTOR WORKING FROM DRAWINGS NOT SPECIFICALLY MARKED "FOR CONSTRUCTION" MUST ASSUME FULL RESPONSIBILITY AND BEAR COSTS FOR ANY CORRECTIONS OR DAMAGES RESULTING FROM HIS/HER WORK. THIS DRAWING, AS AN INSTRUMENT OF SERVICE, IS PROVIDED BY AND IS THE PROPERTY OF THE CITY OF WINNIPEG. THE CONTRACTOR SHALL VERIFY AND ACCEPT RESPONSIBILITY FOR ALL DIMENSIONS AND CONDITIONS ON SITE AND SHALL NOTIFY THE APPROPRIATE CONTRACT ADMINISTRATOR OF ANY VARIATIONS FROM THE SUPPLIED INFORMATION.



CONSTRUCTION NORTH TRUE NORTH REVISIONS

DESCRIPTION No. DATE

0 NOV. 18/16 ISSUED FOR BID No. DATE PROJECT: PAN AM POOL - WINNIPEG VIDEO DISPLAY BOARD REPLACEMENT

DRAWN BY: DJ REVIEWED BY: TH

DATE: OCT 2016 SCALE: AS NOTED PROJECT NO.: PAN-W-011-14

10mm VIDEO DISPLAY - REMOVAL OF THE EXISTING BOARD

SHEET NUMBER:

AQ101

DISPLAY - REMOVAL OF THE EXISTING BOARD - ELEVATION 2

© RECTEC MANAGEMENT GROUP INC. 2016