



- GENERAL NOTES:**
- EXIST GLAZED BLOCK TO REMAIN, SALVAGE FROM DEMO'D AREAS FOR INFILL & REPAIR AS REQ'D FOR ALL AREAS WHERE EXISTING WALLS ARE TO REMAIN AND ARE ADJACENT IN SAME SPACE; FEMALE CHANGE 115, MALE CHANGE 117, CORR 118
 - ENSURE SMOOTH TRANSITION FROM NEW TO EXIST FLOOR FINISHES FOR ACCESSIBILITY.
 - TILE IN POOL BASIN & RAMP ON ALL SIDES, HORIZONTAL & VERTICAL
 - REFER TO ROOM FINISH SCHEDULE & SPECIFICATION
 - ELEVATION MARKERS INDICATE T/O CONCRETE SLAB ELEVATIONS.
 - IN AREAS WHERE NEW TILE IS BEING INSTALLED ON AN EXISTING CONCRETE SLAB, PROVIDE 25-50MM MORTAR BED AND SLOPE TOWARDS DRAIN LOCATIONS. REFER TO FLOOR TYPE 6/A0-01 SCHEDULES.
- FINISH PLAN KEYNOTES:**
- EXIST BRICK VENEER FINISH TO REMAIN
 - CONC. BLOCK LOCKER BASES, REFER TO DETAIL 7/A5-04
 - EXISTING FLOOR FINISH TO REMAIN
 - DEPTH MARKING & NO DIVING SYMBOL IN TILE
 - TILE ON VERTICAL SURFACE, REFER TO DETAILS
 - DECK DRAINS, REFER TO MECH
 - GUTTER SYSTEM, REFER TO DETAILS
 - LINE INDICATES TRANSITION FROM EXISTING CONCRETE SLAB TO NEW.

Issue / rev.	date	issue notes
0	2016.12.08	ISSUED FOR CONSTRUCTION
#		

professional seals

project information

SEVEN OAKS POOL RENOVATION & ADDITION

444 ADSUM DRIVE
WINNIPEG, MB
CANADA

client

CITY OF WINNIPEG
4TH FLOOR - 85 KING ST.
WINNIPEG, MB

drawing information

FINISH PLAN

drawn by: LW
approved by: DF

scale: 1:100
date issued: 2016.12.08
proj. #: 2014.66
rev. #: R-0



SEVEN OAKS POOL RENOVATION & ADDITION
BID OPPORTUNITY NO. 1044-2016

A2 06

This drawing must not be scaled. The contractor shall verify all dimensions and other data on site prior to commencement of work. All discrepancies, errors, and omissions are to be reported to the architect. The copyright in this drawing is reserved to the architect. No reproduction may be made without the permission of the architect. Not shown details must be taken from the same. All parties to be returned to the architect on request.