FORM A: BID (See B8)

| 1. | Contract Title | 2016 REGIONAL STREET RENEWAL PROGAM - ACADEMY ROAD MILL AND FILL AND REHABILITATION |
|----|--------------------------------|--|
| 2. | Bidder | Name of Bidder |
| | | Usual Business Name of Bidder as it appears on Invoice (if different from above) |
| | | Street |
| | | City Province Postal Coo |
| | | Email Address of Bidder |
| | | Facsimile Number |
| | (Mailing address if different) | Street or P.O. Box |
| | | City Province Postal Coc |
| | (Choose one) | The Bidder is: a sole proprietor |
| | | a partnership a corporation |
| | | carrying on business under the above name. |
| 3. | Contact Person | The Bidder hereby authorizes the following contact person to represer the Bidder for purposes of the Bid. |
| | | Contact Person Title |
| | | Telephone Number Facsimile Number |
| 4. | Definitions | All capitalized terms used in the Contract shall have the meaning ascribed to them in the General Conditions |
| 5. | Offer | The Bidder hereby offers to perform the Work in accordance with th Contract for the Total Bid Price, in Canadian funds, set out on Form E Prices, appended hereto. |

| 6. | Bid Security | In accordance with B12.1, the Bidder encloses bid security in the form of: |
|-----|--------------------------|---|
| | (Choose one) | a bid bond (Form G1: Bid Bond and Agreement to Bond) |
| | | an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking) |
| | | a certified cheque or draft |
| | | and agrees that it shall be held by the City in accordance with the Contract. |
| 7. | Execution of Contract | The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4. |
| 8. | Commencement of the Work | The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work. |
| 9. | Contract | The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid. |
| 10. | Addenda | The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract: |
| | | No Dated |
| | | |
| | | |
| | | |
| 11. | Time | This offer shall be open for acceptance, binding and irrevocable for a period of Sixty (60) Calendar Days following the Submission Deadline. |

| 12. | Signatures | The Bidder or the Bidder's authorized official or officials have signed this |
|-----|------------|---|
| | | , day of, 20 |
| | | Signature of Bidder or Bidder's Authorized Official or Officials |
| | | (Print here name and official capacity of individual whose signature appears above) |
| | | (Print here name and official capacity of individual whose signature appears above) |

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|---|---------------|-------|---------------------|------------|--------|
| Α | Academy - Renfrew Ave. to Campbell Ave. Mi | ll and Fill | | | | |
| | EARTH AND BASE WORKS | | | | | |
| A.1 | Excavation | CW 3110-R19 | m³ | 10 | | |
| A.2 | Sub-Grade Compaction | CW 3110-R19 | m² | 30 | | |
| A.3 | Crushed Sub-base Material | CW 3110-R19 | | | | |
| i) | 50 mm | | tonne | 17 | | |
| A.4 | Supplying and Placing Base Course Material | CW 3110-R19 | m³ | 3 | | |
| A.5 | Grading of Boulevards | CW 3110-R19 | m² | 25 | | |
| | ROADWORKS - RENEWALS | | | | | |
| A.6 | Pavement Removal | CW 3110-R19 | | | | |
| i) | Concrete Pavement | | m² | 650 | | |
| A.7 | Partial Slab Patches - Early Opening (24 hour) | CW 3230-R8 | | | | |
| i) | 200 mm Concrete Pavement (Type B) | | m² | 3 | | |
| A.8 | Slab Replacement - Early Opening (72 hour) | CW 3230-R8 | | | | |
| i) | 200 mm Concrete Pavement (Reinforced) | | m² | 85 | | |
| A.9 | Partial Slab Patches - Early Opening (72 hour) | CW 3230-R8 | | | | |
| i) | 200 mm Concrete Pavement (Type A) | | m² | 10 | | |
| ii) | 200 mm Concrete Pavement (Type B) | | m² | 10 | | |
| A.10 | Drilled Dowels | CW 3230-R8 | | | | |
| i) | 19.1 mm Diameter | | each | 70 | | |
| A.11 | Drilled Tie Bars | CW 3230-R8 | | | | |
| i) | 20 M Deformed Tie Bar | | each | 380 | | |
| A.12 | Miscellaneous Concrete Slab Renewal | CW 3235-R9 | | | | |
| i) | 100 mm Sidewalk | SD-228A | | | | |
| a) | Less than 5 sq.m. | | m² | 15 | | |
| b) | 5 sq.m. to 20 sq.m. | | m² | 290 | | |
| c) | Greater than 20 sq.m. | | m² | 110 | | |

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|--|---------------|-------|---------------------|------------|--------|
| A.13 | Concrete Curb Removal | CW 3240-R10 | | - | | |
| i) | Barrier Separate | | m | 95 | | |
| ii) | Curb Ramp | | m | 60 | | |
| A.14 | Concrete Curb Installation | CW 3240-R10 | | | | |
| i) | Barrier (100 mm reveal ht, Separate) | SD-203A | m | 90 | | |
| ii) | Modified Barrier (100 mm reveal ht, Dowelled) | SD-203B | m | 90 | | |
| iii) | Curb Ramp (8-12 mm reveal ht, Monolithic) | SD-229A,B,C | m | 125 | | |
| A.15 | Concrete Curb Renewal | CW 3240-R10 | | | | |
| i) | Barrier (125 mm reveal ht, Dowelled) | SD-205, | | | | |
| a) | Less than 3 m | SD-206A | m | 10 | | |
| b) | 3 m to 30 m | | m | 60 | | |
| c) | Greater than 30 m | | m | 25 | | |
| 4.16 | Construction of Asphaltic Concrete Overlay | CW 3410-R11 | | | | |
| i) | Main Line Paving | | | | | |
| a) | Type IA | | tonne | 980 | | |
| ii) | Tie-ins and Approaches | | | | | |
| a) | Type IA | | tonne | 105 | | |
| A.17 | Planing of Pavement | CW 3450-R6 | | | | |
| i) | 1 - 50 mm Depth (Asphalt) | | m² | 3125 | | |
| ii) | 50 - 100 mm Depth (Asphalt) | | m² | 3660 | | |
| A.18 | Pavement Repair Fabric | E12 | m² | 265 | | |
| A.19 | Detectable Warning Surface Tiles | CW 3326-R3 | each | 32 | | |
| A.20 | Asphalt Levelling over Full Depth Concrete Repairs | E16 | | | | |
| i) | Type IA | | tonne | 130 | | |
| | ROADWORK - NEW CONSTRUCTION | | | | | |
| A.21 | Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians | CW 3310-R17 | | | | |
| i) | Construction of 200 mm Concrete Pavement (Reinforced) | | m² | 650 | | |

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|--|---------------|------|---------------------|------------|--------|
| | JOINT AND CRACK SEALING | | | | | |
| A.22 | Reflective Crack Maintenance | CW 3250-R7 | m | 1400 | | |
| | ASSOCIATED DRAINAGE AND UNDERGROUND WORKS | | | | | |
| A.23 | Catch Pit | CW 2130-R12 | | | | |
| i) | SD-023 | | each | 4 | | |
| A.24 | Drainage Connection Pipe | CW 2130-R12 | m | 3 | | |
| A.25 | Sewer Repair - Up to 3.0 Meters Long | CW 2130-R12 | | | | |
| i) | 200 mm | | | | | |
| a) | Class 3 Backfill | | each | 1 | | |
| A.26 | Sewer Repair - In Addition to First 3.0 Meters | CW 2130-R12 | | | | |
| i) | 200 mm | | | | | |
| a) | Class 3 Backfill | | m | 2 | | |
| A.27 | Replacing Existing Manhole and Catch Basin Frames & Covers | CW 2130-R12 | | | | |
| i) | AP-004 - Standard Frame for Manhole and Catch Basin | | each | 2 | | |
| ii) | AP-005 - Standard Solid Cover for Standard Frame | | each | 2 | | |
| A.28 | Connecting to Existing Catch Basin | CW 2130-R12 | | | | |
| i) | 250 mm Drainage Connection Pipe | | each | 2 | | |
| A.29 | Abandoning Existing Drainage Inlets | CW 2130-R12 | each | 4 | | |
| A.30 | Catch Basin Cleaning | CW 2140-R3 | each | 8 | | |
| A.31 | Sewer Cleaning | CW 2140-R3 | | | | |
| i) | 200 mm | | m | 15 | | |
| a) | Sewer Service Inspection | CW 2145-R3 | | | | |
| ii) | 200 mm | | m | 15 | | |

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|--|---------------|---------|---------------------|------------|--------|
| | ADJUSTMENTS | | | | | |
| A.32 | Adjustment of Catch Basins / Manholes Frames | CW 3210-R7 | each | 11 | | |
| A.33 | Replacing Existing Risers | CW 2130-R12 | | | | |
| i) | Pre-cast Concrete Risers | | vert. m | 2 | | |
| A.34 | Lifter Rings | CW 3210-R7 | | | | |
| i) | 38 mm | | each | 1 | | |
| ii) | 51 mm | | each | 9 | | |
| iii) | 64 mm | | each | 1 | | |
| A.35 | Adjustment of Valve Boxes | CW 3210-R7 | each | 2 | | |
| A.36 | Valve Box Extensions | CW 3210-R7 | each | 2 | | |
| A.37 | Adjustment of Curb Inlet with New Inlet Box | CW 3210-R7 | each | 2 | | |
| A.38 | Replacing Existing Catchbasin Hoods c/w Pins and Hooks | CW 2130-R12 | each | 8 | | |
| A.39 | Replacing Existing Manhole or Catchbasin Rungs | CW 2130-R12 | each | 36 | | |
| | LANDSCAPING | | | | | |
| A.40 | Salt Tolerant Grass Seeding | E17 | m² | 30 | | |
| Α | Academy - Renfrew Ave. to Campbell Ave. Mi | ill and Fill | I | | Subtotal: | |

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|--|---------------|-------|---------------------|------------|--------|
| В | Academy - Harrow St. to Stafford St. Rehabili | itation | | | | |
| | EARTH AND BASE WORKS | | | | | |
| B.1 | Excavation | CW 3110-R19 | m³ | 10 | | |
| B.2 | Sub-Grade Compaction | CW 3110-R19 | m² | 30 | | |
| B.3 | Crushed Sub-base Material | CW 3110-R19 | | | | |
| i) | 50 mm | | tonne | 17 | | |
| B.4 | Supplying and Placing Base Course Material | CW 3110-R19 | m³ | 3 | | |
| B.5 | Grading of Boulevards | CW 3110-R19 | m² | 530 | | |
| B.6 | Removal of Existing Concrete Bases | CW 3110-R19 | | | | |
| i) | 600 mm Diameter or Less | | each | 1 | | |
| | ROADWORKS - RENEWALS | | | | | |
| B.7 | Partial Slab Patches - Early Opening (24 hour) | CW 3230-R8 | | | | |
| i) | 200 mm Concrete Pavement (Type B) | | m² | 17 | | |
| ii) | 200 mm Concrete Pavement (Type D) | | m² | 23 | | |
| B.8 | Slab Replacement - Early Opening (72 hour) | CW 3230-R8 | | | | |
| i) | 200 mm Concrete Pavement (Reinforced) | | m² | 43 | | |
| B.9 | Partial Slab Patches - Early Opening (72 hour) | CW 3230-R8 | | | | |
| i) | 200 mm Concrete Pavement (Type B) | | m² | 68 | | |
| ii) | 200 mm Concrete Pavement (Type C) | | m² | 10 | | |
| iii) | 200 mm Concrete Pavement (Type D) | | m² | 90 | | |
| B.10 | Drilled Dowels | CW 3230-R8 | | | | |
| i) | 19.1 mm Diameter | | each | 200 | | |
| B.11 | Drilled Tie Bars | CW 3230-R8 | | | | |
| i) | 20 M Deformed Tie Bar | | each | 305 | | |

| | ES | | | | | |
|------|---|--------------------|-------|---------------------|------------|--------|
| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
| B.12 | Miscellaneous Concrete Slab Renewal | CW 3235-R9 | | | | |
| i) | 100 mm Sidewalk | SD-228A | | | | |
| a) | Less than 5 sq.m. | | m² | 9 | | |
| b) | 5 sq.m. to 20 sq.m. | | m² | 30 | | |
| c) | Greater than 20 sq.m. | | m² | 200 | | |
| B.13 | Removal of Precast Sidewalk Blocks | CW 3235-R9 | m² | 10 | | |
| B.14 | Concrete Curb Removal | CW 3240-R10 | | | | |
| i) | Barrier Separate | | m | 15 | | |
| B.15 | Concrete Curb Installation | CW 3240-R10 | | | | |
| i) | Barrier (125 mm reveal ht, Separate) | SD-203A | m | 65 | | |
| ii) | Modified Barrier (125 mm reveal ht, Dowelled) | SD-203B | m | 15 | | |
| B.16 | Concrete Curb Renewal | CW 3240-R10 | | | | |
| i) | Barrier (125 mm reveal ht, Dowelled) | SD-205, SD-206A | | | | |
| a) | Greater than 30 m | 3D-200A | m | 205 | | |
| ii) | Curb Ramp (8-12 mm reveal ht, Monolithic) | SD-229C,D | m | 11 | | |
| B.17 | Construction of Asphaltic Concrete Overlay | CW 3410-R11 | | | | |
| i) | Main Line Paving | | | | | |
| a) | Type IA | | tonne | 525 | | |
| ii) | Tie-ins and Approaches | | | | | |
| a) | Type IA | | tonne | 40 | | |
| B.18 | Planing of Pavement | CW 3450-R6 | | | | |
| i) | 1 - 50 mm Depth (Asphalt) | | m² | 805 | | |
| ii) | 50 - 100 mm Depth (Asphalt) | | m² | 1870 | | |
| B.19 | Detectable Warning Surface Tiles | CW 3326-R3 | each | 6 | | |
| | Asphalt Levelling over Full Depth Concrete | E16 | | | | |
| | Repairs Type IA | | tonne | 30 | | |

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|--|---------------|------|---------------------|------------|--------|
| | JOINT AND CRACK SEALING | | | | | |
| B.21 | Reflective Crack Maintenance | CW 3250-R7 | m | 550 | | |
| | ASSOCIATED DRAINAGE AND UNDERGROUND WORKS | | | | | |
| B.22 | Catch Pit | CW 2130-R12 | | | | |
| i) | SD-023 | | each | 5 | | |
| B.23 | Drainage Connection Pipe | CW 2130-R12 | m | 9 | | |
| B.24 | Sewer Repair - Up to 3.0 Meters Long | CW 2130-R12 | | | | |
| i) | 300 mm | | | | | |
| a) | Class 3 Backfill | | each | 1 | | |
| B.25 | Replacing Existing Manhole and Catch Basin Frames & Covers | CW 2130-R12 | | | | |
| i) | AP-004 - Standard Frame for Manhole and Catch Basin | | each | 1 | | |
| ii) | AP-005 - Standard Solid Cover for Standard Frame | | each | 1 | | |
| B.26 | Connecting to Existing Catch Basin | CW 2130-R12 | | | | |
| i) | 250 mm Drainage Connection Pipe | | each | 5 | | |
| B.27 | Connecting to Existing Sewer | CW 2130-R12 | | | | |
| i) | 250 mm PVC Connecting Pipe | | | | | |
| a) | Connecting to 250 mm PVC Sewer | | each | 3 | | |
| B.28 | Abandoning Existing Drainage Inlets | CW 2130-R12 | each | 5 | | |
| B.29 | Catch Basin Cleaning | CW 2140-R3 | each | 8 | | |
| B.30 | Sewer Cleaning | CW 2140-R3 | | | | |
| i) | 200 mm | | m | 6 | | |
| B.31 | Sewer Service Inspection | CW 2145-R3 | | | | |
| i) | 200 mm | | m | 6 | | |

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|--|---------------|---------|---------------------|------------|--------|
| | ADJUSTMENTS | | | | | |
| B.32 | Adjustment of Catch Basins / Manholes Frames | CW 3210-R7 | each | 8 | | |
| B.33 | Replacing Existing Risers | CW 2130-R12 | | | | |
| i) | Pre-cast Concrete Risers | | vert. m | 0.2 | | |
| ii) | Brick Risers | | vert. m | 0.1 | | |
| B.34 | Lifter Rings | CW 3210-R7 | | | | |
| i) | 51 mm | | each | 8 | | |
| ii) | 64 mm | | each | 1 | | |
| B.35 | Adjustment of Valve Boxes | CW 3210-R7 | each | 3 | | |
| B.36 | Valve Box Extensions | CW 3210-R7 | each | 1 | | |
| B.37 | Adjustment of Curb and Gutter Inlet Frames | CW 3210-R7 | each | 3 | | |
| B.38 | Adjustment of Traffic Signal Service Box Frames | CW 3210-R7 | each | 3 | | |
| B.39 | Replacing Existing Catchbasin Hoods c/w Pins and Hooks | CW 2130-R12 | each | 5 | | |
| B.40 | Replacing Existing Manhole or Catchbasin Rungs | CW 2130-R12 | each | 30 | | |
| | LANDSCAPING | | | | | |
| B.41 | Salt Tolerant Grass Seeding | E17 | m² | 530 | | |
| B.42 | Grind Tree Stump | E14 | each | 1 | | |
| В | Academy - Harrow St. to Stafford St. Rehabili | tation_ | | | Subtotal: | |

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|--|---------------|-------|---------------------|------------|--------|
| С | Academy - Stafford St. to Wellington Crescer | <u>1t</u> | | | | |
| | EARTH AND BASE WORKS | | | | | |
| C.1 | Excavation | CW 3110-R19 | m³ | 106 | | |
| C.2 | Sub-Grade Compaction | CW 3110-R19 | m² | 295 | | |
| C.3 | Crushed Sub-base Material | CW 3110-R19 | | | | |
| i) | 50 mm | | tonne | 90 | | |
| C.4 | Supplying and Placing Base Course Material | CW 3110-R19 | m³ | 19 | | |
| C.5 | Grading of Boulevards | CW 3110-R19 | m² | 745 | | |
| | ROADWORKS - RENEWALS | | | | | |
| C.6 | Partial Slab Patches - Early Opening (24 hour) | CW 3230-R8 | | | | |
| i) | 250 mm Concrete Pavement (Type D) | | m² | 10 | | |
| C.7 | Slab Replacement - Early Opening (72 hour) | CW 3230-R8 | | | | |
| C.8 | Partial Slab Patches - Early Opening (72 hour) | CW 3230-R8 | | | | |
| i) | 200 mm Concrete Pavement (Type A) | | m² | 5 | | |
| ii) | 200 mm Concrete Pavement (Type B) | | m² | 10 | | |
| iii) | 200 mm Concrete Pavement (Type D) | | m² | 35 | | |
| C.9 | Drilled Dowels | CW 3230-R8 | | | | |
| i) | 19.1 mm Diameter | | each | 65 | | |
| C.10 | Drilled Tie Bars | CW 3230-R8 | | | | |
| i) | 20 M Deformed Tie Bar | | each | 115 | | |
| C.11 | Miscellaneous Concrete Slab Removal | CW 3235-R9 | | | | |
| i) | Median Slab | | m² | 45 | | |
| C.12 | Miscellaneous Concrete Slab Renewal | CW 3235-R9 | | | | |
| i) | 100 mm Sidewalk | SD-228A | | | | |

| | | ES | | | | | |
|------|----|--|--------------------|-------|---------------------|------------|--------|
| ITEM | | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
| | a) | Less than 5 sq.m. | | m² | 3 | | |
| | b) | 5 sq.m. to 20 sq.m. | | m² | 20 | | |
| | c) | Greater than 20 sq.m. | | m² | 350 | | |
| ii) | | Bullnose | SD-227C | m² | 13 | | |
| C.13 | | Concrete Curb Removal | CW 3240-R10 | | | | |
| i) | | Barrier Separate | | m | 10 | | |
| C.14 | | Concrete Curb Installation | CW 3240-R10 | | | | |
| i) | | Barrier (100 mm reveal ht, Separate) | SD-203A | m | 45 | | |
| ii) | | Modified Barrier (100 mm reveal ht, Dowelled) | SD-203B | m | 15 | | |
| iii) | | Curb Ramp (8-12 mm reveal ht, Monolithic) | SD-229A,B,C | m | 7 | | |
| C.15 | | Concrete Curb Renewal | CW 3240-R10 | | | | |
| i) | | Barrier (125 mm reveal ht, Dowelled) | SD-205, SD-206A | | | | |
| | a) | 3 m to 30 m | 02 200/ (| m | 125 | | |
| | b) | Greater than 30 m | | m | 495 | | |
| ii) | | Curb Ramp (8-12 mm reveal ht, Monolithic) | SD-229C,D | m | 14 | | |
| C.16 | | Construction of Asphaltic Concrete Overlay | CW 3410-R11 | | | | |
| i) | | Main Line Paving | | | | | |
| | a) | Type IA | | tonne | 990 | | |
| ii) | | Tie-ins and Approaches | | | | | |
| | a) | Type IA | | tonne | 45 | | |
| C.17 | | Planing of Pavement | CW 3450-R6 | | | | |
| i) | | 1 - 50 mm Depth (Asphalt) | | m² | 2470 | | |
| ii) | | 50 - 100 mm Depth (Asphalt) | | m² | 3575 | | |
| C.18 | | Detectable Warning Surface Tiles | CW 3326-R3 | each | 3 | | |
| C.19 | | Asphalt Levelling over Full Depth Concrete Repairs | E16 | | | | |
| i) | | Type IA | | tonne | 15 | | |
| | | JOINT AND CRACK SEALING | | | | | |
| C.20 | | Reflective Crack Maintenance | CW 3250-R7 | m | 1230 | | |

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|--|---------------|------|---------------------|------------|--------|
| | ASSOCIATED DRAINAGE AND UNDERGROUND WORKS | | | | | |
| C.21 | Catch Pit | CW 2130-R12 | | | | |
| i) | SD-023 | | each | 8 | | |
| C.22 | Drainage Connection Pipe | CW 2130-R12 | m | 13 | | |
| C.23 | Sewer Repair - Up to 3.0 Meters Long | CW 2130-R12 | | | | |
| i) | 200 mm | | | | | |
| a) | Class 3 Backfill | | each | 1 | | |
| C.24 | Sewer Repair - In Addition to First 3.0 Meters | CW 2130-R12 | | | | |
| i) | 200 mm | | | | | |
| a) | Class 3 Backfill | | m | 1 | | |
| C.25 | Replacing Existing Manhole and Catch Basin Frames & Covers | CW 2130-R12 | | | | |
| i) | AP-004 - Standard Frame for Manhole and Catch Basin | | each | 1 | | |
| ii) | AP-005 - Standard Solid Cover for Standard Frame | | each | 1 | | |
| C.26 | Connecting to Existing Catch Basin | CW 2130-R12 | | | | |
| i) | 250 mm Drainage Connection Pipe | | each | 3 | | |
| C.27 | Abandoning Existing Drainage Inlets | CW 2130-R12 | each | 8 | | |
| C.28 | Catch Basin Cleaning | CW 2140-R3 | each | 7 | | |
| C.29 | Sewer Cleaning | CW 2140-R3 | | | | |
| i) | 200 mm | | m | 21 | | |
| C.30 | Sewer Service Inspection | CW 2145-R3 | | | | |
| i) | 200 mm | | m | 21 | | |

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|--|---------------|---------|---------------------|------------|--------|
| | ADJUSTMENTS | | | | | |
| C.31 | Adjustment of Catch Basins / Manholes Frames | CW 3210-R7 | each | 9 | | |
| C.32 | Replacing Existing Risers | CW 2130-R12 | | | | |
| i) | Cast-in-place Concrete | | vert. m | 0.3 | | |
| C.33 | Lifter Rings | CW 3210-R7 | | | | |
| i) | 38 mm | | each | 3 | | |
| ii) | 51 mm | | each | 7 | | |
| iii) | 64 mm | | each | 3 | | |
| C.34 | Adjustment of Valve Boxes | CW 3210-R7 | each | 5 | | |
| C.35 | Valve Box Extensions | CW 3210-R7 | each | 1 | | |
| C.36 | Replacing Existing Catchbasin Hoods c/w Pins | CW 2130-R12 | each | 8 | | |
| C.37 | and Hooks Replacing Existing Manhole or Catchbasin Rungs | CW 2130-R12 | | 32 | | |
| | LANDSCAPING | | | | | |
| C.38 | Salt Tolerant Grass Seeding | E17 | m² | 745 | | |
| | MISCELLANEOUS | | | | | |
| C.39 | Raked Asphalt | E15 | tonne | 55 | | |
| С | C Academy - Stafford St. to Wellington Crescent | | | | Subtotal: | |

| UNIT PRIC | JEO . | | | | | |
|--|---|---------------|------|---------------------|------------|--------|
| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
| | SUMMARY | | | | | |
| Α | Academy - Renfrew Ave. to Campbell Ave. Mill and Fill | | | | | |
| В | Academy - Harrow St. to Stafford St. Rehabilitation Subtotal: | | | | | |
| С | Academy - Stafford St. to Wellington Crescent Subtotal: | | | | | |
| TOTAL BID PRICE (GST extra) (in figures) | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B12)

BID BOND

(hereinafter called the "Principal") and

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 134-2016

2016 REGIONAL STREET RENEWAL PROGAM - ACADEMY ROAD MILL AND FILL AND REHABILITATION

as more fully set out in the Bid Opportunity.

KNOW ALL MEN BY THESE PRESENTS THAT

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

| day of | , 20 | |
|---------------------------------------|---|--------|
| SIGNED AND SEALED in the presence of: | (Name of Principal) | |
| (Witness as to Principal if no seal) | Per: Per: | |
| | (Name of Surety) By: (Attorney-in-Fact) | (Seal) |

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B12)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on ______, 20____ for BID OPPORTUNITY NO. 134-2016 2016 REGIONAL STREET RENEWAL PROGAM - ACADEMY ROAD MILL AND FILL AND REHABILITATION in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within Sixty (60) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this ______ , 20_____ . (Name of Surety) (Seal) (Attorney-in-Fact)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B12)

| (Date) |
|---|
| The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg MB R3B 1J1 |
| RE: BID SECURITY – BID OPPORTUNITY NO. 134-2016 |
| 2016 REGIONAL STREET RENEWAL PROGAM - ACADEMY ROAD MILL AND FILL AND REHABILITATION |
| Pursuant to the request of and for the account of our customer, |
| (Name of Bidder) |
| WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate |
| Canadian dollars. |
| This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us. |
| The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made. |
| Partial drawings are permitted. |
| We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at: |
| (Address) |
| and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us. |

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2)

(See B12)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on July 17, 2016.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

| (Name | of bank or financial institution) |
|-------|-----------------------------------|
| Per: | |
| | (Authorized Signing Officer) |
| Per: | |
| | (Authorized Signing Officer) |