FORM A: BID (See B9)

1.	Contract Title		treets Renewal Program – Ples provement and Railway Crossir	
2.	Bidder	Name of Bidder		
		Usual Business Name of Bidder a	s it appears on Invoice (if different from	above)
		Street		
		City	Province	Postal Code
		Email Address of Bidder		
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
	(Ohaana ara)	The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation	the above again	
		carrying on business under	the above name.	
3.	Contact Person	The Bidder hereby authorize the Bidder for purposes of the bidder for purpo	zes the following contact person he Bid.	on to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions	All capitalized terms used ascribed to them in the Ger	I in the Contract shall have neral Conditions.	the meanings
5.	Offer		to perform the Work in accord Price, in Canadian funds, set c	

6.	Bid Security	In accordance with B13.1, the Bidder encloses bid security in the form of:		
		a bid bond (Form G1: Bid Bond and Agreement to Bond)		
	(Choose one)	an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)		
		a certified cheque or draft		
		and agrees that it shall be held by the City in accordance with the Contract.		
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.		
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.		
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.		
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:		
		No Dated		
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.		

12.	Signatures	The Bidder or the Bidder's authorized official or officials have signed this
		, 20
		Signature of Bidder or Bidder's Authorized Official or Officials
		(Print here name and official capacity of individual whose signature appears above)
		(Print here name and official capacity of individual whose signature appears above)

FORM B: PRICES (SEE B10)

UNIT PRICES

DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PLESSIS ROAD - ~80m SOUTH OF GUNN ROAD TO ~270m NORTH OF GUNN ROAD					
EARTH AND BASE WORKS					
Clearing and Grubbing	CW 3010-R4	ha	0.010		
Excavation	CW 3110-R19	m³	1355		
Sub-Grade Compaction	CW 3110-R19	m²	2525		
Crushed Sub-base Material	CW 3110-R19				
50 mm		tonne	905		
150 mm		tonne	2185		
Supplying and Placing Base Course Material	CW 3110-R19	m³	240		
Grading of Boulevards	CW 3110-R19	m²	60		
Ditch Grading	CW 3110-R19	m²	2800		
Ditch Excavation	CW 3110-R19	m³	500		
Separation Geotextile Fabric	CW 3130-R4	m²	2525		
Preparation of Existing Roadway	CW 3150-R4	m²	15		
Surfacing Material	CW 3150-R4				
Limestone		tonne	40		
ROADWORKS - RENEWALS					
Pavement Removal	CW 3110-R19				
Asphalt Pavement		m²	185		
Drilled Tie Bars	CW 3230-R8				
20 M Deformed Tie Bar		each	40		
Miscellaneous Concrete Slab Renewal	CW 3235-R9				
100 mm Sidewalk	SD-228A				
Less than 5 sq.m.		m²	5		
5 sq.m. to 20 sq.m.		m²	30		
Monolithic Curb and Sidewalk	SD-228B	m²	15		
Planing of Pavement	CW 3450-R6				
1 - 50 mm Depth (Asphalt)		m²	80		
Detectable Warning Surface Tiles	CW 3326-R3	each	4		
	PLESSIS ROAD - ~80m SOUTH OF GUNN ROE EARTH AND BASE WORKS Clearing and Grubbing Excavation Sub-Grade Compaction Crushed Sub-base Material 50 mm 150 mm Supplying and Placing Base Course Material Grading of Boulevards Ditch Grading Ditch Excavation Separation Geotextile Fabric Preparation of Existing Roadway Surfacing Material Limestone ROADWORKS - RENEWALS Pavement Removal Asphalt Pavement Drilled Tie Bars 20 M Deformed Tie Bar Miscellaneous Concrete Slab Renewal 100 mm Sidewalk Less than 5 sq.m. 5 sq.m. to 20 sq.m. Monolithic Curb and Sidewalk Planing of Pavement 1 - 50 mm Depth (Asphalt)	PLESSIS ROAD - ~80m SOUTH OF GUNN ROAD TO ~270m II EARTH AND BASE WORKS Clearing and Grubbing CW 3110-R19 Sub-Grade Compaction CW 3110-R19 50 mm 150 mm 150 mm Supplying and Placing Base Course Material CW 3110-R19 Grading of Boulevards CW 3110-R19 Ditch Grading CW 3110-R19 Ditch Grading CW 3110-R19 Ditch Excavation CW 3110-R19 Separation Geotextile Fabric CW 3130-R4 Preparation of Existing Roadway CW 3150-R4 Surfacing Material CW 3150-R4 Limestone ROADWORKS - RENEWALS Pavement Removal CW 3230-R8 20 M Deformed Tie Bar Miscellaneous Concrete Slab Renewal CW 3235-R9 100 mm Sidewalk SD-228A Less than 5 sq.m. 5 sq.m. to 20 sq.m. Monolithic Curb and Sidewalk Planing of Pavement 1 - 50 mm Depth (Asphalt)	PLESSIS ROAD - ~80m SOUTH OF GUNN ROAD TO ~270m NORTH EARTH AND BASE WORKS Clearing and Grubbing CW 3110-R19 m³ Sub-Grade Compaction CW 3110-R19 m² Crushed Sub-base Material CW 3110-R19 tonne 150 mm tonne Supplying and Placing Base Course Material CW 3110-R19 m² Grading of Boulevards CW 3110-R19 m² Ditch Grading CW 3110-R19 m² Ditch Excavation CW 3110-R19 m² Ditch Excavation CW 3110-R19 m² Separation Geotextile Fabric CW 3130-R4 m² Surfacing Material CW 3150-R4 tonne ROADWORKS - RENEWALS Pavement Removal CW 3150-R4 tonne ROADWORKS - RENEWALS Pavement Removal CW 3150-R8 Asphalt Pavement CW 3150-R8 Drilled Tie Bars CW 3230-R8 20 M Deformed Tie Bar each Miscellaneous Concrete Slab Renewal CW 3235-R9 100 mm Sidewalk SD-228A Less than 5 sq.m. m² Sp-228B m² Planing of Pavement CW 3450-R6 1 - 50 mm Depth (Asphalt) m²	REF. QUANTITY	REF. QUANTITY

FORM B: PRICES (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORKS - NEW CONSTRUCTION					
A.17	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R17				
i)	Construction of 200 mm Concrete Pavement (Reinforced)		m²	25		
v.18	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
i)	Construction of Curb and Gutter (180 mm ht, Modified Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200 SD-203B	m	81		
ii)	Construction of Curb and Gutter (8-12 mm ht, Curb Ramp, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200 SD-229E	m	4		
iii)	Construction of Curb Ramp (8-12 mm ht, Integral)	SD-229C	m	10		
iv)	Construction of Splash Strip, (Separate, 600 mm width)	SD-223B	m	81		
\.19	Construction of Asphaltic Concrete Pavements	CW 3410-R11				
i)	Main Line Paving					
а) Type IA		tonne	415		
ii)	Tie-ins and Approaches					
а) Type IA		tonne	35		
	JOINT AND CRACK SEALING					
A.20	Reflective Crack Maintenance	CW 3250-R7	m	110		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
A.21	Corrugated Steel Pipe Culvert - Supply	CW 3610-R5				
i)	(450 mm, 14 gauge, Galvanized)		m	28		
A.22	Corrugated Steel Pipe Culvert - Install	CW 3610-R5				
i)	(450 mm, 14 gauge, Galvanized)		m	28		
A.23	Connections to Existing Culverts	CW 3610-R5	each	1		
۸.24	Removal of Existing Culverts	CW 3610-R5	m	23		
A.25	Disposal of Existing Culverts	CW 3610-R5	m	23		
A.26	Culvert End Markers	CW 3610-R5	each	3		
		I	l		l	

FORM B: PRICES (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ADJUSTMENTS					
A.27	Adjustment of Valve Boxes	CW 3210-R7	each	1		
A.28	Valve Box Extensions	CW 3210-R7	each	1		
	LANDSCAPING					
A.29	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	35		
ii)	width > or = 600 mm		m²	60		
A.30	Salt Tolerant Grass Seeding	E9	m²	2000		
	MISCELLANEOUS					
A.31	Removal of Existing Trees Including Root Mass	E11	m²	1		
A PLESSIS ROAD - ~80m SOUTH OF GUNN ROAD TO ~270m NORTH OF GUNN ROAD Subtotal:						
TOTAL BID PRICE (GST extra) (in figures)						

(Seal)

Template Version: C420160226 - RW

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B13)

	BID BOND	
KNOW ALL MEN BY THESE PRESENTS T	ГНАТ	
(hereinafter called the "Principal") and		
the "Obligee") in the sum of ten percent (10°	d firmly bound unto THE CITY OF WINNIPEG (here %) of the Total Bid Price set out in the Bid hereinaftend Surety bind themselves, their heirs, executors, ad ly, firmly by these presents.	er described,
WHEREAS the Principal has submitted a Bi	id to the Obligee for	
BID OPPORTUNITY NO. 171-2016		
2015 Regional and Local Streets Renewal Filmprovement and Railway Crossing Upgrad	Program – Plessis Road and Gunn Road Intersectionle	n
as more fully set out in the Bid Opportunity.		
if said Bid is accepted and the Principal, in a the said Obligee and furnishes the required	ligation is such that if the Bid of the Principal is not accordance with the terms of the Bid, enters into a compart performance security for guaranteeing the faithful, but otherwise shall remain in full force and effect.	Contract with
IN WITNESS WHEREOF the Principal and	Surety have signed and sealed this bond the	
day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal)	
(Witness as to Principal if no seal)	Per:	(Seal)
	(Name of Surety)	

By:

(Attorney-in-Fact)

_____ (Seal)

Template Version: C420160226 - RW

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B13)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on ______, 20____ for BID OPPORTUNITY NO. 171-2016 2015 Regional and Local Streets Renewal Program – Plessis Road and Gunn Road Intersection Improvement and Railway Crossing Upgrade in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this ______, 20_____. (Name of Surety)

(Attorney-in-Fact)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B13)

(Date)
The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg MB R3B 1J1
RE: BID SECURITY – BID OPPORTUNITY NO. 171-2016
2015 Regional and Local Streets Renewal Program – Plessis Road and Gunn Road Intersection Improvement and Railway Crossing Upgrade
Pursuant to the request of and for the account of our customer,
(Name of Bidder)
(Address of Bidder) WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate
Canadian dollars
This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demain for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.
The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it I made.
Partial drawings are permitted.
We engage with you that all demands for payment made within the terms and currency of this Standby Lett of Credit will be duly honoured if presented to us at:
(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B13)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on May 22, 2017.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

of bank or financial institution)
(Authorized Signing Officer)
(Authorized Signing Officer)