

- REFERENCE NOTES**
- A. PAVEMENT DIMENSIONS ARE TO BACK OF CURB
 - B. BASELINE IS CENTRE LINE RIGHT-OF-WAY
 - C. PROPERTY LINES OBTAINED FROM CITY OF WINNIPEG L.B.I.S., AND NO SCALE FACTOR WAS APPLIED
 - D. REFER TO AECOM FIELD BOOK NO. 4910

- CONSTRUCTION NOTES**
1. PLACE NEW ASPHALTIC PAVEMENT TYPE 1A (AVG THICKNESS 85mm)
 2. REMOVE EXISTING CONCRETE PAVEMENT AND CONSTRUCT NEW 200mm REINFORCED CONCRETE PAVEMENT c/w 85mm ASPHALT OVERLAY
 3. REMOVE EXISTING BARRIER CURB AND CONSTRUCT NEW BARRIER CURB (100mm REVEAL HT. DOWELLED)
 4. CONSTRUCT NEW CONCRETE BARRIER CURB (180mm HT. DOWELLED)
 5. INSTALL NEW CURB AND GUTTER INLET (AP-008/AP-009) c/w CATCHBASIN (SD-024) AND CONNECT NEW LEAD TO EXISTING CATCHBASIN
 6. INSTALL NEW CURB AND GUTTER INLET (AP-008/AP-009) c/w CATCHBASIN (SD-024) AND CONNECT NEW LEAD TO EXISTING LEAD
 7. CONSTRUCT NEW LIP CURB (40mm HT. INTEGRAL)
 8. REMOVE EXISTING CONCRETE PAVEMENT AND CONSTRUCT NEW 150mm REINFORCED CONCRETE PAVEMENT
 9. CONSTRUCT NEW 150mm REINFORCED CONCRETE PAVEMENT
 10. ADJUST EXISTING WATER VALVE TO GRADE
 11. REMOVE EXISTING CATCHBASIN



METRIC
WHOLE NUMBERS INDICATE MILLIMETRES
DECIMALIZED NUMBERS INDICATE METRES

EXISTING	LEGEND - PLAN	PROPOSED	EXISTING	LEGEND - PLAN	PROPOSED	EXISTING	LEGEND - PROFILE	PROPOSED
	WATERMAIN			HYDRO				
	LAND DRAINAGE SEWER			CONCRETE				
	WASTEWATER SEWER			ASPHALT				
	MANHOLE			PROPERTY LINE				
	CATCH BASIN			SURVEY BAR				
	CATCH PIT			ELEVATION				
	JUNCTIONS			TREE				
	CULVERT			SIDEWALK RAMP				
	GAS			CONCRETE SIDEWALK				
	LEGEND - PLAN			FENCE				


LOCATION APPROVED UNDERGROUND STRUCTURES

SUPV. U/G STRUCTURES COMMITTEE DATE

NOTE:
LOCATION OF UNDERGROUND STRUCTURES AS SHOWN ARE BASED ON THE BEST INFORMATION AVAILABLE. BUT NO GUARANTEE IS GIVEN THAT ALL EXISTING UTILITIES ARE SHOWN OR THAT THE GIVEN LOCATIONS ARE EXACT. CONFIRMATION OF EXISTENCE AND EXACT LOCATION OF ALL SERVICES MUST BE OBTAINED FROM THE INDIVIDUAL UTILITIES BEFORE PROCEEDING WITH CONSTRUCTION.

B.M. 16 - 013 N.W. Cor. Eagle Dr. & Brookside Blvd., Tbt. in W. Conc. foundation of No. 193/203 Eagle Dr., 5 m S. & ELEV. 239.058
0.2m below Conc. block wall of N.W. Cor. of Bldg.

DESIGNED BY	BC/SS	CHECKED BY	BC/KWR
DRAWN BY	JT/JC/SS	APPROVED BY	
HOR. SCALE:	1:250	RELEASED FOR CONSTRUCTION BY:	
VERTICAL:	1:10	DATE	MAR 22/16



THE CITY OF WINNIPEG
PUBLIC WORKS DEPARTMENT
ENGINEERING DIVISION

2016 LOCAL STREET RENEWAL PROGRAM

EAGLE DRIVE - BROOKSIDE BLVD. TO OAKPOINT HWY. REHABILITATION STATION 0+580 TO STATION 0+700

CITY DRAWING NUMBER SHEET 05 OF 24

CONSULTANT DRAWING NO. CT-05