



- REFERENCE NOTES**
- PAVEMENT DIMENSIONS ARE TO BACK OF CURB
 - BASELINE IS CENTRE LINE RIGHT-OF-WAY
 - PROPERTY LINES OBTAINED FROM CITY OF WINNIPEG L.B.I.S., AND NO SCALE FACTOR WAS APPLIED
 - REFER TO AECOM FIELD BOOK NO. 4914
- CONSTRUCTION NOTES**
- PLACE NEW ASPHALTIC PAVEMENT TYPE 1A (AVG. THICKNESS 85mm)
 - REMOVE EXISTING ASPHALT AND CONSTRUCT NEW ASPHALTIC OVERLAY TYPE 1A
 - REMOVE EXISTING CONCRETE PAVEMENT AND CONSTRUCT NEW 150mm REINFORCED CONCRETE PAVEMENT c/w 85mm ASPHALT OVERLAY
 - REMOVE EXISTING LIP CURB AND CONSTRUCT NEW CONCRETE BARRIER CURB (100mm REVEAL HT. DOWELLED)
 - REMOVE EXISTING LIP CURB AND CONSTRUCT NEW CONCRETE BARRIER CURB (100mm REVEAL HT. SEPARATE)
 - REMOVE EXISTING CATCHPIT
 - INSTALL NEW CURB AND GUTTER INLET c/w CATCHPIT (SD-023)
 - CONNECT NEW LEAD TO EXISTING LEAD
 - CONNECT NEW LEAD TO EXISTING CATCHBASIN
 - ADJUST EXISTING WATER VALVE TO GRADE
 - ADJUST CURB STOP
 - ADJUST EXISTING PATIO BLOCKS

AECOM
 Certificate of Authorization
 AECOM Canada Ltd.
 No. 4671 Date: MAR 22/16

METRIC
 WHOLE NUMBERS INDICATE MILLIMETRES
 DECIMALIZED NUMBERS INDICATE METRES

EXISTING	LEGEND - PLAN	PROPOSED	EXISTING	LEGEND - PLAN	PROPOSED	EXISTING	LEGEND - PROFILE	PROPOSED
150 mm W.M.	WATERMAIN	150 mm W.M.	HYDRO	M.T.S.	C PROFILE	X	OUTSIDE GUTTER	
300mm L.D.S.	VALVE	300mm L.D.S.	CONCRETE		INSIDE GUTTER	□		
250mm W.W.S.	LAND DRAINAGE SEWER	250mm W.W.S.	ASPHALT		N/W PROPERTY LINE	◇		
	WASTEWATER SEWER		PROPERTY LINE		S/E PROPERTY LINE	○		
	MANHOLE		SURVEY BAR					
	CATCH BASIN		ELEVATION	(35.750)				
	CATCH PIT		TREE					
	JUNCTIONS		SIDEWALK RAMP					
	CULVERT		CONCRETE SIDEWALK					
	GAS		FENCE					

LOCATION APPROVED UNDERGROUND STRUCTURES

DATE: _____

NOTE:
 LOCATION OF UNDERGROUND STRUCTURES AS SHOWN ARE BASED ON THE BEST INFORMATION AVAILABLE. BUT NO GUARANTEE IS GIVEN THAT ALL EXISTING UTILITIES ARE SHOWN OR THAT THE GIVEN LOCATIONS ARE EXACT. CONFIRMATION OF EXISTENCE AND EXACT LOCATION OF ALL SERVICES MUST BE OBTAINED FROM THE INDIVIDUAL UTILITIES BEFORE PROCEEDING WITH CONSTRUCTION.

B.M. 15 - 036 92R528 N.E. Cor. Inkster Garden Dr. & Marianne Rd., Tbt. on top of 0.05m dia. x 2.4m iron pipe, 2.6m ELEV. 232.566 S. of N.L. Inkster Garden Dr.

NO.	REVISIONS	DATE	BY
0	ISSUED FOR TENDER	03/22/2016	BC
A	ISSUED FOR REVIEW	03/16/2016	BC

AECOM

DESIGNED BY: SS
 DRAWN BY: JC/SS

CHECKED BY: BC/KWR
 APPROVED BY: _____

HOR. SCALE: 1:250
 VERTICAL: 1:10

RELEASED FOR CONSTRUCTION BY: _____
 DATE: MAR 22/16

ENGINEER'S SEAL
 PROVINCE OF MANITOBA
 K.W. RAE
 MAR 22/16
 REGISTERED PROFESSIONAL ENGINEER

THE CITY OF WINNIPEG
 PUBLIC WORKS DEPARTMENT
 ENGINEERING DIVISION

2016 LOCAL STREET RENEWAL PROGRAM

VALEWOOD CR. - INKSTER GARDEN DR. TO MARIANNE ROAD
 REHABILITATION
 STATION 0+210 TO MARIANNE ROAD

CITY DRAWING NUMBER: SHEET 23 OF 24