

FORM A: BID
(See B9)

1. Contract Title 2016 Regional Streets Renewal Program –St Mary’s Road and Lagimodiere Boulevard Mill and Fill
2. Bidder

Name of Bidder

Usual Business Name of Bidder as it appears on Invoice (if different from above)

Street

City Province Postal Code

Email Address of Bidder

Facsimile Number

(Mailing address if different) Street or P.O. Box

City Province Postal Code

The Bidder is:

(Choose one)

☐ a sole proprietor

☐ a partnership

☐ a corporation

carrying on business under the above name.
3. Contact Person

The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

Contact Person Title

Telephone Number Facsimile Number
4. Definitions

All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions and D2.
5. Offer

The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

6. Bid Security

In accordance with B13.1, the Bidder encloses bid security in the form of:

(Choose one)

- ☐ a bid bond (Form G1: Bid Bond and Agreement to Bond)
- ☐ an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- ☐ a certified cheque or draft

and agrees that it shall be held by the City in accordance with the Contract.

7. Execution of Contract

The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.

8. Commencement of the Work

The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.

9. Contract

The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.

10. Addenda

The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No.		Dated	
_____		_____	
_____		_____	
_____		_____	

11. Time

This offer shall be open for acceptance, binding and irrevocable for a period of Sixty (60) Calendar Days following the Submission Deadline.

12. Signatures

The Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____, 20____.

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

FORM B: PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A	<u>ST MARY'S RD MILL AND FILL - ST ANNE'S ROAD TO LYNDALDE DR</u>					
	EARTH AND BASE WORKS					
A.1	Grading of Boulevards	CW 3110-R19	m ²	200		
	ROADWORKS - RENEWALS					
A.2	Slab Replacement - Early Opening (24 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Reinforced)		m ²	20		
A.3	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Type A)		m ²	50		
ii)	200 mm Concrete Pavement (Type B)		m ²	125		
iii)	200 mm Concrete Pavement (Type C)		m ²	100		
iv)	200 mm Concrete Pavement (Type D)		m ²	150		
A.4	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	465		
A.5	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	360		
A.6	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	Median Slab		m ²	110		
A.7	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	Median Slab	SD-227A	m ²	110		
ii)	Monolithic Median Slab	SD-226A	m ²	105		
iii)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m ²	240		
b)	5 sq.m. to 20 sq.m.		m ²	30		
iv)	Bullnose	SD-227C	m ²	45		

 Name of Bidder

FORM B: PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
v)	Monolithic Curb and Sidewalk	SD-228B	m ²	20		
A.8	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	30		
b)	3 m to 30 m		m	175		
c)	Greater than 30 m		m	150		
ii)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	50		
iii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	150		
A.9	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m ²	20		
A.10	Construction of Asphaltic Concrete Overlay	CW 3410-R11				
i)	Main Line Paving					
a)	Type IA		tonne	3,420		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	150		
A.11	Planing of Pavement	CW 3450-R6				
i)	1 - 50 mm Depth (Asphalt)		m ²	6,440		
ii)	50 - 100 mm Depth (Asphalt)		m ²	15,020		
A.12	Pavement Repair Fabric	E10	m ²	1,090		
A.13	Detectable Warning Surface Tiles	CW 3326-R3	each	48		
	JOINT AND CRACK SEALING					
A.14	Reflective Crack Maintenance	CW 3250-R7	m	3,500		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
A.15	Remove and Replace Existing Catch Pit	CW 2130-R12				
i)	SD-023		each	4		
A.16	Sewer Service	CW 2130-R12				
i)	200 mm, PVC					

 Name of Bidder

FORM B: PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.17	a) In a Trench, Class B Bedding with Sand, Class 2 Backfill	CW 2130-R12	m	12		
	Sewer Repair - Up to 3.0 Meters Long					
A.18	i) 200 mm	CW 2130-R12	each	7		
	a) Class 2 Backfill					
A.19	Sewer Repair - In Addition to First 3.0 Meters	CW2145-R3	m	6		
	i) 200 mm					
A.20	a) Class 2 Backfill	CW 2130-R12	m	20		
	Sewer Inspection (following repair)					
A.21	i) 200 mm, Concrete	CW 2130-R12	each	10		
	Replacing Existing Manhole and Catch Basin Frames & Covers					
A.22	ii) AP-004 - Standard Frame for Manhole and Catch Basin	CW 2130-R12	each	10		
	iii) AP-005 - Standard Solid Cover for Standard Frame		each	5		
A.23	iv) AP-006 - Standard Grated Cover for Standard Frame	CW 2130-R12	each	3		
	v) AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	3		
A.24	AP-009 - Barrier Curb and Gutter Inlet Cover	CW 2130-R12	each	4		
	Connecting to Existing Catch Basin					
A.25	i) 200 mm Drainage Connection Pipe	CW 2130-R12	each	4		
	Connecting New Sewer Service to Existing Sewer Service					
A.26	i) 250 mm	CW 2130-R12	each	4		
	Catch Basin Cleaning		each	10		

 Name of Bidder

FORM B: PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ADJUSTMENTS					
A.24	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	33		
A.25	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	2.0		
ii)	Brick Risers		vert. m	2.0		
A.26	Lifter Rings	CW 3210-R7				
i)	38 mm		each	10		
ii)	51 mm		each	10		
iii)	64 mm		each	10		
iv)	76 mm		each	1		
A.27	Adjustment of Valve Boxes	CW 3210-R7	each	25		
A.28	Valve Box Extensions	CW 3210-R7	each	10		
A.29	Adjustment of Curb Stop Boxes	CW 3210-R7	each	10		
A.30	Adjustment of Curb and Gutter Inlet Frames	CW 3210-R7	each	6		
	LANDSCAPING					
A.31	Salt Tolerant Grass Seeding	E11	m ²	200		
A	<u>ST MARY'S RD MILL AND FILL - ST ANNE'S ROAD TO LYNDALDE DR</u>				Subtotal:	

FORM B: PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B	<u>LAGIMODIERE BLVD SB MILL AND FILL - MARION ST TO DUGALD RD</u>					
	EARTH AND BASE WORKS					
B.1	Grading of Boulevards	CW 3110-R19	m ²	150		
	ROADWORKS - RENEWALS					
B.2	Slab Replacement - Early Opening (24 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Reinforced)		m ²	20		
B.3	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Type A)		m ²	50		
ii)	200 mm Concrete Pavement (Type B)		m ²	30		
iii)	200 mm Concrete Pavement (Type C)		m ²	20		
iv)	200 mm Concrete Pavement (Type D)		m ²	20		
B.4	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	190		
B.5	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	150		
B.6	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m ²	15		
b)	5 sq.m. to 20 sq.m.		m ²	30		
ii)	Bullnose	SD-227C	m ²	25		
B.7	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	10		
b)	3 m to 30 m		m	10		

 Name of Bidder

FORM B: PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
c)	Greater than 30 m		m	75		
ii)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	85		
iii)	Mountable Curb (120 mm reveal ht, Integral)	SD-201	m	20		
iv)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	20		
B.8	Construction of Asphaltic Concrete Overlay	CW 3410-R11				
i)	Main Line Paving					
a)	Type IA		tonne	860		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	150		
B.9	Planing of Pavement	CW 3450-R6				
i)	1 - 50 mm Depth (Asphalt)		m ²	1,760		
ii)	50 - 100 mm Depth (Asphalt)		m ²	4,090		
B.10	Pavement Repair Fabric	E10	m ²	300		
B.11	Detectable Warning Surface Tiles	CW 3326-R3	each	6		
	JOINT AND CRACK SEALING					
B.12	Reflective Crack Maintenance	CW 3250-R7	m	1,620		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
B.13	Sewer Repair - Up to 3.0 Meters Long	CW 2130-R12				
i)	250 mm					
a)	Class 2 Backfill		each	1		
B.14	Sewer Inspection (following repair)	CW2145-R3				
i)	250 mm, Concrete		m	3		
B.15	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	6		

 Name of Bidder

FORM B: PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	5		
iii)	AP-006 - Standard Grated Cover for Standard Frame		each	1		
iv)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	3		
v)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	3		
vi)	AP-011 - Mountable Curb and Gutter Inlet		each	2		
B.16	Catch Basin Cleaning	CW 2140-R3	each	8		
	ADJUSTMENTS					
B.17	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	13		
B.18	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	1.0		
ii)	Brick Risers		vert. m	1.0		
B.19	Lifter Rings	CW 3210-R7				
i)	38 mm		each	3		
ii)	51 mm		each	3		
iii)	64 mm		each	3		
iv)	76 mm		each	1		
B.20	Adjustment of Valve Boxes	CW 3210-R7	each	5		
B.21	Valve Box Extensions	CW 3210-R7	each	5		
B.22	Adjustment of Curb Stop Boxes	CW 3210-R7	each	2		
B.23	Adjustment of Curb and Gutter Inlet Frames	CW 3210-R7	each	7		
	LANDSCAPING					
B.24	Salt Tolerant Grass Seeding	E11	m ²	150		
B	<u>LAGIMODIERE BLVD SB MILL AND FILL - MARION ST TO DUGALD RD</u>				Subtotal:	

 Name of Bidder

FORM B: PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
SUMMARY						
A	<u>ST MARY'S RD MILL AND FILL - ST ANNE'S ROAD TO LYNDALD DR</u>				Subtotal:	
B	<u>LAGIMODIERE BLVD SB MILL AND FILL - MARION ST TO DUGALD RD</u>				Subtotal:	
TOTAL BID PRICE (GST extra) (in figures) _____						

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2)
(See B13)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

(hereinafter called the "Principal") and

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 254-2016

2016 Regional Streets Renewal Program –St Mary's Road and Lagimodiere Boulevard Mill and Fill

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of _____, 20_____.

SIGNED AND SEALED
in the presence of:

(Witness as to Principal if no seal)

(Name of Principal)

Per: _____ (Seal)

Per: _____

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2)
(See B13)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

_____ of
(Name of Bidder)

(Place)

the Bidder to you on _____, 20____ for

BID OPPORTUNITY NO. 254-2016

2016 Regional Streets Renewal Program –St Mary's Road and Lagimodiere Boulevard Mill and Fill

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within Sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20_____.

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 1 of 2)
(See B13)**

(Date)

The City of Winnipeg
Corporate Finance Department
Materials Management Division
185 King Street, Main Floor
Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 254-2016

2016 Regional Streets Renewal Program –St Mary's Road and Lagimodiere Boulevard Mill and Fill

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

_____ Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 2 of 2)
(See B13)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on July 2, 2016

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name of bank or financial institution)

Per: _____
(Authorized Signing Officer)

Per: _____
(Authorized Signing Officer)