



- NOTES:**
- ADJUST MH, CB RIMS, AND VALVES TO NEW GRADES.
 - CONTRACTORS TO TAKE PRECAUTIONARY STEPS TO PROTECT EXISTING TREES WITHIN THE LIMITS OF CONSTRUCTION FROM DAMAGE FROM CONSTRUCTION ACTIVITIES AS OUTLINED IN THE SPECIFICATIONS.
 - MODIFIED BARRIER CURB TO BE USED AT ALL INTERSECTION RADI, BACK LANE RADI, AND BULL NOSES.
 - CONTRACTOR TO CONFIRM THE LOCATION OF ALL UTILITIES/SERVICES IN THE FIELD PRIOR TO CONSTRUCTION.
 - ADD 200.00M TO ABBREVIATED ELEVATIONS TO OBTAIN GEODETIC ELEVATIONS.
 - CB OFFSETS ARE DIMENSIONED TO BACK OF CURB.
 - PAVEMENT REPAIRS SHOWN ARE ONLY A REPRESENTATIVE APPROXIMATION OF THE TENDERED QUANTITIES.
 - SIDEWALKS TO BE RENEWED WITH CONCRETE AS NOTED BY CONTRACT ADMINISTRATOR.
 - LAMP STANDARDS, HYDRO POLES, AND ANCHORS THAT REQUIRE TEMPORARY SUPPORT, REMOVAL OR REPLACEMENT, TO BE DONE SO AT THE EXPENSE OF THE CONTRACTOR AS NECESSARY.
 - RENEW CURB AS IDENTIFIED BY CONTRACT ADMINISTRATOR.
 - ALL WORK AND MATERIALS TO BE IN ACCORDANCE WITH THE LATEST REVISION OF THE CITY OF WINNIPEG STANDARD CONSTRUCTION SPECIFICATIONS.
 - ALL ROADWAY DIMENSIONS SHOWN ARE TO BACK OF CURB.
 - BOULEVARD RESTORATION TO BE SOD UNLESS OTHERWISE NOTED.
 - ALL PRIVATE WALKWAYS TO BE ADJUSTED TO NEW TOP OF CURB ELEVATION, AS REQUIRED.

NOTE:
These design documents are prepared solely for the use by the party with whom the design professional has entered into a contract and there are no representations of any kind made by the design professional to any party with whom the design professional has not entered into a contract.

EXISTING	LEGEND-PLAN	PROPOSED	EXISTING	LEGEND-PLAN	PROPOSED	EXISTING	LEGEND-PROFILE	PROPOSED
---	WATER MAIN	---	#111	CIVIC ADDRESS				
---	LAND DRAINAGE SEWER	---	⊕	IRON BAR				
---	WASTE WATER SEWER	---	⊕	HYDRO POLE & LIGHT STANDARD				
---	HYDRO	---	⊕	LIGHT STANDARD				
---	M.T.S.	---	⊕	HYDRO POLE				
---	GAS	---	⊕	CURB RAMP				
---	SIGNALS	---	⊕	DETECTABLE WARNING SURFACE TILE				
○	MANHOLE	●	---	EDGE OF SIDEWALK				
□	CATCH BASIN	■	---	PROPERTY LINE				
△	CURB INLET	▽	---	EDGE OF ASPHALT				
△	UTILITIES ADJUSTED	△	○	MODIFIED BARRIER CURB				
⊔	PLUG	⊔	---	BARRIER CURB				
⊕	HYDRANT	⊕	---	EDGE OF CONCRETE				
⊕	VALVE	⊕	---	SIDEWALK				
⊕	CURB STOP	⊕	---	CONCRETE REPAIR SLAB				
230.99	GROUND GRADE		---	ASPHALT			---	SOUTH SIDEWALK
(31.00)	PAVEMENT GRADE	(31.00)	---	MILLED SURFACE			---	ROADWAY CENTRE LINE
---	LOT GRADE	[31.00]	---	ASPHALT JOINT REPAIR			---	NORTH GUTTER
---	ANCHOR	---	---				---	SOUTH GUTTER
---	EXISTING	---	---				---	

LOCATIONS APPROVED UNDERGROUND STRUCTURES

SIGNED BY: _____ DATE: _____

SUPV UG STRUCTURES

LOCATION OF UNDERGROUND STRUCTURES AS SHOWN ARE BASED ON THE BEST INFORMATION AVAILABLE BUT NO GUARANTEE IS GIVEN THAT ALL EXISTING UTILITIES ARE SHOWN OR THAT THE GIVEN LOCATIONS ARE EXACT CONFIRMATION OF EXISTENCE AND EXACT LOCATION OF ALL SERVICES MUST BE OBTAINED FROM THE INDIVIDUAL UTILITIES BEFORE PROCEEDING

G.B.M. ELEV. 231.090	BENCHMARK LOCATION LOCATED ON "O" OF OPEN ON HYDRANT, NORTH EAST OF INTERSECTION OF McLEOD AND ROTHESAY	MMM Group Limited Suite 111 - 93 Lombard Ave Winnipeg, MB R3B 3B1 t 204 943 3178 f 204 943 4948 www.mmmgrouplimited.com	ENGINEER'S SEAL V.M. MAROTI Member 30809 REGISTERED PROFESSIONAL ENGINEER
DESIGNED BY: MV	CHECKED BY: TJP	DRAWN BY: SB	APPROVED BY: VM
HOR. SCALE: 1:250	RELEASED FOR CONSTRUCTION	VERTICAL: 1:10	CONSULTANT ACAD DWG. NO. 5515115-C-07
B ISSUED FOR UG STRUCTURES REVIEW 15.03.16 VM		A ISSUED FOR C of W REVIEW 03.03.16 VM	
NO. REVISIONS	DATE	BY	DATE
	15-Mar-16		

THE CITY OF WINNIPEG
PUBLIC WORKS DEPARTMENT
ENGINEERING DIVISION

2016 LOCAL STREET RENEWAL PROGRAM
McLEOD AVENUE
DURNES BAY TO ROTHESAY STREET
PAVEMENT REHABILITATION
STA. 2+30 TO STA. 3+41.10

CITY DRAWING NUMBER: _____
SHEET 7 OF 17
BID NO. 260-2016

MMG GROUP

Mar 14, 2016 - 3:29pm
P:\5515115-2016 Local Streets package 16-R-03\MMG Drawings\Construction drawings\Contract \5515115 - McLeod Ave C-06_C-07.dwg -tbls.c-07