## FORM A: BID (See B8)

1.	Contract Title	2016 Thin Bituminous Overlay	(TBO) Program, South Contract				
2.	Bidder	Name of Bidder					
		Usual Business Name of Bidder as it appears on Invoice (if different from above)					
		Street					
		City	Province	Postal Code			
		Email Address of Bidder					
		Facsimile Number					
	(Mailing address if different)	Street or P.O. Box					
		City	Province	Postal Code			
	(Choose one)	The Bidder is: a sole proprietor a partnership a corporation carrying on business under the	above name.				
3.	Contact Person	The Bidder hereby authorizes the Bidder for purposes of the B	the following contact person to Bid.	represent			
		Contact Person	Title				
		Telephone Number	Facsimile Number				
4.	Definitions	All capitalized terms used in ascribed to them in the Genera	the Contract shall have the l Conditions.	meanings			
5.	Offer		erform the Work in accordance e, in Canadian funds, set out or				

6.	Bid Security	In accordance with B12.1, the Bidder encloses bid security in the for of:				
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)				
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)				
		a certified cheque or draft				
		and agrees that it shall be held by the City in accordance with the Contract.				
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.				
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.				
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.				
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:				
		No Dated				
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.				

# 12. Signatures The Bidder or the Bidder's authorized official or officials have signed this

\_\_\_\_\_ day of \_\_\_\_\_\_ , 20\_\_\_\_\_ .

Signature of Bidder or Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

\_\_\_\_\_

(Print here name and official capacity of individual whose signature appears above)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Α	THIN BITUMINOUS OVERLAYS (TBO), SOL	ITH CONTRACT	[			
	ROADWORKS - RENEWALS					
A.1	Slab Replacement - Early Opening (24 hour)	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m²	155		
A.2	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Type A)		m²	10		
ii)	200 mm Concrete Pavement (Type B)		m²	20		
iii)	200 mm Concrete Pavement (Type C)		m²	10		
iv)	200 mm Concrete Pavement (Type D)		m²	10		
V)	150 mm Concrete Pavement (Type A)		m²	120		
vi)	150 mm Concrete Pavement (Type B)		m²	580		
vii)	150 mm Concrete Pavement (Type C)		m²	30		
viii)	150 mm Concrete Pavement (Type D)		m²	65		
A.3	Partial Depth Planing of Existing Joints	E8	m²	20		
A.4	Asphalt Patching of Partial Depth Joints	E8	m²	20		
A.5	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	500		
A.6	Drilled Tie Bars	CW 3230-R8				
i)	15 M Deformed Tie Bar		each	500		
ii)	20 M Deformed Tie Bar		each	600		
A.7	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m²	320		
ii)	Asphalt Pavement		m²	300		

	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
ITEM	DESCRIPTION	REF.	UNIT	QUANTITY	UNIT PRICE	AMOUNT
<b>\.</b> 8	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R17				
i)	Construction of 150 mm Concrete Pavement (Reinforced)		m²	320		
.9	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m²	315		
b)	5 sq.m. to 20 sq.m.		m²	215		
c)	Greater than 20 sq.m.		m²	275		
ii)	Bullnose	SD-227C	m²	1		
A.10	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	100		
<b>A</b> .11	Supply of Precast Sidewalk Blocks	CW 3235-R9	m²	20		
A.12	Concrete Curb Removal	CW 3240-R10				
i)	Lip Curb	SD-202C	m	1,060		
4.13	Concrete Curb Installation	CW 3240-R10				
i)	Barrier (100 mm reveal ht, Dowelled)	SD-205	m	865		
ii)	Lip Curb (125 mm reveal ht, Integral)		m	195		
A.14	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	75		
b)	3 m to 30 m		m	210		
ii)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	170		
iii)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229C,D	m	220		
A.15	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	200		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.16	Construction of Asphaltic Concrete Overlay	CW 3410-R11				
i)	Main Line Paving					
а	)) Type IA		tonne	5,500		
ii)	Tie-ins and Approaches					
а	i) Type IA		tonne	500		
A.17	Construction of Asphalt Patches	CW 3410-R11	m²	10		
A.18	Planing of Pavement	CW 3450-R6				
i)	1 - 50 mm Depth (Asphalt)		m²	600		
ii)	1 - 50 mm Depth (Concrete)		m²	250		
A.19	Detectable Warning Surface Tiles	CW 3326-R3	each	6		
A.20	Longitudinal Joint & Crack Filling ( > 25 mm in width )	CW 3250-R7	m	50		
	ADJUSTMENTS					
A.21	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	40		
A.22	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	2		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	2		
iii)	AP-006 - Standard Grated Cover for Standard Frame		each	2		
iv)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	4		
V)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	4		
vi)	AP-011 - Mountable Curb and Gutter Inlet		each	2		

UNIT PRI	CES	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.23	Lifter Rings	CW 3210-R7				
i)	38 mm		each	5		
ii)	51 mm		each	15		
iii)	64 mm		each	15		
iv)	76 mm		each	5		
A.24	Adjustment of Valve Boxes	CW 3210-R7	each	3		
A.25	Valve Box Extensions	CW 3210-R7	each	2		
A.26	Adjustment of Curb Stop Boxes	CW 3210-R7	each	20		
A.27	Mountable Curb Paving Cover	E11	each	2		
A.28	Adjustment of Curb Inlet Frame	E10	each	2		
A.29	Installation of City of Winnipeg Provided CGI Risers	E9	each	22		
	LANDSCAPING					
A.30	Grading of Boulevards	CW 3110-R19	m²	1,500		
A.31	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m²	1,500		
A.32	Seeding	CW 3520-R7	m²	1,500		
Α	THIN BITUMINOUS OVERLAYS (TBO), SOL	ITH CONTRACT	<u> </u>			
					Subtotal:	

UNIT PRICES						
ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
	SUMMARY					
Α	A THIN BITUMINOUS OVERLAYS (TBO), SOUTH CONTRACT					
					Subtotal:	
TOTAL BID PRICE (GST extra) (in figures)						

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B12)

#### **BID BOND**

KNOW ALL MEN BY THESE PRESENTS THAT

(hereinafter called the "Principal") and

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 655-2016

2016 Thin Bituminous Overlay (TBO) Program, South Contract

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal)	
(Witness as to Principal if no seal)	Per:	(Seal)
	Per:	
	(Name of Surety)	
	By:(Attorney-in-Fact)	(Seal)

\_\_\_\_\_ of

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B12)

## AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

(Name of Bidder)

(Place)

the Bidder to you on \_\_\_\_\_\_, 20\_\_\_\_\_ , 20\_\_\_\_\_ for

BID OPPORTUNITY NO. 655-2016

2016 Thin Bituminous Overlay (TBO) Program, South Contract

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_,

(Name of Surety)

By: (Seal) (Seal)

#### FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B12)

(Date)

The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg MB R3B 1J1

## RE: BID SECURITY – BID OPPORTUNITY NO. 655-2016

2016 Thin Bituminous Overlay (TBO) Program, South Contract

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

\_\_\_\_\_ Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

#### FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B12)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on October 11, 2016.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name of bank or financial institution)

Per:

(Authorized Signing Officer)

Per:

(Authorized Signing Officer)