FORM A: BID (See B9)

1.	Contract Title	2017 OUTFALL RENEWAL	AND REHABILITATION	
2.	Bidder			
		Name of Bidder		
		Usual Business Name of Bidder as	it appears on Invoice (if different from above)	
		Street		
		City	Province Posta	al Code
		Email Address of Bidder		
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province Posta	al Code
		GST Registration Number (if applica	able)	
	(Choose one)	The Bidder is:		
		a sole proprietor		
		a partnership		
		a corporation		
		carrying on business under t	he above name.	
3.	Contact Person	The Bidder hereby authorize the Bidder for purposes of the	es the following contact person to replee Bid.	resent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions	All capitalized terms used ascribed to them in the Gene	in the Contract shall have the mea	anings

5.	Offer	The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.
6.	Bid Security	In accordance with B13.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

12.	Signatures	The Bidder or the Bidder's authorized official or officials have signed this
		, 20
		Signature of Bidder or Bidder's Authorized Official or Officials
		(Print here name and official capacity of individual whose signature appears above)
		(Print here name and official capacity of individual whose signature appears above)

		UNIT PRICES	<u> </u>			
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Α	Bishop Grandin Outfall Repair (RR-21)					
A1	Site Development and Restoration	E11	lump sum	1		
A2	Removals	E16				
	a) 750mm diameter CMP		l.m.	6		
	b) 750 mm diameter concrete pipe		l.m.	2.4		
A3	Supply and Installation of Outfall Pipe	E16				
۸.4	a) 750mm diameter CSP (2.8 mm) c/w Polymer Coating, Class B Type 2 Bedding, Class 4 Backfill	CW 2420	l.m.	7.4		
A4	Sewer Repair Up to 3.0 Meters Long	CW 2130				
	a) 750 mm diameter concrete		each	1		
A5	Construction of Concrete Collar	E19				
	a) 750 mm diameter		each	1		
A6	Supply and Installation of Debris Grate	E16				
	a) 750 mm diameter Debris Grate		each	1		
A7	Geotextile	E21	m ²	20		
A8	Rockfill Riprap	E15	tonne	35		
A9	Tree Removal	E13				
	a) 50 mm to 250 mm diameter		each	1		
A10	Tree Revegation	E22				
	a) Manitoba Maple		each	1		
	b) Green Ash		each	1		
	b) American Elm		each	1		
A11	Installation of SIt Fence	E12	l.m.	40		
A12	Straw Mulch	E28	m ²	75		
A13	Topsoil and Seeding (Native Grass Seed Mix)	E22	m ²	75		
A14	Sewer Inspection	E24				
	a) 750 mm diameter outfall (51 m concrete, 7 m CMP)		l.m.	58		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Α	Bishop Grandin Outfall Repair (RR-21)				Subtotal:	

		UNIT PRICES				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
В	Marion Outfall Lining (RR-51)					
B1	Site Development and Restoration	E11	lump sum	1		
B2	Filling Underground Voids with Cement- Stabilized Fill	CW2030	m ³	2		
В3	Supply and Installation of HDPE Spiral Wound Pipe	E17 / E18				
	a) 1219 mm Internal Diameter HDPE Spiral Wound Pipe (48 RSC 250)		l.m.	30		
B4	Removals	E16				
	a) 1676 mm diameter CSP		l.m.	5		
B5	Supply and Installation of Outfall Pipe	E16				
	a) 1600 mm Diameter SPCSP (3.0 mm) c/w Copolymer Coating, Class B Type 1 Bedding, Class 4 Backfill		l.m.	5		
В6	Construction of Concrete Collar	E19				
	a) 1676 mm diameter		each	1		
В7	Geotextile	E21	m ²	100		
B8	Rockfill Riprap	E15	tonne	150		
В9	Tree Removal	E13				
	a) 50 mm to 250 mm diameter		each	1		
	a) 250 mm to 250 mm diameter		each	1		
B10	Tree Revegation	E22				
	a) Manitoba Maple		each	2		
	b) Green Ash		each	1		
	b) American Elm		each	1		
B11	Straw Mulch	E28	m ²	150		
B12	Topsoil and Seeding (Native Grass Seed Mix)	E22	m ²	70		
B13	Installation of Slt Fence	E12	l.m.	50		
B14	Sewer Cleaning	E23	hr	20		
B15	Sewer Inspection	E24				

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
	a) Outfall (30 m - 1219 mm internal diameter		l.m.	35		
	HPDE spiral wound pipe; 5 m - 1660 mm					
	diameter SPCSP)					
	b) Pre-construction inspection of adjacent		l.m.	40		
	outfall (RR- 52, 40 m 1800 CSP)					
	b) Post-construction inspection of adjacent		l.m.	40		
	outfall (RR-52, 40 m 1800 CSP)					
В	Marian Outfall Lining (DR 51)					
В	Marion Outfall Lining (RR-51)				Subtotal:	

		UNIT PRICE	<u> </u>			
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
С	Pritchard Outfall Replacement (RR-75)					
C1	Site Development and Restoration	E11	lump sum	1		
C2	Removals	E16	Sum			
	a) 250 mm diameter CMP		l.m.	5		
С3	Supply and Installation of Outfall Pipe	E16				
	a) 250 mm diameter SDR35 PVC, Class B Type 4 Bedding, Class 2 Backfill		l.m.	5		
	b) 250 mm diameter SDR35 PVC, trenchless		l.m.	48		
	c) 250 mm diameter SDR35 PVC, Class B Type 4 Bedding, Class 4 Backfill		l.m.	29		
	d) 250 mm diameter (1.6mm) CSP c/w polymer coating, Class B Type 4 Bedding,		l.m.	11		
C4	Class 4 Backfill Supply and Installation of Pipe Fittings	E16				
	a) 22.5 degree bend - 250 mm diameter PVC		each	2		
	b) 250 mm diameter Flexible Expansion Joint		each	1		
	c) 250 mm diameter SDR35 PVC Flanges		each	2		
	d) Mechanical pipe joint restraints for 250 mm diameter SDR35 PVC pipe		each	4		
C5	Connect to 250 mm diameter PVC to Existing Manhole	CW2130	each	1		
C6	Construction of Concrete Collar					
	a) 250 mm diameter		each	1		
C7	Repair Existing Slip Surface	E29	l.m.	20		
C8	Geotextile	E21	m ²	40		
C9	Rockfill Riprap	E15	tonne	45		
C10	Tree Removal	E13				
	a) 50 mm to 250 mm diameter		each	2		
	a) 250 mm to 250 mm diameter		each	1		
C11	Tree Revegation	E22				
	a) Manitoba Maple		each	3		

b) Green Ash b) American Elm C12 Straw Mulch C13 Topsoil and Seeding (Native Grass Seed Mix) C14 Partial Slab Patches a) 200 mm Concrete Pavement (Type D) C15 Construction of Asphalt Patches CW 3230-R8 a) 200 mm Concrete Pavement (Type D) C16 Concrete Curb Renewal a) Curb Ramp (8-12 mm reveal ht, Integral) C17 Regrading Existing Interlocking Paving Stones C18 Installation of Slt Fence C19 Sewer Inspection a) 250 mm diameter outfall (82 m PVC pipe, 11 m CMP) C10 Pritchard Outfall Replacement (RR-75) E28 m² 150 CW 3230-R8 T0 10 SUBSTITUTE OF TOTAL STONE STONE SUBSTITUTE SUBSTITUTE STONE SUBSTITUTE SUBSTITUTE STONE SUBSTITUTE SUBS	ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
b) American Elm C12 Straw Mulch E28 m² 150 C13 Topsoil and Seeding (Native Grass Seed Mix) C14 Partial Slab Patches a) 200 mm Concrete Pavement (Type D) C15 Construction of Asphalt Patches CW 3230-R8 a) 200 mm Concrete Pavement (Type D) C16 Concrete Curb Renewal a) Curb Ramp (8-12 mm reveal ht, Integral) C17 Regrading Existing Interlocking Paving Stones C18 Installation of Slt Fence E12 I.m. 40 C19 Sewer Inspection a) 250 mm diameter outfall (82 m PVC pipe, 11 m CMP) C. Pritchard Outfall Replacement (RR-75)			REF.		QUANTITY		
C12 Straw Mulch E28 m² 150 C13 Topsoil and Seeding (Native Grass Seed Mix) E22 m² 200 C14 Partial Slab Patches CW 3230-R8 10 a) 200 mm Concrete Pavement (Type D) m² 10 C15 Construction of Asphalt Patches CW 3410-R11 m² 10 C16 Concrete Curb Renewal CW 3240-R10 5 5 a) Curb Ramp (8-12 mm reveal ht, Integral) SD-229D m 5 C17 Regrading Existing Interlocking Paving Stones CW 3330-R5 m² 10 C18 Installation of Sit Fence E12 I.m. 40 C19 Sewer Inspection E24 I.m. 93 C2 Pritchard Outfall Replacement (RR-75) I.m. 93		b) Green Ash		each	3		
C12 Straw Mulch E28 m² 150 C13 Topsoil and Seeding (Native Grass Seed Mix) E22 m² 200 C14 Partial Slab Patches CW 3230-R8 10 a) 200 mm Concrete Pavement (Type D) m² 10 C15 Construction of Asphalt Patches CW 3410-R11 m² 10 C16 Concrete Curb Renewal CW 3240-R10 5 5 a) Curb Ramp (8-12 mm reveal ht, Integral) SD-229D m 5 C17 Regrading Existing Interlocking Paving Stones CW 3330-R5 m² 10 C18 Installation of Sit Fence E12 I.m. 40 C19 Sewer Inspection E24 I.m. 93 C2 Pritchard Outfall Replacement (RR-75) I.m. 93							
C12 Straw Mulch E28 m² 150 C13 Topsoil and Seeding (Native Grass Seed Mix) E22 m² 200 C14 Partial Slab Patches CW 3230-R8 10 a) 200 mm Concrete Pavement (Type D) m² 10 C15 Construction of Asphalt Patches CW 3410-R11 m² 10 C16 Concrete Curb Renewal CW 3240-R10 5 5 a) Curb Ramp (8-12 mm reveal ht, Integral) SD-229D m 5 C17 Regrading Existing Interlocking Paving Stones CW 3330-R5 m² 10 C18 Installation of Sit Fence E12 I.m. 40 C19 Sewer Inspection E24 I.m. 93 C2 Pritchard Outfall Replacement (RR-75) I.m. 93		b) American Flm		each	3		
C13 Topsoil and Seeding (Native Grass Seed Mix) C14 Partial Slab Patches a) 200 mm Concrete Pavement (Type D) C15 Construction of Asphalt Patches CW 3410-R11 m² 10 C16 Concrete Curb Renewal a) Curb Ramp (8-12 mm reveal ht, Integral) C17 Regrading Existing Interlocking Paving Stones C18 Installation of Slt Fence C19 Sewer Inspection a) 250 mm diameter outfall (82 m PVC pipe, 11 m CMP) C Pritchard Outfall Replacement (RR-75)		7 1 11 10 10 31 1 2 11 1		040			
C13 Topsoil and Seeding (Native Grass Seed Mix) C14 Partial Slab Patches a) 200 mm Concrete Pavement (Type D) C15 Construction of Asphalt Patches CW 3410-R11 m² 10 C16 Concrete Curb Renewal a) Curb Ramp (8-12 mm reveal ht, Integral) C17 Regrading Existing Interlocking Paving Stones C18 Installation of Slt Fence C19 Sewer Inspection a) 250 mm diameter outfall (82 m PVC pipe, 11 m CMP) C Pritchard Outfall Replacement (RR-75)	C12	Strow Mulah	E20	2	150		
Mix) C14 Partial Slab Patches CW 3230-R8 Image: CW 3240-R10 Image: CW 3230-R5	012	Straw Mulcii	E20	m ⁻	150		
Mix) C14 Partial Slab Patches CW 3230-R8 Image: CW 3240-R10 Image: CW 3230-R5				_			
C14 Partial Slab Patches a) 200 mm Concrete Pavement (Type D) C15 Construction of Asphalt Patches CW 3410-R11 m² 10 C16 Concrete Curb Renewal a) Curb Ramp (8-12 mm reveal ht, Integral) C17 Regrading Existing Interlocking Paving Stones C18 Installation of Slt Fence C19 Sewer Inspection a) 250 mm diameter outfall (82 m PVC pipe, 11 m CMP) C Pritchard Outfall Replacement (RR-75)	C13		E22	m^2	200		
a) 200 mm Concrete Pavement (Type D) C15 Construction of Asphalt Patches CW 3410-R11 m² 10 C16 Concrete Curb Renewal a) Curb Ramp (8-12 mm reveal ht, Integral) C17 Regrading Existing Interlocking Paving Stones C18 Installation of Slt Fence C19 Sewer Inspection E12 I.m. 40 C19 Sewer Inspection E24 a) 250 mm diameter outfall (82 m PVC pipe, 11 m CMP) C Pritchard Outfall Replacement (RR-75)		Mix)					
a) 200 mm Concrete Pavement (Type D) C15 Construction of Asphalt Patches CW 3410-R11 m² 10 C16 Concrete Curb Renewal a) Curb Ramp (8-12 mm reveal ht, Integral) C17 Regrading Existing Interlocking Paving Stones C18 Installation of Slt Fence C19 Sewer Inspection E12 I.m. 40 C19 Sewer Inspection E24 a) 250 mm diameter outfall (82 m PVC pipe, 11 m CMP) C Pritchard Outfall Replacement (RR-75)	C14	Partial Slab Patches	CW 3230-R8				
C15 Construction of Asphalt Patches CW 3410-R11 m² 10 C16 Concrete Curb Renewal a) Curb Ramp (8-12 mm reveal ht, Integral) C17 Regrading Existing Interlocking Paving Stones CW 3330-R5 m² 10 C18 Installation of Slt Fence E12 l.m. 40 C19 Sewer Inspection E24 a) 250 mm diameter outfall (82 m PVC pipe, 11 m CMP) C Pritchard Outfall Replacement (RR-75)							
C15 Construction of Asphalt Patches CW 3410-R11 m² 10 C16 Concrete Curb Renewal a) Curb Ramp (8-12 mm reveal ht, Integral) C17 Regrading Existing Interlocking Paving Stones CW 3330-R5 m² 10 C18 Installation of Slt Fence E12 l.m. 40 C19 Sewer Inspection E24 a) 250 mm diameter outfall (82 m PVC pipe, 11 m CMP) C Pritchard Outfall Replacement (RR-75)		a) 200 mm Concrete Pavement (Type D)		m²	10		
C16 Concrete Curb Renewal a) Curb Ramp (8-12 mm reveal ht, Integral) C17 Regrading Existing Interlocking Paving Stones C18 Installation of Slt Fence C19 Sewer Inspection a) 250 mm diameter outfall (82 m PVC pipe, 11 m CMP) C2 Pritchard Qutfall Replacement (RR-75)		a) 200 mm comorato : aremem (1) po 2)		•••			
C16 Concrete Curb Renewal a) Curb Ramp (8-12 mm reveal ht, Integral) C17 Regrading Existing Interlocking Paving Stones C18 Installation of Slt Fence C19 Sewer Inspection a) 250 mm diameter outfall (82 m PVC pipe, 11 m CMP) C2 Pritchard Qutfall Replacement (RR-75)							
C16 Concrete Curb Renewal a) Curb Ramp (8-12 mm reveal ht, Integral) C17 Regrading Existing Interlocking Paving Stones C18 Installation of Slt Fence C19 Sewer Inspection a) 250 mm diameter outfall (82 m PVC pipe, 11 m CMP) C2 Pritchard Qutfall Replacement (RR-75)	C15	Construction of Asphalt Patches	CW 3410-R11	m²	10		
a) Curb Ramp (8-12 mm reveal ht, Integral) SD-229D m 5 C17 Regrading Existing Interlocking Paving Stones CW 3330-R5 m² 10 C18 Installation of Slt Fence E12 l.m. 40 C19 Sewer Inspection E24 a) 250 mm diameter outfall (82 m PVC pipe, 11 m CMP) l.m. 93							
a) Curb Ramp (8-12 mm reveal ht, Integral) SD-229D m 5 C17 Regrading Existing Interlocking Paving Stones CW 3330-R5 m² 10 C18 Installation of Slt Fence E12 l.m. 40 C19 Sewer Inspection E24 a) 250 mm diameter outfall (82 m PVC pipe, 11 m CMP) l.m. 93	C16	Concrete Curb Renewal	CW 3240-R10				
C17 Regrading Existing Interlocking Paving Stones CW 3330-R5 m² 10 C18 Installation of Slt Fence E12 l.m. 40 C19 Sewer Inspection E24 a) 250 mm diameter outfall (82 m PVC pipe, 11 m CMP) l.m. 93							
C17 Regrading Existing Interlocking Paving Stones CW 3330-R5 m² 10 C18 Installation of Slt Fence E12 l.m. 40 C19 Sewer Inspection E24 a) 250 mm diameter outfall (82 m PVC pipe, 11 m CMP) l.m. 93		a) Curb Ramp (8-12 mm reveal ht. Integral)	SD-229D	m	5		
Stones C18 Installation of Slt Fence E12 I.m. 40 C19 Sewer Inspection E24 a) 250 mm diameter outfall (82 m PVC pipe, 11 m CMP) C Pritchard Outfall Replacement (RR-75)			00 000				
Stones C18 Installation of Slt Fence E12 I.m. 40 C19 Sewer Inspection E24 a) 250 mm diameter outfall (82 m PVC pipe, 11 m CMP) C Pritchard Outfall Replacement (RR-75)	C17	Regrading Existing Interlocking Paving	CW 3330-R5	m²	10		
C18 Installation of Slt Fence E12 I.m. 40 C19 Sewer Inspection E24 a) 250 mm diameter outfall (82 m PVC pipe, 11 m CMP) C Pritchard Outfall Replacement (RR-75)			011 0000 110				
C19 Sewer Inspection E24 a) 250 mm diameter outfall (82 m PVC pipe, 11 m CMP) C Pritchard Outfall Replacement (RR-75)		Cionos					
C19 Sewer Inspection E24 a) 250 mm diameter outfall (82 m PVC pipe, 11 m CMP) C Pritchard Outfall Replacement (RR-75)	C18	Installation of SIt Fence	E12	l.m.	40		
a) 250 mm diameter outfall (82 m PVC pipe, 1.m. 93 11 m CMP)							
a) 250 mm diameter outfall (82 m PVC pipe, 1.m. 93 11 m CMP)	0.10		F0.4				
11 m CMP) C Pritchard Outfall Replacement (RR-75)	C19	Sewer inspection	E24				
11 m CMP) C Pritchard Outfall Replacement (RR-75)							
C Pritchard Outfall Replacement (RR-75)				l.m.	93		
C Pritchard Outfall Replacement (RR-75)		11 m CMP)					
C Pritchard Outfall Replacement (RR-75)	_						
	С	Pritchard Outfall Replacement (RR-75)				Subtotal:	

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
D	Ridgedale Outfall Repair (AS-26)					
D1	Site Development and Restoration	E11	lump	1		
			sum			
D2	Removals	E16				
	a) 200 mm diameter concrete pipe		l.m.	1.5		
	b) 300 mm diameter CMP		l.m.	24.1		
D3	Supply and Installation of Outfall Pipe	E16				
	a) 300 mm diameter CMP (1.6mm) c/w Polymer Coating, Class B Type 4 Bedding, Class 4 Backfill		l.m.	26		
D4	Supply and Installation of Pipe Fittings	E16				
	a) 300 mm diameter Polymer Coated External Slip Joint		each	1		
D5	Construction of Concrete Collar	E19				
	i. 300 mm diameter		each	1		
D6	Geotextile	E21	m ²	20		
D7	Rockfill Riprap	E15	tonne	25		
D8	Riverbank Regrading	E20	m ³	25		
D9	Topsoil and Seeding (Native Grass Seed Mix)	E22	m ²	180		
D10	Installation of Slt Fence	E12	l.m.	40		
D11	Sewer Inspection	E24				
	a) Outfall (44 m - 200 mm diameter concrete pipe, 24 m - 300 diameter CMP)		l.m.	68		
D	Ridgedale Outfall Repair (AS-26)				Subtotal:	

	BECCOSIDEIG:	UNIT PRICES		4000000		A
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E	Assiniboine Park Outfall Replacement (AS	<u>(-43)</u>				
E1	Site Development and Restoration	E11	lump sum	1		
E2	Removals	E16	Juili			
	a) 375 mm diameter concrete pipe		l.m.	5		
	b) 375 mm diameter CMP		l.m.	8.2		
E3	Abandoning Existing Sewers With Cement- Stabilized Flowable Fill		m ³	6		
E4	Supply and Installation of Outfall Pipe	E16				
	a) 375 mm diameter SDR35 PVC, trenchless		l.m.	44.5		
	a) 375 mm diameter CMP (1.6mm) c/w Polymer Coating, Class B Type 4 Bedding, Class 4 Backfill		l.m.	12		
E5	Supply and Installation of Pipe Fittings	E16				
	a) 22.5 degree bend - 400 mm diameter PVC		each	2		
E6	Connect to Existing Manhole		each	1		
E7	Construction of Concrete Collar	E19				
	i. 400 mm diameter		each	1		
E8	Geotextile	E21	m^2	50		
E9	Rockfill Riprap	E15	tonne	75		
E10	Tree Removal	E13				
	a) 50 mm to 250 mm diameter		each	1		
E11	Tree Revegation	E22				
	a) Manitoba Maple		each	1		
	b) Green Ash		each	1		
	b) American Elm		each	1		
E12	Construction of Asphalt Patches	CW 3410-R11	m²	10		
E13	Sodding	CW 3510-R9				
	a) width > or = 600 mm		m²	90		
E14	Topsoil and Seeding (Native Grass Seed Mix)	E22	m^2	25		

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
E15	Installation of SIt Fence	E12	l.m.	40		
E16	Sewer Inspection	E24				
	a) 375 diameter outfall (44 m PVC pipe, 12 m CMP)		l.m.	66		
E	Assiniboine Park Outfall Replacement (AS	<u>6-43)</u>			Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F	Cornish Outfall Replacement (AS-86B)					
F1	Site Development and Restoration	E11	lump	1		
F2	Removals	E16	sum			
	a) 900 mm diameter concrete pipe		l.m.	2		
	b) 760 mm diameter CMP		l.m.	20		
		0111 0100				
F3	Abandoning Existing Sewers With Cement- Stabilized Flowable Fill	CW 2130	m ³	10		
F4	Supply and Installation of Outfall Pipe	E16				
	a) 900 mm diameter CMP (2.8 mm) c/w polymer coating, Class B Type 3 Bedding, Class 4 Backfill		l.m.	31.4		
F5	Construction of Angled Concrete Collar	E19				
	a) 900 mm diameter		each	1		
F6	Geotextile	E21	m^2	35		
F7	Rockfill Riprap	E15	tonne	70		
F8	Riverbank Regrading	E20	m^3	80		
F9	Straw Mulch	E28	m^2	300		
F10	Sodding	CW 3510-R9				
	a) width > or = 600 mm		m²	200		
F11	Topsoil and Seeding (Native Grass Seed Mix)	E22	m²	200		
F12	Installation of SIt Fence	E12	l.m.	40		
F13	Sewer Inspection	E24				
	a) 900 diameter outfall (21 m concrete pipe, 31 m CMP)		l.m.	52		
F	Cornish Outfall Replacement (AS-86B)				Subtotal:	

		UNIT PRICE	<u> </u>			
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
G	Sadler Outfall Replacement (SE-44)					
G1	Site Development and Restoration	E11	lump sum	1		
G2	Removals	E16	Sum			
	a) 900 mm diameter concrete pipe		l.m.	8.2		
	b) 1050 mm diameter CMP		l.m.	13.2		
	c) SD-011 manhole (approximately 4.3 m depth)		each	1		
G3	Supply and Installation of Outfall Pipe	E16				
	a) 1050 mm diameter CMP (2.8 mm) c/w polymer coating, Class B Type 3 Bedding, Class 4 Backfill		l.m.	21.4		
G4	Supply and Install Manhole	CW 2130				
	SD-011, 1200 mm base		vert. m	4.4		
G5	Connect Existing 900mm diameter concrete pipe to new manhole		each	1		
G6	Connect new 1050 diameter CMP to new manhole		each	1		
G7	Construction of Concrete Collar	E19				
	i. 1050 mm diameter		each	1		
G8	Geotextile	E21	m ²	40		
G9	Rockfill Riprap	E15	tonne	75		
G10	Tree Removal	E13				
	a) 50 mm to 250 mm diameter		each	2		
	a) 250 mm to 250 mm diameter		each	1		
G11	Tree Revegation	E22				
	a) Manitoba Maple		each	3		
	b) Green Ash		each	3		
	b) American Elm		each	3		
G12	Riverbank Regrading	E20	m ³	450		
C13	Straw Mulch	E28	m ²	350		
G14	Topsoil and Seeding (Native Grass Seed Mix)	E22	m ²	220		

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
G15	Installation of Slt Fence	E12	l.m.	40		
G16	Sewer Inspection	E24				
	a) 900 diameter outfall (84 m concrete pipe, 21 m CMP)		l.m.	84		
G	Sadler Outfall Replacement (SE-44)				Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	<u>Summary</u>					
Α	A Bishop Grandin Outfall Repair (RR-21)		Subtotal:			
В	Marion Outfall Lining (RR-51)				Subtotal:	
С	Pritchard Outfall Replacement (RR-75)				Subtotal:	
D	Ridgedale Outfall Repair (AS-26)		Subtotal:			
Е	Assiniboine Park Outfall Replacement (AS	-43)			Subtotal:	
F	Cornish Outfall Replacement (AS-86B)				Subtotal:	
G	Sadler Outfall Replacement (SE-44)				Subtotal:	

TOTAL BID PRICE (GST extra)	(in figures)	
(in words)			
,			
•			

(Seal)

Template Version: C120150806- C BCivil

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B13)

BID BOND

KNOW ALL MEN BY THESE PRESENTS 1	THAT	
(hereinafter called the "Principal") and		
called the "Obligee") in the sum of ten per	and firmly bound unto THE CITY OF WINNIPEG cent (10%) of the Total Bid Price set out in the Bid Principal and Surety bind themselves, their heir ontly and severally, firmly by these presents.	d hereinafter
WHEREAS the Principal has submitted a B	id to the Obligee for	
BID OPPORTUNITY NO. 975-2016		
2017 OUTFALL RENEWAL AND REHABIL	ITATION	
as more fully set out in the Bid Opportunity.		
if said Bid is accepted and the Principal, in a the said Obligee and furnishes the required	ligation is such that if the Bid of the Principal is not accordance with the terms of the Bid, enters into a performance security for guaranteeing the faithful, but otherwise shall remain in full force and effect.	Contract with
IN WITNESS WHEREOF the Principal and	Surety have signed and sealed this bond the	
day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal)	(Soci)
(Witness as to Principal if no seal)	Per:	(Seal)
	(Name of Surety)	

Ву:

(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B13)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on ______, 20____ for BID OPPORTUNITY NO. 975-2016 2017 OUTFALL RENEWAL AND REHABILITATION in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this ______ day of ______ , 20_____ . (Name of Surety) By: ____(Attorney-in-Fact) (Seal)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B13)

(Date)	
Corpo Materi 185 Ki	ity of Winnipeg rate Finance Department als Management Division ing Street, Main Floor peg MB R3B 1J1
RE:	BID SECURITY - BID OPPORTUNITY NO. 975-2016
	2017 OUTFALL RENEWAL AND REHABILITATION
Pursua	ant to the request of and for the account of our customer,
(Name	of Bidder)
	EREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding aggregate
	Canadian dollars.
demar Letter payme	Standby Letter of Credit may be drawn on by you at any time and from time to time upon written and for payment made upon us by you. It is understood that we are obligated under this Standby of Credit for the payment of monies only and we hereby agree that we shall honour your demand for ent without inquiring whether you have a right as between yourself and our customer to make such and without recognizing any claim of our customer or objection by the customer to payment by us.
	mount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon ou or by formal notice in writing given to us by you if you desire such reduction or are willing that it be
Partial	drawings are permitted.
	ngage with you that all demands for payment made within the terms and currency of this Standby of Credit will be duly honoured if presented to us at:
(Addres	s)
and w	e confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B13)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on January 22, 2017.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name	of bank or financial institution)
Per:	
	(Authorized Signing Officer)
Per:	
	(Authorized Signing Officer)