A1 SIZE – 594mm x 841mm

ROOM FINISH SCHEDULE

RM NO.	NAME
K-101	STAIR
K-102	LOADING AREA
K-103	BALLAST PIT
K-104	BALLAST ROOM
K-105	WALKWAY
K-106	MECHANICAL ROOM
K-107	JANITOR'S ROOM
K-108	ELECTRICAL ROOM
K-109	CLARIFIER ROOM
K-110	SUMP ACCESS ROOM



GROUND FLOOR PLAN

1:100

0 1000 2000 3000 4000 5000

NOTES:

1. FOR PIPE/DUCT PENETRATIONS SEE DETAILS (1,2,3,4) BDTL-A003
2. PATTERN/HATCHING OF WATER/LIQUID IS FOR CLARIFICATION PURPOSES ONLY TO INDICATE AND DIFFERENTIATE WATER/LIQUID CONTAINING STRUCTURES FROM REMAINDER OF BUILDING AREAS. IT DOES NOT REPRESENT ACTUAL LEVEL, VOLUME OR EXTENT OF WATER/LIQUID IN THESE AREAS. REFER TO PROCESS MECHANICAL FOR SUCH REQUIREMENTS.
3. DENOTES EXTENT OF FIRE RATED SEPARATION HR
4. DENOTES EXTENT OF FIRE WALL HR
5. PROVIDE ABRASIVE NOSING INSERTS ON CONCRETE STAIRS. REFER TO STRUCTURAL STANDARD DETAILS.
6. SEE SITE PLAN FOR BOLLARD LOCATIONS.
7. ACOUSTICAL WALL PANELS: SEE SIZE AND QUANTITY ON PLAN. COORDINATE LOCATION WITH ELECTRICAL, PROCESS, STRUCTURAL AND HVAC EQUIPMENT.
8. FOR ACOUSTICAL CEILING PANELS, SEE DWG 5/BGAD-C004.



KEY PLAN NTS

APEGM Certificate of Authorization CH2M HILL Canada Ltd. No. 1441

NO.	REVISIONS	DATE	DESIGN	CHECK
00	ISSUED FOR CONSTRUCTION – 976-2016	2017/04/05	R.B.	J.C.

CH2MHILL CANADA Architects Inc.

SNC·LAVALIN KGS GROUP CONSULTING ENGINEERS

DESIGNED BY: R. ZAKKO	CHECKED BY: B. KOLIS-HUPA
DRAWN BY: R. BATHAN	APPROVED BY: H.T. FRIEHAMMER
SCALE: 1:100	ISSUED FOR CONSTRUCTION BY: J. SHUMKA
DATE: 2017/04/05	DATE: 2017/04/05

CONSULTANT NO.: 474248

ENGINEER'S SEAL: PROVINCE OF MANITOBA REID ZAKKO 04-05-2017 REGISTERED ARCHITECT

Winnipeg THE CITY OF WINNIPEG WATER AND WASTE DEPARTMENT

SOUTH END WATER POLLUTION CONTROL CENTRE
SEWPCC UPGRADING/EXPANSION PROJECT
BUILDING
HIGH RATE CLARIFICATION BUILDING
GROUND FLOOR PLAN

CITY DRAWING NUMBER	SHEET	REV.	SIZE
1-0102-BGAD-K002	001	00	A1

PLOT DATE: 2017\03\30

FILE NAME:

©CH2M HILL 2017. ALL RIGHTS RESERVED.