

FORM A: BID
(See B8)

1. Contract Title 2017 LOCAL IMPROVEMENTS

2. Bidder

Name of Bidder

Usual Business Name of Bidder as it appears on Invoice (if different from above)

Street

City

Province

Postal Code

Email Address of Bidder

Facsimile Number

(Mailing address if different)

Street or P.O. Box

City

Province

Postal Code

(Choose one)

The Bidder is:

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

Contact Person

Title

Telephone Number

Facsimile Number

4. Definitions

All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions

5. Offer

The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

6. Bid Security In accordance with B11.1, the Bidder encloses bid security in the form of:

(Choose one)

- a bid bond (Form G1: Bid Bond and Agreement to Bond)
- an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- a certified cheque or draft

and agrees that it shall be held by the City in accordance with the Contract.

7. Execution of Contract The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.

8. Commencement of the Work The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.

9. Contract The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.

10. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No.		Dated	
_____		_____	_____
_____		_____	_____
_____		_____	_____

11. Time This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

12. Signatures

The Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____, 20_____ .

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 1 SURFACE WORKS						
A	<u>Birchdale Ave. / Lawndale Ave. Alley - Bounded by Birchdale Ave., Lawndale Ave., Coniston St. and Highfield St.</u>					
	EARTH AND BASE WORKS					
A.1	Excavation	CW 3110-R19, E.16	m ³	425.0		
A.2	Sub-Grade Compaction	CW 3110-R19, E.16	m ²	850.0		
A.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm - Limestone		tonne	586.5		
A.4	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m ³	63.5		
A.5	Grading of Boulevards	CW 3110-R19	m ²	10.0		
A.6	Separation Geotextile Fabric	CW 3130-R4	m ²	850.0		
A.7	Preparation of Existing Roadway	CW 3150-R4	m ²	92.0		
A.8	Surfacing Material	CW 3150-R4				
i)	Limestone		tonne	21.0		
A.9	Supply and Placing Approach Surfacing Material	E.17	tonne	36.0		
	ROADWORKS - RENEWALS					
A.10	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m ²	44.5		
ii)	Asphalt Pavement		m ²	7.5		
A.11	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m ²	45.0		
A.12	Construction of Asphaltic Concrete Overlay	CW 3410-R11				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	5.0		
	ROADWORKS - NEW CONSTRUCTION					
A.13	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R17				
i)	Construction of 150 mm Concrete Pavement for Early Opening 72 Hour (Reinforced)		m ²	24.5		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.14	Construction of Asphaltic Concrete Pavements	CW 3410-R11				
i)	Main Line Paving					
a)	Type IA		tonne	89.5		
A.15	Construction of Asphaltic Concrete Base Course (Type III)	CW 3410-R11	tonne	132.5		
LANDSCAPING						
A.16	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m ²	10.0		
A	<u>Birchdale Ave. / Lawndale Ave. Alley - Bounded by Birchdale Ave., Lawndale Ave., Coniston St. and Highfield St.</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B	<u>Calrossie Blvd. / Byng Pl. Alley - Bounded by Calrossie Blvd., Byng Pl., Pembina Hwy. and Riverside Dr.</u>					
	EARTH AND BASE WORKS					
B.1	Excavation	CW 3110-R19, E.16	m ³	771.5		
B.2	Sub-Grade Compaction	CW 3110-R19, E.16	m ²	1465.0		
B.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm - Limestone		tonne	1010.5		
B.4	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m ³	110.0		
B.5	Grading of Boulevards	CW 3110-R19	m ²	85.0		
B.6	Separation Geotextile Fabric	CW 3130-R4	m ²	1464.0		
B.7	Preparation of Existing Roadway	CW 3150-R4	m ²	180.0		
B.8	Surfacing Material	CW 3150-R4				
i)	Limestone		tonne	26.5		
B.9	Supply and Placing Approach Surfacing Material	E.17	tonne	88.0		
	ROADWORKS - RENEWALS					
B.10	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m ²	34.5		
ii)	Asphalt Pavement		m ²	14.0		
B.11	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m ²	34.5		
B.12	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m ²	2.5		
B.13	Construction of Asphaltic Concrete Overlay	CW 3410-R11				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	3.5		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORKS - NEW CONSTRUCTION					
B.14	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R17				
i)	Construction of 150 mm Concrete Pavement for Early Opening 72 Hour (Reinforced)		m ²	103.5		
B.15	Construction of Asphaltic Concrete Pavements	CW 3410-R11				
i)	Main Line Paving					
a)	Type IA		tonne	151.0		
B.16	Construction of Asphaltic Concrete Base Course (Type III)	CW 3410-R11	tonne	219.5		
	LANDSCAPING					
B.17	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m ²	85.0		
B	<u>Calrossie Blvd. / Byng Pl. Alley - Bounded by Calrossie Blvd., Byng Pl., Pembina Hwy. and Riverside Dr.</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C	<u>Claremont Ave. / Monck Ave. Alley - Bounded by Claremont Ave., Monck Ave., Highfield St. and Kirkdale St.</u>					
	EARTH AND BASE WORKS					
C.1	Excavation	CW 3110-R19, E.16	m ³	468.5		
C.2	Sub-Grade Compaction	CW 3110-R19, E.16	m ²	937.5		
C.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm - Limestone		tonne	647.0		
C.4	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m ³	70.5		
C.5	Grading of Boulevards	CW 3110-R19	m ²	10.0		
C.6	Separation Geotextile Fabric	CW 3130-R4	m ²	937.5		
C.7	Preparation of Existing Roadway	CW 3150-R4	m ²	106.0		
C.8	Surfacing Material	CW 3150-R4				
i)	Limestone		tonne	14.0		
C.9	Supply and Placing Approach Surfacing Material	E17	tonne	49.0		
	ROADWORKS - RENEWALS					
C.10	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m ²	113.0		
C.11	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m ²	113.0		
	ROADWORKS - NEW CONSTRUCTION					
C.12	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R17				
i)	Construction of 150 mm Concrete Pavement for Early Opening 72 Hour (Reinforced)		m ²	49.0		
C.13	Construction of Asphaltic Concrete Pavements	CW 3410-R11				
i)	Main Line Paving					
a)	Type IA		tonne	97.0		
C.14	Construction of Asphaltic Concrete Base Course (Type III)	CW 3410-R11	tonne	142.0		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.15	LANDSCAPING Sodding	CW 3510-R9				
i)	width > or = 600 mm		m ²	10.0		
C	<u>Claremont Ave. / Monck Ave. Alley - Bounded by Claremont Ave., Monck Ave., Highfield St. and Kirkdale St.</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D	<u>Rue Dumoulin / Provencher Blvd. Alley - Bounded by Rue Dumoulin., Provencher Blvd., Rue Langevin. and Rue St Jean Baptiste.</u>					
	EARTH AND BASE WORKS					
D.1	Excavation	CW 3110-R19, E.16	m ³	577.5		
D.2	Sub-Grade Compaction	CW 3110-R19, E.16	m ²	1154.5		
D.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm - Limestone		tonne	796.5		
D.4	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m ³	87.0		
D.5	Grading of Boulevards	CW 3110-R19	m ²	10.0		
D.6	Separation Geotextile Fabric	CW 3130-R4	m ²	1154.2		
D.7	Preparation of Existing Roadway	CW 3150-R4	m ²	129.5		
D.8	Surfacing Material	CW 3150-R4				
i)	Limestone		tonne	5.5		
D.9	Supply and Placing Approach Surfacing Material	E.17	tonne	39.5		
	ROADWORKS - RENEWALS					
D.10	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m ²	119.5		
ii)	Asphalt Pavement		m ²	77.5		
D.11	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m ²	119.5		
D.12	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m ²	2.0		
D.13	Supply of Precast Sidewalk Blocks	CW 3235-R9	m ²	2.0		
D.14	Removal of Precast Sidewalk Blocks	CW 3235-R9	m ²	2.0		
D.15	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m ²	10.0		
D.16	Construction of Asphaltic Concrete Overlay	CW 3410-R11				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	20.0		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORKS - NEW CONSTRUCTION					
D.17	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R17				
i)	Construction of 150 mm Concrete Pavement for Early Opening 72 Hour (Reinforced)		m ²	73.5		
D.18	Construction of Asphaltic Concrete Pavements	CW 3410-R11				
i)	Main Line Paving					
a)	Type IA		tonne	117.5		
D.19	Construction of Asphaltic Concrete Base Course (Type III)	CW 3410-R11	tonne	163.5		
	LANDSCAPING					
D.20	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m ²	10.0		
D	<u>Rue Dumoulin / Provencher Blvd. Alley - Bounded by Rue Dumoulin., Provencher Blvd., Rue Langevin. and Rue St Jean Baptiste.</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E	<u>Havelock Ave. / Portland Ave. Alley - Bounded by Havelock Ave., Portland Ave., St George Rd. and St Andrew Rd.</u>					
	EARTH AND BASE WORKS					
E.1	Excavation	CW 3110-R19, E.16	m ³	464.5		
E.2	Sub-Grade Compaction	CW 3110-R19, E.16	m ²	929.0		
E.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm - Limestone		tonne	641.0		
E.4	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m ³	70.0		
E.5	Separation Geotextile Fabric	CW 3130-R4	m ²	929.0		
E.6	Preparation of Existing Roadway	CW 3150-R4	m ²	115.0		
E.7	Surfacing Material	CW 3150-R4				
i)	Limestone		tonne	31.0		
E.8	Supply and Placing Approach Surfacing Material	E.17	tonne	120.0		
	ROADWORKS - RENEWALS					
E.9	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m ²	35.5		
ii)	Asphalt Pavement		m ²	41.5		
E.10	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m ²	35.5		
E.11	Construction of Asphaltic Concrete Overlay	CW 3410-R11				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	10.5		
	ROADWORKS - NEW CONSTRUCTION					
E.12	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R17				
i)	Construction of 150 mm Concrete Pavement for Early Opening 72 Hour (Reinforced)		m ²	21.5		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E.13	Construction of Asphaltic Concrete Pavements	CW 3410-R11				
i)	Main Line Paving					
a)	Type IA		tonne	94.5		
E.14	Construction of Asphaltic Concrete Base Course (Type III)	CW 3410-R11	tonne	140.0		
E	<u>Havelock Ave. / Portland Ave. Alley - Bounded by Havelock Ave., Portland Ave., St George Rd. and St Andrew Rd.</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F	<u>Lawndale Ave. / Ferndale Ave. Alley - Bounded by Lawndale Ave., Ferndale Ave., Highfield St. and Kirkdale St.</u>					
	EARTH AND BASE WORKS					
F.1	Excavation	CW 3110-R19, E.16	m ³	472.0		
F.2	Sub-Grade Compaction	CW 3110-R19, E.16	m ²	943.5		
F.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm - Limestone		tonne	651.0		
F.4	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m ³	71.0		
F.5	Grading of Boulevards	CW 3110-R19	m ²	12.0		
F.6	Separation Geotextile Fabric	CW 3130-R4	m ²	943.5		
F.7	Preparation of Existing Roadway	CW 3150-R4	m ²	106.0		
F.8	Surfacing Material	CW 3150-R4				
i)	Limestone		tonne	23.5		
F.9	Supply and Placing Approach Surfacing Material	E.17	tonne	60.5		
	ROADWORKS - RENEWALS					
F.10	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m ²	61.0		
ii)	Asphalt Pavement		m ²	21.5		
F.11	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m ²	61.0		
F.12	Construction of Asphaltic Concrete Overlay	CW 3410-R11				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	5.5		
	ROADWORKS - NEW CONSTRUCTION					
F.13	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R17				
i)	Construction of 150 mm Concrete Pavement for Early Opening 72 Hour (Reinforced)		m ²	49.0		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F.14	Construction of Asphaltic Concrete Pavements	CW 3410-R11				
i)	Main Line Paving					
a)	Type IA		tonne	97.0		
F.15	Construction of Asphaltic Concrete Base Course (Type III)	CW 3410-R11	tonne	140.5		
LANDSCAPING						
F.16	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m ²	12.0		
F	<u>Lawndale Ave. / Ferndale Ave. Alley - Bounded by Lawndale Ave., Ferndale Ave., Highfield St. and Kirkdale St.</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
G	<u>Somerville Ave. / Somerset Ave. Alley - Bounded by Somerville Ave., Somerset Ave., Point Rd. and Riverside Dr.</u>					
	EARTH AND BASE WORKS					
G.1	Excavation	CW 3110-R19, E.16	m ³	611.0		
G.2	Sub-Grade Compaction	CW 3110-R19, E.16	m ²	1194.5		
G.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm - Limestone		tonne	841.0		
G.4	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m ³	91.5		
G.5	Grading of Boulevards	CW 3110-R19	m ²	31.5		
G.6	Separation Geotextile Fabric	CW 3130-R4	m ²	1194.5		
G.7	Preparation of Existing Roadway	CW 3150-R4	m ²	153.5		
G.8	Surfacing Material	CW 3150-R4				
i)	Limestone		tonne	27.0		
G.9	Supply and Placing Approach Surfacing Material	E.17	tonne	65.5		
	ROADWORKS - RENEWALS					
G.10	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m ²	43.5		
G.11	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m ²	43.5		
G.12	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m ²	10.0		
	ROADWORKS - NEW CONSTRUCTION					
G.13	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R17				
i)	Construction of 150 mm Concrete Pavement for Early Opening 72 Hour (Reinforced)		m ²	53.5		
G.14	Construction of Asphaltic Concrete Pavements	CW 3410-R11				
i)	Main Line Paving					
a)	Type IA		tonne	251.5		
G.15	Construction of Asphaltic Concrete Base Course (Type III)	CW 3410-R11	tonne	246.5		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
G.16	LANDSCAPING Sodding	CW 3510-R9				
i)	width > or = 600 mm		m ²	31.5		
G	<u>Somerville Ave. / Somerset Ave. Alley - Bounded by Somerville Ave., Somerset Ave., Point Rd. and Riverside Dr.</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 2 CITY OF WINNIPEG WORK						
H	<u>Birchdale Ave. / Lawndale Ave. Alley - City of Winnipeg Work</u>					
	EARTH AND BASE WORKS					
H.1	Excavation	CW 3110-R19, E.16	m ³	16.0		
H.2	Sub-Grade Compaction	CW 3110-R19, E.16	m ²	32.0		
H.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm - Limestone		tonne	22.0		
H.4	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m ³	2.5		
H.5	Separation Geotextile Fabric	CW 3130-R4	m ²	32.0		
	ROADWORKS - RENEWALS					
H.6	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m ²	32.0		
H.7	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m ²	32.0		
H.8	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	13.0		
H.9	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	13.0		
H.10	Concrete Curb Installation	CW 3240-R10				
i)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	14.0		
H.11	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (180 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	6.0		
H	<u>Birchdale Ave. / Lawndale Ave. Alley - City of Winnipeg Work</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
I	<u>Calrossie Blvd. / Byng Pl. Alley - City of Winnipeg Work</u>					
	EARTH AND BASE WORKS					
I.1	Excavation	CW 3110-R19, E.16	m ³	12.0		
I.2	Sub-Grade Compaction	CW 3110-R19, E.16	m ²	103.5		
I.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm - Limestone		tonne	71.5		
I.4	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m ³	8.0		
I.5	Separation Geotextile Fabric	CW 3130-R4	m ²	103.5		
	ROADWORKS - RENEWALS					
I.6	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m ²	24.0		
ii)	Asphalt Pavement		m ²	10.5		
I.7	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m ²	103.5		
I.8	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	32.0		
I.9	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	32.0		
I.10	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m ²	6.0		
I.11	Concrete Curb Removal	CW 3240-R10				
i)	Barrier Separate		m	4.5		
I.12	Concrete Curb Installation	CW 3240-R10				
i)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	8.5		
ii)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229A,B,C	m	2.4		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
I.13	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (180 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	6.0		
I.14	Construction of Asphaltic Concrete Overlay	CW 3410-R11				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	5.0		
	LANDSCAPING					
I.15	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m ²	30.5		
I	<u>Calrossie Blvd. / Byng Pl. Alley - City of Winnipeg Work</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT	
J	<u>Claremont Ave. / Monck Ave. Alley - City of Winnipeg Work</u>						
	EARTH AND BASE WORKS						
J.1	Excavation	CW 3110-R19, E.16	m ³	30.5			
J.2	Sub-Grade Compaction	CW 3110-R19, E.16	m ²	60.5			
J.3	Crushed Sub-base Material	CW 3110-R19					
i)	50 mm - Limestone		tonne	41.5			
J.4	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m ³	4.5			
J.5	Separation Geotextile Fabric	CW 3130-R4	m ²	60.5			
	ROADWORKS - RENEWALS						
J.6	Pavement Removal	CW 3110-R19					
i)	Concrete Pavement		m ²	79.0			
J.7	Slab Replacement - Early Opening (72 hour)	CW 3230-R8					
i)	150 mm Concrete Pavement (Reinforced)		m ²	79.0			
J.8	Drilled Dowels	CW 3230-R8					
i)	19.1 mm Diameter		each	32.0			
J.9	Drilled Tie Bars	CW 3230-R8					
i)	20 M Deformed Tie Bar		each	32.0			
J.10	Concrete Curb Removal	CW 3240-R10					
i)	Barrier Separate		m	10.0			
J.11	Concrete Curb Installation	CW 3240-R10					
i)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	11.0			
J.12	Concrete Curb Renewal	CW 3240-R10					
i)	Barrier (180 mm reveal ht, Dowelled)	SD-205, SD-206A					
a)	Less than 3 m		m	4.0			
J	<u>Claremont Ave. / Monck Ave. Alley - City of Winnipeg Work</u>					Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
K	<u>Rue Dumoulin / Provencher Blvd. Alley - City of Winnipeg Work</u>					
	EARTH AND BASE WORKS					
K.1	Excavation	CW 3110-R19, E.16	m ³	39.0		
K.2	Sub-Grade Compaction	CW 3110-R19, E.16	m ²	78.0		
K.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm - Limestone		tonne	54.0		
K.4	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m ³	6.0		
K.5	Separation Geotextile Fabric	CW 3130-R4	m ²	78.0		
	ROADWORKS - RENEWALS					
K.6	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m ²	78.0		
K.7	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m ²	78.0		
K.8	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	31.0		
K.9	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	31.0		
K.10	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m ²	18.5		
K.11	Concrete Curb Installation	CW 3240-R10				
i)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	28.0		
ii)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229A,B,C	m	10.0		
K.12	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (180 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	8.0		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
K.13	LANDSCAPING Sodding	CW 3510-R9				
i)	width > or = 600 mm		m ²	44.5		
K	<u>Rue Dumoulin / Provencher Blvd. Alley - City of Winnipeg Work</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
L	<u>Havelock Ave. / Portland Ave. Alley - City of Winnipeg Work</u>					
	EARTH AND BASE WORKS					
L.1	Excavation	CW 3110-R19, E.16	m ³	30.5		
L.2	Sub-Grade Compaction	CW 3110-R19, E.16	m ²	60.5		
L.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm - Limestone		tonne	41.5		
L.4	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m ³	4.5		
L.5	Separation Geotextile Fabric	CW 3130-R4	m ²	60.5		
	ROADWORKS - RENEWALS					
L.6	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m ²	60.5		
L.7	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m ²	60.5		
L.8	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	28.0		
L.9	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	28.0		
L.10	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m ²	6.0		
L.11	Concrete Curb Removal	CW 3240-R10				
i)	Barrier Separate		m	6.0		
L.12	Concrete Curb Installation	CW 3240-R10				
i)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	18.0		
ii)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229A,B,C	m	4.8		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
L.13	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (180 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	8.0		
	LANDSCAPING					
L.14	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m ²	3.5		
L	<u>Havelock Ave. / Portland Ave. Alley - City of Winnipeg Work</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT	
M	<u>Lawndale Ave. / Ferndale Ave. Alley - City of Winnipeg Work</u>						
	EARTH AND BASE WORKS						
M.1	Excavation	CW 3110-R19, E.16	m ³	37.0			
M.2	Sub-Grade Compaction	CW 3110-R19, E.16	m ²	74.0			
M.3	Crushed Sub-base Material	CW 3110-R19					
i)	50 mm - Limestone		tonne	51.5			
M.4	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m ³	6.0			
M.5	Separation Geotextile Fabric	CW 3130-R4	m ²	74.0			
	ROADWORKS - RENEWALS						
M.6	Pavement Removal	CW 3110-R19					
i)	Concrete Pavement		m ²	74.0			
ii)	Asphalt Pavement		m ²	10.0			
M.7	Slab Replacement - Early Opening (72 hour)	CW 3230-R8					
i)	150 mm Concrete Pavement (Reinforced)		m ²	74.0			
M.8	Drilled Dowels	CW 3230-R8					
i)	19.1 mm Diameter		each	48.0			
M.9	Drilled Tie Bars	CW 3230-R8					
i)	20 M Deformed Tie Bar		each	48.0			
M.10	Concrete Curb Installation	CW 3240-R10					
i)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	7.5			
M	<u>Lawndale Ave. / Ferndale Ave. Alley - City of Winnipeg Work</u>					Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
N	<u>Somerville Ave. / Somerset Ave. Alley - City of Winnipeg Work</u>					
	EARTH AND BASE WORKS					
N.1	Excavation	CW 3110-R19, E.16	m ³	50.5		
N.2	Sub-Grade Compaction	CW 3110-R19, E.16	m ²	100.9		
N.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm - Limestone		tonne	72.0		
N.4	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m ³	8.0		
N.5	Separation Geotextile Fabric	CW 3130-R4	m ²	101.0		
	ROADWORKS - RENEWALS					
N.6	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m ²	101.0		
N.7	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m ²	104.5		
N.8	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	34.0		
N.9	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	34.0		
N.10	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m ²	8.0		
N.11	Concrete Curb Removal	CW 3240-R10				
i)	Barrier Separate		m	14.0		
N.12	Concrete Curb Installation	CW 3240-R10				
i)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	14.0		
N.13	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (180 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	8.0		

 Name of Bidder

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
N.14	LANDSCAPING Sodding	CW 3510-R9				
i)	width > or = 600 mm		m ²	23.5		
N	<u>Somerville Ave. / Somerset Ave. Alley - City of Winnipeg Work</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 3 LAND DRAINAGE SEWER WORK						
O	<u>Birchdale Ave. / Lawndale Ave. Alley - Land Drainage Sewer Work</u>					
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
O.1	Manhole	CW 2130-R12				
i)	SD-010, 1200mm diameter base		vert. m	2.1		
O.2	Catch Basin	CW 2130-R12				
i)	SD-025, 1800 mm deep		each	1.0		
O.3	Land Drainage Sewer	CW 2130-R12				
i)	300 mm, PVC					
a)	Trenchless Installation, Class B Type Sand Bedding, Class 2 Backfill		m	70.1		
O.4	Sewer Inspection	CW2145-R3				
i)	300 mm, PVC		m	70.1		
O.5	Connecting to Existing Sewer	CW 2130-R12				
i)	300 mm (PVC) Connecting Pipe					
a)	Connecting to 750 mm (Concrete) Sewer		each	1.0		
O.6	Installation of Subdrains	CW 3120-R4	m	12.0		
	ADJUSTMENTS					
O.7	Lifter Rings (AP-010)	CW 3210-R8				
i)	51 mm		each	2.0		
O	<u>Birchdale Ave. / Lawndale Ave. Alley - Land Drainage Sewer Work</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT	
P	<u>Calrossie Blvd. / Byng Pl. Alley - Land Drainage Sewer Work</u>						
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS						
P.1	Manhole	CW 2130-R12					
i)	SD-010, 1200mm diameter base		vert. m	3.3			
P.2	Catch Basin	CW 2130-R12					
i)	SD-025, 1800 mm deep		each	4.0			
P.3	Land Drainage Sewer	CW 2130-R12					
i)	300 mm, PVC						
a)	Trenchless Installation, Class B Type Sand Bedding, Class 2 Backfill		m	234.3			
P.4	Sewer Inspection	CW2145-R3					
i)	300 mm, PVC		m	234.3			
P.5	Connecting to Existing Sewer	CW 2130-R12					
i)	300 mm (PVC) Connecting Pipe						
a)	Connecting to 450 mm (Concrete) Sewer		each	1.0			
P.6	Installation of Subdrains	CW 3120-R4	m	48.0			
	ADJUSTMENTS						
P.7	Catchbasin Risers	CW 2130-R12, E.12					
i)	Pre-cast Concrete Risers		vert. m	2.4			
P.8	Lifter Rings (AP-010)	CW 3210-R8					
i)	51 mm		each	5.0			
P	<u>Calrossie Blvd. / Byng Pl. Alley - Land Drainage Sewer Work</u>					Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Q	<u>Claremont Ave. / Monck Ave. Alley - Land Drainage Sewer Work</u>					
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
Q.1	Manhole	CW 2130-R12				
i)	SD-010, 1200mm diameter base		vert. m	3.4		
Q.2	Catch Basin	CW 2130-R12				
i)	SD-025, 1800 mm deep		each	2.0		
Q.3	Land Drainage Sewer	CW 2130-R12				
i)	200 mm, PVC					
a)	Trenchless Installation, Class B Type Sand Bedding, Class 2 Backfill		m	14.2		
ii)	300 mm, PVC					
a)	Trenchless Installation, Class B Type Sand Bedding, Class 2 Backfill		m	162.5		
Q.4	Sewer Inspection	CW2145-R3				
i)	200 mm, PVC		m	14.2		
ii)	300 mm, PVC		m	162.5		
Q.5	Connecting to Existing Manhole	CW 2130-R12				
i)	200 mm Catch Basin Lead		each	1.0		
Q.6	Installation of Subdrains	CW 3120-R4	m	24.0		
	ADJUSTMENTS					
Q.7	Catchbasin Risers	CW 2130-R12, E.12				
i)	Pre-cast Concrete Risers		vert. m	0.1		
Q.8	Lifter Rings (AP-010)	CW 3210-R8				
i)	51 mm		each	4.0		
Q	<u>Claremont Ave. / Monck Ave. Alley - Land Drainage Sewer Work</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT	
R	<u>Rue Dumoulin / Provencher Blvd. Alley - Land Drainage Sewer Work</u>						
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS						
R.1	Manhole	CW 2130-R12					
i)	SD-010, 1200mm diameter base		vert. m	3.6			
R.2	Catch Basin	CW 2130-R12					
i)	SD-025, 1200 mm deep		each	1.0			
ii)	SD-025, 1800 mm deep		each	2.0			
R.3	Land Drainage Sewer	CW 2130-R12					
i)	300 mm, PVC						
a)	Trenchless Installation, Class B Type Sand Bedding, Class 2 Backfill		m	191.0			
R.4	Sewer Inspection	CW2145-R3					
i)	300 mm, PVC		m	191.0			
R.5	Connecting to Existing Manhole	CW 2130-R12					
i)	300 mm Catch Basin Lead		each	1.0			
R.6	Installation of Subdrains	CW 3120-R4	m	36.0			
	ADJUSTMENTS						
R.7	Catchbasin Risers	CW 2130-R12, E.12					
i)	Pre-cast Concrete Risers		vert. m	0.2			
R.8	Lifter Rings (AP-010)	CW 3210-R8					
i)	51 mm		each	4.0			
R	<u>Rue Dumoulin / Provencher Blvd. Alley - Land Drainage Sewer Work</u>					Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT	
S	<u>Havelock Ave. / Portland Ave. Alley - Land Drainage Sewer Work</u>						
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS						
S.1	Remove and Replace Existing Catch Basin	CW 2130-R12					
i)	SD-025		each	1.0			
S.2	Installation of Subdrains	CW 3120-R4	m	12.0			
	ADJUSTMENTS						
S.3	Lifter Rings (AP-010)	CW 3210-R8					
i)	51 mm		each	1.0			
S	<u>Havelock Ave. / Portland Ave. Alley - Land Drainage Sewer Work</u>					Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
T	<u>Lawndale Ave. / Ferndale Ave. Alley - Land Drainage Sewer Work</u>					
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
T.1	Manhole	CW 2130-R12				
i)	SD-010, 1200mm diameter base		vert. m	4.5		
T.2	Catch Basin	CW 2130-R12				
i)	SD-025, 1800 mm deep		each	2.0		
T.3	Land Drainage Sewer	CW 2130-R12				
i)	300 mm, PVC					
a)	Trenchless Installation, Class B Type Sand Bedding, Class 2 Backfill		m	171.7		
T.4	Sewer Inspection	CW2145-R3				
i)	300 mm, PVC		m	171.7		
T.5	Connecting to Existing Manhole	CW 2130-R12				
i)	300 mm Catch Basin Lead		each	1.0		
T.6	Installation of Subdrains	CW 3120-R4	m	24.0		
T.7	Outlet Flow Restrictor	CW 2130-R12, E.11				
i)	200mm		each	1.0		
	ADJUSTMENTS					
T.8	Catchbasin Risers	CW 2130-R12, E.12				
i)	Pre-cast Concrete Risers		vert. m	0.3		
T.9	Lifter Rings (AP-010)	CW 3210-R8				
i)	51 mm		each	3.0		
T	<u>Lawndale Ave. / Ferndale Ave. Alley - Land Drainage Sewer Work</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
U	<u>Somerville Ave. / Somerset Ave. Alley - Land Drainage Sewer Work</u>					
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
U.1	Manhole	CW 2130-R12				
i)	SD-010, 1200mm diameter base		vert. m	2.7		
U.2	Catch Basin	CW 2130-R12				
i)	SD-025, 1800 mm deep		each	2.0		
U.3	Land Drainage Sewer	CW 2130-R12				
i)	300 mm, PVC					
a)	Trenchless Installation, Class B Type Sand Bedding, Class 2 Backfill		m	179.0		
U.4	Sewer Inspection	CW2145-R3				
i)	300 mm, PVC		m	179.0		
U.5	Connecting to Existing Sewer	CW 2130-R12				
i)	300 mm (PVC) Connecting Pipe					
a)	Connecting to 750 mm (Concrete) Sewer		each	1.0		
U.6	Installation of Subdrains	CW 3120-R4	m	24.0		
	ADJUSTMENTS					
U.7	Catchbasin Risers	CW 2130-R12, E.12				
i)	Pre-cast Concrete Risers		vert. m	0.5		
U.8	Lifter Rings (AP-010)	CW 3210-R8				
i)	51 mm		each	3.0		
U	<u>Somerville Ave. / Somerset Ave. Alley - Land Drainage Sewer Work</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
SUMMARY						
PART 1 SURFACE WORKS						
A	<u>Birchdale Ave. / Lawndale Ave. Alley - Bounded by Birchdale Ave., Lawndale Ave., Coniston St. and Highfield St.</u>				Subtotal:	
B	<u>Calrossie Blvd. / Byng Pl. Alley - Bounded by Calrossie Blvd., Byng Pl., Pembina Hwy. and Riverside Dr.</u>				Subtotal:	
C	<u>Claremont Ave. / Monck Ave. Alley - Bounded by Claremont Ave., Monck Ave., Highfield St. and Kirkdale St.</u>				Subtotal:	
D	<u>Rue Dumoulin / Provencher Blvd. Alley - Bounded by Rue Dumoulin., Provencher Blvd., Rue Langevin. and Rue St Jean Baptiste.</u>				Subtotal:	
E	<u>Havelock Ave. / Portland Ave. Alley - Bounded by Havelock Ave., Portland Ave., St George Rd. and St Andrew Rd.</u>				Subtotal:	
F	<u>Lawndale Ave. / Ferndale Ave. Alley - Bounded by Lawndale Ave., Ferndale Ave., Highfield St. and Kirkdale St.</u>				Subtotal:	
G	<u>Somerville Ave. / Somerset Ave. Alley - Bounded by Somerville Ave., Somerset Ave., Point Rd. and Riverside Dr.</u>				Subtotal:	
(total price) PART 1						

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 2 CITY OF WINNIPEG WORK						
H	<u>Birchdale Ave. / Lawndale Ave. Alley - City of Winnipeg Work</u>				Subtotal:	
I	<u>Calrossie Blvd. / Byng Pl. Alley - City of Winnipeg Work</u>				Subtotal:	
J	<u>Claremont Ave. / Monck Ave. Alley - City of Winnipeg Work</u>				Subtotal:	
K	<u>Rue Dumoulin / Provencher Blvd. Alley - City of Winnipeg Work</u>				Subtotal:	
L	<u>Havelock Ave. / Portland Ave. Alley - City of Winnipeg Work</u>				Subtotal:	
M	<u>Lawndale Ave. / Ferndale Ave. Alley - City of Winnipeg Work</u>				Subtotal:	
N	<u>Somerville Ave. / Somerset Ave. Alley - City of Winnipeg Work</u>				Subtotal:	
(total price) PART 2						

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 3 LAND DRAINAGE SEWER WORK						
O	<u>Birchdale Ave. / Lawndale Ave. Alley - Land Drainage Sewer Work</u>				Subtotal:	
P	<u>Calrossie Blvd. / Byng Pl. Alley - Land Drainage Sewer Work</u>				Subtotal:	
Q	<u>Claremont Ave. / Monck Ave. Alley - Land Drainage Sewer Work</u>				Subtotal:	
R	<u>Rue Dumoulin / Provencher Blvd. Alley - Land Drainage Sewer Work</u>				Subtotal:	
S	<u>Havelock Ave. / Portland Ave. Alley - Land Drainage Sewer Work</u>				Subtotal:	
T	<u>Lawndale Ave. / Ferndale Ave. Alley - Land Drainage Sewer Work</u>				Subtotal:	
U	<u>Somerville Ave. / Somerset Ave. Alley - Land Drainage Sewer Work</u>				Subtotal:	
(total price) PART 3						
TOTAL BID PRICE (GST extra)				(in figures)		_____

 Name of Bidder

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2)
(See B11)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

_____ (hereinafter called the "Principal") and

_____ (hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 378-2017

2017 LOCAL IMPROVEMENTS

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of _____, 20_____.

SIGNED AND SEALED
in the presence of:

(Witness as to Principal if no seal)

(Name of Principal)

Per: _____ (Seal)

Per: _____

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2)
(See B11)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

_____ of
(Name of Bidder)

(Place)

the Bidder to you on _____, 20____ for

BID OPPORTUNITY NO. 378-2017

2017 LOCAL IMPROVEMENTS

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20_____ .

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 1 of 2)
(See B11)**

(Date)

The City of Winnipeg
Corporate Finance Department
Materials Management Division
185 King Street, Main Floor
Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 378-2017
2017 LOCAL IMPROVEMENTS

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 2 of 2)
(See B11)**

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on August 7, 2017

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name of bank or financial institution)

Per: _____
(Authorized Signing Officer)

Per: _____
(Authorized Signing Officer)