FORM A: BID (See B8)

1.	Contract Title	2017 Industrial Streets P and Various Other Locat	ackage - St. Matthews Avenue ions	e, Bournais Drive
2.	Bidder	Name of Bidder		
		Name of Bidder		
		Usual Business Name of Bidde	er as it appears on Invoice (if different	from above)
		Street		
		City	Province	Postal Code
		Email Address of Bidder		
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		
		carrying on business und	ler the above name.	
3.	Contact Person	The Bidder hereby author the Bidder for purposes of	orizes the following contact pe of the Bid.	erson to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions	All capitalized terms us ascribed to them in the G	sed in the Contract shall ha General Conditions.	ve the meanings
5.	Offer		rs to perform the Work in ac d Price, in Canadian funds, s	

6.	Bid Security	In accordance with B12.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

12.	Signatures	The Bidder or the Bidder's authorized official or officials have signed this
		, 20
		Signature of Bidder or Bidder's Authorized Official or Officials
		(Print here name and official capacity of individual whose signature appears above)
		(Print here name and official capacity of individual whose signature appears above)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Α	BOURNAIS DRIVE - CN REDDITT RAIL LINE RECONSTRUCTION	E TO DUGALD I	ROAD - (<u>CONCRETE</u>		
	EARTH AND BASE WORKS					
. .1	Excavation	CW 3110-R19	m³	3,230		
2	Hydro-Excavation	E12	hours	24		
3	Sub-Grade Compaction	CW 3110-R19	m²	4,340		
\.4	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	1,720		
ii)	150 mm		tonne	5,160		
ı.5	Supplying and Placing Base Course Material	CW 3110-R19	m³	360		
6	Grading of Boulevards	CW 3110-R19	m²	3,170		
7	Imported Fill Material	CW 3110-R19	m³	330		
1.8	Separation Geotextile Fabric	CW 3130-R4	m²	4,340		
9	Supply and Install Geogrid	CW 3135-R1	m²	1,310		
	ROADWORK - REMOVALS/RENEWALS					
.10	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m²	4,100		
ii)	Asphalt Pavement		m²	250		
.11	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	135		
.12	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	880		
13	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	100 mm Sidewalk		m²	10		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
14	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Greater than 20 sq.m.		m²	550		
A.15	Detectable Warning Surface Tiles	CW 3326-R3	each	10		
	ROADWORK - NEW CONSTRUCTION					
\.16	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R17				
i)	Construction of 200 mm Concrete Pavement (Reinforced)		m²	3,660		
ii)	Construction of Monolithic Concrete Median Slabs	SD-226A	m²	90		
iii)	Construction of Monolithic Concrete Bull- noses	SD-227C	m²	10		
\.17	Concrete Pavements for Early Opening	CW 3310-R17				
i)	Construction of 200 mm Concrete Pavement for Early Opening 72 Hour (Reinforced)		m²	280		
\.18	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
i)	Construction of Modified Barrier (180 mm ht, Integral)	SD-203B	m	940		
ii)	Construction of Curb Ramp (8-12 mm ht, Integral)	SD-229C	m	40		
iii)	Construction of Splash Strip, (Separate, 600 mm width)	SD-223B	m	65		
A.19	Construction of Asphaltic Concrete Pavements	CW 3410-R11				
i)	Main Line Paving					
a)	Type IA		tonne	135		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	25		
	JOINT AND CRACK SEALING					
A.20	Reflective Crack Maintenance	CW 3250-R7	m	100		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
	Remove and Replace Existing Catch Basin	CW 2130-R12				
i)	SD-024		each	2		
		CW 2130-R12	eacii	2		
A.22	Remove and Replace Existing Catch Pit	CW 2130-R12				
i)	SD-023		each	4		
A.23	Sewer Service	CW 2130-R12				
i)	250 mm, PVC					
a)	In a Trench, Class 2 Type B Bedding, Class 2 Backfill		m	20		
A.24	Frames & Covers	CW3210-R8				
	AP-006 - Standard Frame for Manhole and Catch Basin		each	1		
,	AP-007 - Standard Solid Cover for Standard Frame		each	1		
A.25	Connecting to Existing Manhole	CW 2130-R12				
i)	250 mm Catch Basin Lead		each	2		
A.26	Connecting to Existing Sewer	CW 2130-R12				
i)	250 mm (Type PVC) Connecting Pipe					
-	Connecting to 450 mm (Type Concrete) Sewer		each	3		
A.27	Installation of Subdrains	CW 3120-R4	m	50		
	ADJUSTMENTS					
	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	6		
A.29	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	1		
A.30	Lifter Rings (AP-010)	CW 3210-R8				
i)	38 mm		each	1		
ii)	51 mm		each	2		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
iii)	64 mm		each	1		
iv)	76 mm		each	1		
A.31	Adjustment of Valve Boxes	CW 3210-R8	each	3		
A.32	Valve Box Extensions	CW 3210-R8	each	3		
A.33	Adjustment of Curb Stop Boxes	CW 3210-R8	each	2		
A.34	Adjustment of Traffic Signal Service Box Frames	CW 3210-R8	each	3		
	LANDSCAPING					
A.35	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	500		
ii)	width > or = 600 mm		m²	2,670		
Α	BOURNAIS DRIVE - CN REDDITT RAIL LINE RECONSTRUCTION	E TO DUGALD I	ROAD - (CONCRETE		
					Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
В	BEGHIN AVENUE - DUGALD ROAD TO DE RECONSTRUCTION	BAETS STREE	T - CON	CRETE		
	EARTH AND BASE WORKS					
B.1	Excavation	CW 3110-R19	m³	4,890		
B.2	Hydro-Excavation	E12	hours	12		
B.3	Sub-Grade Compaction	CW 3110-R19	m²	6,295		
B.4	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	2,720		
ii)	150 mm		tonne	7485		
B.5	Supplying and Placing Base Course Material	CW 3110-R19	m³	550		
B.6	Grading of Boulevards	CW 3110-R19	m²	3,230		
3.7	Imported Fill Material	CW 3110-R19	m³	250		
B.8	Separation Geotextile Fabric	CW 3130-R4	m²	6,295		
B.9	Supply and Install Geogrid	CW 3135-R1	m²	1,890		
	ROADWORK - REMOVALS/RENEWALS					
B.10	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m²	6,295		
3.11	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	225		
B.12	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	970		
3.13	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	5 sq.m. to 20 sq.m.		m²	20		
b)	Greater than 20 sq.m.		m²	330		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
314	Detectable Warning Surface Tiles	CW 3326-R3	each	10		
	ROADWORK - NEW CONSTRUCTION					
B.15	Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians	CW 3310-R17				
i)	Construction of 200 mm Concrete Pavement (Reinforced)		m²	5,800		
ii)	Construction of Concrete Median Slabs	SD-227A	m²	50		
iii)	Construction of Monolithic Concrete Median Slabs	SD-226A	m²	140		
iv)	Construction of Monolithic Concrete Bull- noses	SD-227C	m²	10		
B.16	Concrete Pavements for Early Opening	CW 3310-R17				
i)	Construction of 200 mm Concrete Pavement for Early Opening 72 Hour (Reinforced)		m²	165		
B.17	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
i)	Construction of Modified Barrier (180 mm ht, Integral)	SD-203B	m	1,005		
ii)	Construction of Curb Ramp (8-12 mm ht, Integral)	SD-229C	m	50		
iii)	Construction of Splash Strip, (Separate, 600 mm width)	SD-223B	m	135		
3.18	100 mm Concrete Sidewalk	CW 3325-R5	m²	320		
B.19	Construction of Asphaltic Concrete Pavements	CW 3410-R11				
i)	Tie-ins and Approaches					
а) Type IA		tonne	50		
	JOINT AND CRACK SEALING					
3.20	Reflective Crack Maintenance	CW 3250-R7	m	20		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
B.21	Remove and Replace Existing Catch Basin	CW 2130-R12				

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
i)	SD-024		each	5		
ii)	SD-025		each	1		
B.22	Sewer Service	CW 2130-R12				
i)	250 mm, PVC					
a)	In a Trench, Class 2 Type B Bedding, Class 2 Backfill		m	45		
B.23	Frames & Covers	CW3210-R8				
i)	AP-006 - Standard Frame for Manhole and Catch Basin		each	4		
ii)	AP-007 - Standard Solid Cover for Standard Frame		each	4		
B.24	Connecting to Existing Manhole	CW 2130-R12				
i)	250 mm Catch Basin Lead		each	1		
B.25	Connecting to Existing Sewer	CW 2130-R12				
i)	250 mm (Type PVC) Connecting Pipe					
a)	Connecting to 900 mm (Type Conc) Sewer		each	2		
B.26	Installation of Subdrains	CW 3120-R4	m	75		
	ADJUSTMENTS					
B.27	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	4		
B.28	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	2		
B.29	Lifter Rings (AP-010)	CW 3210-R8				
i)	38 mm		each	1		
ii)	51 mm		each	1		
iii)	64 mm		each	1		
iv)	76 mm		each	1		
B.30	Adjustment of Valve Boxes	CW 3210-R8	each	2		
B.31	Valve Box Extensions	CW 3210-R8	each	2		

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
B.32	Adjustment of Curb Stop Boxes	CW 3210-R8	each	3		
B.33	Adjustment of Traffic Signal Service Box Frames	CW 3210-R8	each	3		
	LANDSCAPING					
B.34	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	800		
ii)	width > or = 600 mm		m²	3,430		
	MISCELLANEOUS					
B.35	Tree Removal	CW 3010-R4 E11	each	6		
В	BEGHIN AVENUE - DUGALD ROAD TO DE RECONSTRUCTION	BAETS STREE	T - CON	CRETE_	Subtotal:	
					Subiolai.	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
С	DE BAETS STREET - BEGHIN AVENUE TO RECONSTRUCTION	PAQUIN ROAD	- CONC	<u>RETE</u>		
	EARTH AND BASE WORKS					
C.1	Excavation	CW 3110-R19	m³	3,720		
C.2	Hydro-Excavation	E12	hours	12		
C.3	Sub-Grade Compaction	CW 3110-R19	m²	4,970		
C.4	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	1,970		
ii)	150 mm		tonne	5905		
C.5	Supplying and Placing Base Course Material	CW 3110-R19	m³	425		
C.6	Grading of Boulevards	CW 3110-R19	m²	4,300		
C.7	Imported Fill Material	CW 3110-R19	m³	265		
C.8	Separation Geotextile Fabric	CW 3130-R4	m²	4,970		
C.9	Supply and Install Geogrid	CW 3135-R1	m²	1,500		
	ROADWORK - REMOVALS/RENEWALS					
C.10	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m²	4,970		
C.11	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	50		
C.12	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	540		
C.13	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	5 sq.m. to 20 sq.m.		m²	40		
b)	Greater than 20 sq.m.		m²	325		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.14	Construction of Asphaltic Concrete Overlay	CW 3410-R11				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	5		
	ROADWORK - NEW CONSTRUCTION					
C.15	Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians	CW 3310-R17				
i)	Construction of 200 mm Concrete Pavement (Reinforced)		m²	4,100		
C.16	Concrete Pavements for Early Opening	CW 3310-R17				
i)	Construction of 200 mm Concrete Pavement for Early Opening 72 Hour (Reinforced)		m²	750		
C.17	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
i)	Construction of Modified Barrier (180 mm ht, Integral)	SD-203B	m	745		
ii)	Construction of Curb Ramp (8-12 mm ht, Integral)	SD-229C	m	40		
C.18	100 mm Concrete Sidewalk	CW 3325-R5	m²	150		
	JOINT AND CRACK SEALING					
C.19	Reflective Crack Maintenance	CW 3250-R7	m	5		
C.20	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS Remove and Replace Existing Catch Basin	CW 2130-R12				
i)	SD-024		each	5		
ii)	SD-025		each	1		
C.21	Sewer Service	CW 2130-R12				
i)	250 mm, PVC					
a)	In a Trench, Class 2 Type B Bedding, Class 2 Backfill		m	30		
C.22	Frames & Covers	CW3210-R8				

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
i)	AP-006 - Standard Frame for Manhole and Catch Basin		each	2		
ii)	AP-007 - Standard Solid Cover for Standard Frame		each	2		
C.23	Connecting to Existing Manhole	CW 2130-R12				
i)	250 mm Catch Basin Lead		each	4		
C.24	Connecting to Existing Sewer	CW 2130-R12				
i)	250 mm (Type PVC) Connecting Pipe					
a)	Connecting to 600 mm (Type Conc) Sewer		each	2		
C.25	Installation of Subdrains	CW 3120-R4	m	75		
	ADJUSTMENTS					
C.26	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	4		
C.27	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	2		
C.28	Lifter Rings (AP-010)	CW 3210-R8				
i)	38 mm		each	1		
ii)	51 mm		each	1		
iii)	64 mm		each	1		
iv)	76 mm		each	1		
C.29	Adjustment of Valve Boxes	CW 3210-R8	each	2		
C.30	Valve Box Extensions	CW 3210-R8	each	2		
C.31	Adjustment of Curb Stop Boxes	CW 3210-R8	each	2		
	LANDSCAPING					
C.32	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	500		
ii)	width > or = 600 mm		m²	3,800		
С	DE BAETS STREET - BEGHIN AVENUE TO RECONSTRUCTION	PAQUIN ROAD	- CONC	RETE		
	<u> </u>				Subtotal:	

Nor	ne of	F Dia	140
ivai	ne oi	DIC	ıue

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D	PAQUIN ROAD - DE BAETS STREET TO PA	AQUIN ROAD S	OUTH LI	<u>EG -</u>		
	EARTH AND BASE WORKS					
D.1	Excavation	CW 3110-R19	m³	2,220		
D.2	Hydro-Excavation	E12	hours	10		
D.3	Sub-Grade Compaction	CW 3110-R19	m²	2,910		
D.4	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	1,150		
ii)	150 mm		tonne	3460		
D.5	Supplying and Placing Base Course Material	CW 3110-R19	m³	280		
D.6	Grading of Boulevards	CW 3110-R19	m²	2,910		
0.7	Imported Fill Material	CW 3110-R19	m³	100		
D.8	Separation Geotextile Fabric	CW 3130-R4	m²	2,910		
D.9	Supply and Install Geogrid	CW 3135-R1	m²	880		
	ROADWORK - REMOVALS/RENEWALS					
D.10	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m²	2,910		
ii)	Asphalt Pavement		m²	25		
D.11	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	50		
D.12	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	500		
D.13	Construction of Asphaltic Concrete Overlay	CW 3410-R11				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	5		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORK - NEW CONSTRUCTION					
D.14	Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians	CW 3310-R17				
i)	Construction of 200 mm Concrete Pavement (Reinforced)		m²	2,180		
D.15	Concrete Pavements for Early Opening	CW 3310-R17				
i)	Construction of 200 mm Concrete Pavement for Early Opening 72 Hour (Reinforced)		m²	660		
D.16	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
i)	Construction of Modified Barrier (180 mm ht, Integral)	SD-203B	m	420		
ii)	Construction of Curb Ramp (8-12 mm ht, Integral)	SD-229C	m	25		
D.17	100 mm Concrete Sidewalk	CW 3325-R5	m²	370		
	JOINT AND CRACK SEALING					
D.18	Reflective Crack Maintenance	CW 3250-R7	m	5		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
D.19	Remove and Replace Existing Catch Basin	CW 2130-R12				
i)	SD-024		each	3		
ii)	SD-025		each	1		
D.20	Sewer Service	CW 2130-R12				
i)	250 mm, PVC					
a)	In a Trench, Class 2 Type B Bedding, Class 2 Backfill		m	20		
D.21	Frames & Covers	CW3210-R8				
i)	AP-006 - Standard Frame for Manhole and Catch Basin		each	3		
ii)	AP-007 - Standard Solid Cover for Standard Frame		each	3		
D.22	Connecting to Existing Manhole	CW 2130-R12				

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
i)	250 mm Catch Basin Lead		each	4		
D.23	Installation of Subdrains	CW 3120-R4	m	50		
	ADJUSTMENTS					
D.24	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	3		
D.25	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	1		
D.26	Lifter Rings (AP-010)	CW 3210-R8				
i)	38 mm		each	1		
ii)	51 mm		each	1		
iii)	64 mm		each	1		
iv)	76 mm		each	1		
D.27	Adjustment of Valve Boxes	CW 3210-R8	each	3		
D.28	Valve Box Extensions	CW 3210-R8	each	3		
D.29	Adjustment of Curb Stop Boxes	CW 3210-R8	each	2		
	LANDSCAPING					
D.30	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	500		
ii)	width > or = 600 mm		m²	2,910		
D	PAQUIN ROAD - DE BAETS STREET TO PA	AQUIN ROAD S	OUTH LE	<u> </u>		
	CONCRETE RECONSTRUCTION				Subtotal:	

Name of Bidder

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E	ST. MATTHEWS AVENUE - FERRY STREE RECONSTRUCTION	T TO BERRY S	TREET -	CONCRETE		
	EARTH AND BASE WORKS					
≣.1	Excavation	CW 3110-R19	m³	6400		
≣.2	Hydro-Excavation	E12	hours	25		
.3	Sub-Grade Compaction	CW 3110-R19	m²	12400		
.4	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	3760		
ii)	100 mm		tonne	8740		
E.5	Supplying and Placing Base Course Material	CW 3110-R19	m³	920		
i.6	Grading of Boulevards	CW 3110-R19	m²	1625		
.7	Imported Fill Material	CW 3110-R19	m³	75		
Ē.8	Separation Geotextile Fabric	CW 3130-R4	m²	11100		
E.9	Supply and Install Geogrid	CW 3135-R1	m²	3300		
	ROADWORK - REMOVALS/RENEWALS					
.10	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m²	9800		
ii)	Asphalt Pavement		m²	6150		
.11	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	370		
.12	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	370		
.13	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	100 mm Sidewalk		m²	750		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E.14	Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A	m²	1800		
≣.15	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m²	15		
b)	5 sq.m. to 20 sq.m.		m²	15		
c)	Greater than 20 sq.m.		m²	25		
E.16	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m	SD-200A	m	5		
ii)	Modified Barrier (180 mm reveal ht, Dowelled)	SD-203B	m	5		
iii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	5		
≣.17	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	6		
.18	Construction of Asphaltic Concrete Overlay	CW 3410-R11				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	60		
E.19	Construction of Asphalt Patches	CW 3410-R11	m²	10		
E.20	Planing of Pavement	CW 3450-R6				
i)	1 - 50 mm Depth (Asphalt)		m²	150		
E.21	Detectable Warning Surface Tiles	CW 3326-R3	each	8		
	ROADWORK - NEW CONSTRUCTION					
E.22	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R17				
i)	Construction of 230 mm Concrete Pavement (Plain-Dowelled), Slipform Paving		m²	8530		
ii)	Construction of 230 mm Concrete Pavement (Plain-Dowelled)		m²	980		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
iii)	Construction of 230 mm Concrete Pavement (Plain-Dowelled, Coloured)	E16	m²	65		
iv)	Construction of 200 mm Concrete Pavement (Reinforced)		m²	550		
v)	Construction of Monolithic Concrete Median Slabs	SD-226A	m²	1100		
E.23	Concrete Pavements for Early Opening	CW 3310-R17				
i)	Construction of 230 mm Concrete Pavement for Early Opening 72 Hour (Plain-Dowelled)		m²	75		
ii)	Construction of 200 mm Concrete Pavement for Early Opening 72 Hour (Reinforced)		m²	25		
E.24	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
i)	Construction of Barrier (180 mm ht, Dowelled)	SD-205	m	710		
ii)	Construction of Modified Barrier (180 mm ht, Dowelled)	SD-203B	m	150		
iii)	Construction of Curb Ramp (8-12 mm ht, Integral)	SD-229C	m	200		
E.25	Supply and Installation of Dowel Assemblies	CW 3310-R17	m	3900		
E.26	Construction of Asphaltic Concrete Pavements	CW 3410-R11				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	40		
	JOINT AND CRACK SEALING					
E.27	Reflective Crack Maintenance	CW 3250-R7	m	60		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
E.28	Catch Basin	CW 2130-R12				
i)	SD-024, 1800 mm deep		each	1		
ii)	SD-025, 1800 mm deep		each	1		
E.29	Catch Pit	CW 2130-R12				
i)	SD-023		each	1		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E.30	Remove and Replace Existing Catch Basin	CW 2130-R12				
i)	SD-024		each	6		
E.31	Drainage Connection Pipe	CW 2130-R12	m	35		
E.32	Connecting to Existing Catch Basin	CW 2130-R12				
i)	250 mm Drainage Connection Pipe		each	2		
E.33	Installation of Subdrains	CW 3120-R4	m	120		
	ADJUSTMENTS					
E.34	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	6		
E.35	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	1.0		
E.36	Lifter Rings (AP-010)	CW 3210-R8				
i)	38 mm		each	2		
ii)	51 mm		each	2		
iii)	64 mm		each	1		
iv)	76 mm		each	1		
E.37	Adjustment of Valve Boxes	CW 3210-R8	each	15		
E.38	Adjustment of Curb Stop Boxes	CW 3210-R8	each	5		
	LANDSCAPING					
E.39	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	330		
ii)	width > or = 600 mm		m²	1140		
	MISCELLANEOUS					
E.40	Supply and Installation of Inlaid Longitudinal Lane Line Marking Tape	E10	m	1,250		
E.41	Supply and Installation of CycleGrid® MMAX Marking	E15	m	90		
E	ST. MATTHEWS AVENUE - FERRY STREE	T TO BERRY S	TREET -	CONCRETE		
	RECONSTRUCTION				Subtotal:	

Name	∩f	Ric	lde

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F	ST. MATTHEWS AVENUE - BERRY STREE REHABILITATION	T TO KENSING	TON ST	REET -		
	EARTH AND BASE WORKS					
F.1	Excavation	CW 3110-R19	m³	700		
F.2	Hydro-Excavation	E12	hours	35		
F.3	Sub-Grade Compaction	CW 3110-R19	m²	1650		
F.4	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	240		
ii)	100 mm		tonne	560		
F.5	Supplying and Placing Base Course Material	CW 3110-R19	m³	130		
F.6	Grading of Boulevards	CW 3110-R19	m²	950		
F.7	Imported Fill Material	CW 3110-R19	m³	50		
F.8	Separation Geotextile Fabric	CW 3130-R4	m²	650		
F.9	Supply and Install Geogrid	CW 3135-R1	m²	200		
	ROADWORK - REMOVALS/RENEWALS					
F.10	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m²	250		
F.11	Slab Replacement	CW 3230-R8				
i)	200 mm Concrete Pavement (Reinforced)		m²	400		
F.12	Partial Slab Patches	CW 3230-R8				
i)	200 mm Concrete Pavement (Type A)		m²	50		
ii)	200 mm Concrete Pavement (Type B)		m²	200		
iii)	200 mm Concrete Pavement (Type C)		m²	50		

ITEM	1	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
iv)		200 mm Concrete Pavement (Type D)		m²	55		
.13		Drilled Dowels	CW 3230-R8				
i)		19.1 mm Diameter		each	750		
.14		Drilled Tie Bars	CW 3230-R8				
i)		20 M Deformed Tie Bar		each	550		
.15		Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)		100 mm Sidewalk	SD-228A				
	a)	Less than 5 sq.m.		m²	10		
	b)	5 sq.m. to 20 sq.m.		m²	15		
	c)	Greater than 20 sq.m.		m²	140		
.16		Concrete Curb Removal	CW 3240-R10				
i)		Barrier Separate		m	2000		
.17		Concrete Curb Installation	CW 3240-R10				
i)		Barrier (150 mm reveal ht, Dowelled)	SD-205	m	425		
ii)		Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	75		
iii)		Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229A,B,C	m	85		
.18		Concrete Curb Renewal	CW 3240-R10				
i)		Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
	a)	Less than 3 m	05 200/1	m	5		
	b)	3 m to 30 m		m	20		
.19		Construction of Asphaltic Concrete Overlay	CW 3410-R11				
i)		Main Line Paving					
	a)	Type IA		tonne	770		
ii)		Tie-ins and Approaches					
	a)	Type IA		tonne	60		
.20		Planing of Pavement	CW 3450-R6				
i)		1 - 50 mm Depth (Asphalt)		m²	2600		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ii)	50 - 100 mm Depth (Asphalt)		m²	2600		
iii)	1 - 50 mm Depth (Concrete)		m²	300		
.21	Pavement Repair Fabric	E15	m²	750		
.22	Detectable Warning Surface Tiles	CW 3326-R3	each	4		
	ROADWORK - NEW CONSTRUCTION					
.23	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R17				
i)	Construction of 230 mm Concrete Pavement (Plain-Dowelled)		m²	620		
ii)	Construction of 230 mm Concrete Pavement (Plain-Dowelled, Coloured)	E16	m²	30		
iii)	Construction of Monolithic Concrete Median Slabs	SD-226A	m²	650		
iv)	Construction of Concrete Safety Medians	SD-226B	m²	60		
	JOINT AND CRACK SEALING					
.24	Longitudinal Joint & Crack Filling (> 25 mm in width)	CW 3250-R7	m	150		
.25	Reflective Crack Maintenance	CW 3250-R7	m	1300		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
.26	Remove and Replace Existing Catch Basin	CW 2130-R12				
i)	SD-024		each	4		
.27	Remove and Replace Existing Catch Pit	CW 2130-R12				
i)	SD-023		each	2		
.28	Drainage Connection Pipe	CW 2130-R12	m	38		
.29	Frames & Covers	CW3210-R8				
i)	AP-006 - Standard Frame for Manhole and Catch Basin		each	2		
ii)	AP-007 - Standard Solid Cover for Standard Frame		each	2		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
iii)	AP-008 - Standard Grated Cover for Standard Frame		each	2		
iv)	AP-011 - Barrier Curb and Gutter Frame		each	2		
v)	AP-012 - Barrier Curb and Gutter Cover		each	2		
F.30	Installation of Subdrains	CW 3120-R4	m	50		
	ADJUSTMENTS					
F.31	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	6		
F.32	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	1.0		
F.33	Lifter Rings (AP-010)	CW 3210-R8				
i)	38 mm		each	1		
ii)	51 mm		each	1		
iii)	64 mm		each	1		
iv)	76 mm		each	1		
F.34	Adjustment of Valve Boxes	CW 3210-R8	each	6		
F.35	Adjustment of Curb Stop Boxes	CW 3210-R8	each	6		
	LANDSCAPING					
F.36	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	300		
ii)	width > or = 600 mm		m²	580		
F	ST. MATTHEWS AVENUE - BERRY STREE REHABILITATION	T TO KENSING	TON STI	REET -	Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	SUMMARY					
A	BOURNAIS DRIVE - CN REDDITT RAIL LINE TO DUGALD ROAD - CONCRETE RECONSTRUCTION					
В	BEGHIN AVENUE - DUGALD ROAD TO DE RECONSTRUCTION	Subtotal:				
С	DE BAETS STREET - BEGHIN AVENUE TO RECONSTRUCTION	RETE_	Subtotal:			
D	PAQUIN ROAD - DE BAETS STREET TO PAQUIN ROAD SOUTH LEG - CONCRETE RECONSTRUCTION				Subtotal:	
E	ST. MATTHEWS AVENUE - FERRY STREET TO BERRY STREET - CONCRETE RECONSTRUCTION				Subtotal:	
F	ST. MATTHEWS AVENUE - BERRY STREET TO KENSINGTON STREET - REHABILITATION				Subtotal:	
TOTAL BI	TOTAL BID PRICE (GST extra) (in figures)					

(Seal)

Template Version: C420170317 - RW

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B12)

BID BOND

KNOW ALL MEN BY THESE PRESENTS I	HAI	
(hereinafter called the "Principal") and		
called the "Obligee") in the sum of ten perc	and firmly bound unto THE CITY OF WINNIPEG cent (10%) of the Total Bid Price set out in the Bid Principal and Surety bind themselves, their heirs only and severally, firmly by these presents.	hereinafter
WHEREAS the Principal has submitted a Bi	id to the Obligee for	
BID OPPORTUNITY NO. 529-2017		
2017 Industrial Streets Package - St. Matthe	ews Avenue, Bournais Drive and Various Other Loc	ations
as more fully set out in the Bid Opportunity.		
if said Bid is accepted and the Principal, in a the said Obligee and furnishes the required	ligation is such that if the Bid of the Principal is not accordance with the terms of the Bid, enters into a C performance security for guaranteeing the faithful public but otherwise shall remain in full force and effect.	Contract with
IN WITNESS WHEREOF the Principal and	Surety have signed and sealed this bond the	
day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal)	
(Witness as to Principal if no seal)	Per:	(Seal)
	Per:	
	(Name of Surety)	

(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B12)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on ______ , 20____ for BID OPPORTUNITY NO. 529-2017 2017 Industrial Streets Package - St. Matthews Avenue, Bournais Drive and Various Other Locations in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this ______ day of ______ , 20_____ . (Name of Surety) By: (Attorney-in-Fact) (Seal)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B12)

(Date)	
Corpoi Materia 185 Ki	ty of Winnipeg rate Finance Department als Management Division ng Street, Main Floor neg MB R3B 1J1
RE:	BID SECURITY – BID OPPORTUNITY NO. 529-2017
Location	2017 Industrial Streets Package - St. Matthews Avenue, Bournais Drive and Various Other ons
Pursua	ant to the request of and for the account of our customer,
(Name o	of Bidder)
	EREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding aggregate
	Canadian dollars.
demar Letter payme	tandby Letter of Credit may be drawn on by you at any time and from time to time upon written of for payment made upon us by you. It is understood that we are obligated under this Standby of Credit for the payment of monies only and we hereby agree that we shall honour your demand for nt without inquiring whether you have a right as between yourself and our customer to make such and without recognizing any claim of our customer or objection by the customer to payment by us.
	nount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon ou or by formal notice in writing given to us by you if you desire such reduction or are willing that it be
Partial	drawings are permitted.
	gage with you that all demands for payment made within the terms and currency of this Standby of Credit will be duly honoured if presented to us at:
(Address	s)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B12)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on September 3, 2017.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name of bank or financial institution)			
Per:			
	(Authorized Signing Officer)		
Per:			
	(Authorized Signing Officer)		