



## 642-2017 ADDENDUM 1

### ROOF REPLACEMENT TRANSCONA SENIOR CENTER 328 WHITTIER WEST

#### **URGENT**

**PLEASE FORWARD THIS DOCUMENT TO WHOEVER IS IN POSSESSION OF THE BID OPPORTUNITY**

ISSUED: August 22, 2017  
BY: David Firth  
TELEPHONE NO. 204 451-4098

**THIS ADDENDUM SHALL BE INCORPORATED INTO THE BID OPPORTUNITY AND SHALL FORM A PART OF THE CONTRACT DOCUMENTS**

Template Version: A20160708

---

**Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid Opportunity, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 8 of Form A: Bid may render your Bid non-responsive.**

---

#### **PART E – SPECIFICATIONS**

- Add: **E3** **South Gable Specifications**
- E3.1 Remove existing exhaust fan and remaining venting on south gable exterior. Seal
  - E3.2 Remove soffit, fascia, cladding and the gable vent from south gable end
  - E3.3 Install new 1/2" D grade plywood over framing of South Gable End.
  - E3.4 Install new sub fascia, width and thickness to match existing. Ensure that all necessary modifications to the overhang have been completed.
  - E3.5 Install new metal cladding. This will be 24 gauge, Diamond Rib from Vicwest Building Products. Color to match parapet capping.
  - E3.6 Install new fascia trim and soffits that match existing
  - E3.7 Reinstall gable vent