

**FORM A: BID**  
(See B8)

1. Contract Title 2019 Regional Street Renewal Program- Inkster Boulevard Reconstruction, Milner Street to Fife Street

2. Bidder \_\_\_\_\_  
Name of Bidder

\_\_\_\_\_  
Usual Business Name of Bidder as it appears on Invoice (if different from above)

\_\_\_\_\_  
Street

\_\_\_\_\_  
City Province Postal Code

\_\_\_\_\_  
Email Address of Bidder

\_\_\_\_\_  
Facsimile Number

(Mailing address if different) \_\_\_\_\_  
Street or P.O. Box

\_\_\_\_\_  
City Province Postal Code

(Choose one) The Bidder is:  
 a sole proprietor  
 a partnership  
 a corporation  
carrying on business under the above name.

3. Contact Person The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

\_\_\_\_\_  
Contact Person Title

\_\_\_\_\_  
Telephone Number Facsimile Number

4. Definitions All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions.

5. Offer The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

6. Bid Security In accordance with B13.1, the Bidder encloses bid security in the form of a bid bond (Form G1: Bid Bond and Agreement to Bond) and agrees that it shall be held by the City in accordance with the Contract.

7. Execution of Contract The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.

8. Commencement of the Work The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.

9. Contract By submitting a bid in response to this Tender, the Bidder certifies that it has read, understands, and agrees to the terms and conditions of this Tender and that the Tender, in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.

10. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No.	Dated
_____	_____
_____	_____
_____	_____

11. Time This offer shall be open for acceptance, binding and irrevocable for a period of seventy five (75) Calendar Days following the Submission Deadline.

12. Indigenous Self-Declaration The City is requesting that Bidders identify if their business is at least 51% owned by one or more Indigenous persons of Canada.

YES, 51% or more Indigenous ownership

NO, it is not

This information is being gathered for statistical purposes only and will not be used for purposes of evaluation.

13. Signatures

The Bidder or the Bidder's authorized official or officials have signed this

\_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_ .

Signature of Bidder or  
Bidder's Authorized Official or Officials

\_\_\_\_\_

(Print here name and official capacity of individual whose signature appears above)

\_\_\_\_\_

(Print here name and official capacity of individual whose signature appears above)

**FORM B(R1): PRICES**  
(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>PART 1 CITY FUNDED WORK</b>						
<b>A</b>	<b><u>INKSTER BOULEVARD, MILNER STREET TO FIFE STREET, CONCRETE RECONSTRUCTION</u></b>					
<b>EARTH AND BASE WORKS</b>						
A.1	Excavation	CW 3110-R19	m <sup>3</sup>	9400		
A.2	Sub-Grade Compaction	CW 3110-R19	m <sup>2</sup>	12500		
A.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm - Limestone		tonne	4400		
ii)	100 mm - Limestone		tonne	8000		
A.4	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m <sup>3</sup>	930		
A.5	Grading of Boulevards	CW 3110-R19	m <sup>2</sup>	6500		
A.6	Separation Geotextile Fabric	CW 3130-R4	m <sup>2</sup>	12500		
A.7	Supply and Install Geogrid	CW 3135-R1	m <sup>2</sup>	12000		
<b>ROADWORKS - RENEWALS</b>						
A.8	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m <sup>2</sup>	10000		
A.9	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	40		
ii)	28.6 mm Diameter		each	1080		
A.10	Drilled Tie Bars	CW 3230-R8				
i)	15 M Deformed Tie Bar		each	160		
ii)	20 M Deformed Tie Bar		each	150		
iii)	25 M Deformed Tie Bar		each	30		
A.11	Miscellaneous Concrete Slab Removal	CW 3235-R9				

**FORM B(R1): PRICES**  
(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
i)	100 mm Sidewalk		m <sup>2</sup>	1500		
A.12	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	5 sq.m. to 20 sq.m.		m <sup>2</sup>	35		
A.13	Concrete Curb Removal	CW 3240-R10				
i)	Barrier Separate		m	435		
ii)	Splash Strip Separate		m	100		
A.14	Concrete Curb Installation	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205	m	35		
ii)	Splash Strip (150 mm reveal ht, Monolithic Barrier Curb, 750 mm width)	SD-223A	m	100		
A.15	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m <sup>2</sup>	15		
A.16	Interlocking Paving Stones	CW 3330-R5	m <sup>2</sup>	5		
A.17	Construction of Asphaltic Concrete Overlay	CW 3410-R12				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	110		
A.18	Construction of Asphalt Patches	CW 3410-R12	m <sup>2</sup>	100		
A.19	Planing of Pavement	CW 3450-R6				
i)	1 - 50 mm Depth (Asphalt)		m <sup>2</sup>	500		
A.20	Detectable Warning Surface Tiles	CW 3326-R3	each	26		

\_\_\_\_\_  
Name of Bidder

**FORM B(R1): PRICES**  
(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	<b>ROADWORKS - NEW CONSTRUCTION</b>					
A.21	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R17, E12, E13				
i)	Construction of 230 mm Concrete Pavement (Plain-Dowelled)		m <sup>2</sup>	350		
ii)	Construction of 230 mm Concrete Pavement (Plain-Dowelled, Slip-formed)		m <sup>2</sup>	3600		
iii)	Construction of 200 mm Concrete Pavement (Reinforced)		m <sup>2</sup>	140		
iv)	Construction of 230 mm Reinforced Concrete Pavement Over Feedermain		m <sup>2</sup>	25		
v)	Construction of 230 mm Portland Limestone Cement Concrete Pavement (Plain-Dowelled)		m <sup>2</sup>	450		
vi)	Construction of 230 mm Portland Limestone Cement Concrete Pavement (Plain-Dowelled, Slip-formed)		m <sup>2</sup>	3600		
vii)	Construction of 200 mm Portland Limestone Cement Concrete Pavement (Reinforced)		m <sup>2</sup>	110		
A.22	Concrete Pavements for Early Opening	CW 3310-R17, E12, E13				
i)	Construction of 230 mm Concrete Pavement for Early Opening 72 Hour (Plain-Dowelled)		m <sup>2</sup>	950		
ii)	Construction of 200 mm Concrete Pavement for Early Opening 72 Hour (Reinforced)		m <sup>2</sup>	150		
iii)	Construction of 230 mm Portland Limestone Cement Concrete Pavement for Early Opening 72 Hour (Plain-Dowelled)		m <sup>2</sup>	800		
iv)	Construction of 200 mm Portland Limestone Cement Concrete Pavement for Early Opening 72 Hour (Reinforced)		m <sup>2</sup>	30		
A.23	Application of Curing Compound in Pavement Joints	E12	m	4200		

\_\_\_\_\_  
Name of Bidder

**FORM B(R1): PRICES**  
(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.24	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17, E12				
i)	Construction of Barrier (180 mm ht, Dowelled)	SD-205	m	150		
ii)	Construction of Barrier (180 mm ht, Integral)	SD-204	m	650		
iii)	Construction of Modified Barrier (180 mm ht, Dowelled)	SD-203B	m	20		
iv)	Construction of Modified Barrier (180 mm ht, Integral)	SD-203B	m	130		
v)	Construction of Curb Ramp (8-12 mm ht, Integral)	SD-229C	m	100		
vi)	Construction of Splash Strip, (Separate, 600 mm width)	SD-223B	m	475		
vii)	Construction of Portland Limestone Cement Concrete Barrier (180 mm ht, Dowelled)	SD-205	m	10		
viii)	Construction of Portland Limestone Cement Concrete Barrier (180 mm ht, Integral)	SD-204	m	750		
ix)	Construction of Portland Limestone Cement Concrete Modified Barrier (180 mm ht, Integral)	SD-203B	m	100		
x)	Construction of Portland Limestone Cement Concrete Curb Ramp (8-12 mm ht, Integral)	SD-229C	m	80		
xi)	Construction of Portland Limestone Cement Concrete Splash Strip, (Separate, 600 mm width)	SD-223B	m	460		
A.25	Supply and Installation of Dowel Assemblies	CW 3310-R17	m	2650		
A.26	100 mm Concrete Sidewalk	CW 3325-R5	m <sup>2</sup>	80		
A.27	100 mm Concrete Sidewalk c/w Paving Stone Band (Paving Stone Band Paid Separately)	CW 3325-R5	m <sup>2</sup>	1100		
A.28	100 mm Portland Limestone Cement Concrete Sidewalk c/w Paving Stone Band (Paving Stone Band Paid Separately)	CW 3325-R5, E13	m <sup>2</sup>	1150		
A.29	Interlocking Paving Stones	CW 3335-R1, E11				
i)	Banding Strip		m <sup>2</sup>	160		
<b>TEMPORARY ASPHALT PAVEMENT</b>						
A.30	Excavation	CW 3110-R19	m <sup>3</sup>	830		
A.31	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm - Limestone		tonne	1220		

**FORM B(R1): PRICES**  
(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.32	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m <sup>3</sup>	140		
A.33	Separation Geotextile Fabric	CW 3130-R4	m <sup>2</sup>	1800		
A.34	Supply and Install Geogrid	CW 3135-R1	m <sup>2</sup>	1850		
A.35	Pavement Removal	CW 3110-R19				
i)	Temporary Asphalt Pavement		m <sup>2</sup>	1850		
A.36	Construction of Asphaltic Concrete Overlay	CW 3410-R12				
i)	Temporary Asphalt Pavement					
a)	Type IA		tonne	340		
<b>JOINT AND CRACK SEALING</b>						
A.37	Reflective Crack Maintenance	CW 3250-R7	m	50		
<b>ASSOCIATED DRAINAGE AND UNDERGROUND WORKS</b>						
A.38	Catch Basin	CW 2130-R12				
i)	SD-024, 1800 mm deep		each	12		
A.39	Sewer Service	CW 2130-R12				
i)	200 mm, PVC					
a)	In a Trench, Class B Bedding with Sand, Class 3 Backfill		m	2		
b)	Trenchless Installation, Class B Bedding with Sand, Class 3 Backfill		m	19		
ii)	250 mm, PVC					
a)	In a Trench, Class B Bedding with Sand, Class 3 Backfill		m	10		
b)	Trenchless Installation, Class B Bedding with Sand, Class 3 Backfill		m	147		
A.40	Sewer Service Risers	CW 2130-R12				
i)	250 mm					
a)	SD-015		vert. m	17.5		



**FORM B(R1): PRICES**  
(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.41	Frames & Covers	CW 3210-R8				
i)	AP-006 - Standard Frame for Manhole and Catch Basin		each	8		
ii)	AP-007 - Standard Solid Cover for Standard Frame		each	8		
A.42	Connecting New Sewer Service to Existing Sewer Service	CW 2130-R12				
i)	200 mm		each	2		
A.43	Removal of Existing Catch Basins	CW 2130-R12	each	14		
A.44	Abandoning Existing Drainage Inlets	CW 2130-R12	each	9		
A.45	Abandoning Existing Sewer Services Under Pavement	CW 2130-R12				
i)	Existing Catch Basin Leads (250 mm or smaller)		each	12		
A.46	Installation of Subdrains	CW 3120-R4	m	144		
A.47	Excavation and Backfill for Sewer Service Pipe Connections Near Feedermain	E16	each	5		
<b>ADJUSTMENTS</b>						
A.48	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	9		
A.49	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	1.0		
A.50	Lifter Rings (AP-010)	CW 3210-R8				
i)	51 mm		each	8		
A.51	Adjustment of Valve Boxes	CW 3210-R8	each	25		
A.52	Valve Box Extensions	CW 3210-R8	each	5		
A.53	Adjustment of Curb Stop Boxes	CW 3210-R8	each	9		
A.54	Curb Stop Extensions	CW 3210-R8	each	5		
A.55	Adjustment of Existing Manitoba Hydro Manholes	E14	each	4		

\_\_\_\_\_  
Name of Bidder

**FORM B(R1): PRICES**  
(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	<b>LANDSCAPING</b>					
A.56	Sodding	CW 3510-R9				
i)	width < 600 mm		m <sup>2</sup>	100		
ii)	width > or = 600 mm		m <sup>2</sup>	6500		
A.57	Polyethylene Waterline, 50 mm	CW 3530-R3	m	100		
A.58	Sprinkler Assemblies	CW 3530-R3	each	10		
<b>A</b>	<b><u>INKSTER BOULEVARD, MILNER STREET TO FIFE STREET, CONCRETE RECONSTRUCTION</u></b>				Subtotal:	
<b>B</b>	<b><u>WATER AND WASTE WORKS</u></b>					
B.1	Watermain and Water Service Insulation	E15	m <sup>2</sup>	380		
B.2	Watermain Valve Chamber Inspection	E18	each	3		
<b>B</b>	<b><u>WATER AND WASTE WORKS</u></b>				Subtotal:	

\_\_\_\_\_  
Name of Bidder

**FORM B(R1): PRICES**  
(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT	
<b>PART 2 MANITOBA HYDRO FUNDED WORK</b> <b>(See B9.5, B17.2.1, B18.4, D2, D13.2-3, D14.4)</b>							
<b>C</b>	<b><u>STREET LIGHT INSTALLATION</u></b>						
C.1	Removal of 25' to 35' street light pole and precast, poured in place concrete, steel power installed base or direct buried including davit arm, luminaire and appurtenances	E17	each	25			
C.2	Installation of conduit and #4 AL C/N or 1/0 AL Triplex streetlight cable in conduit by open trench method.	E17	lin.m	1,307			
C.3	Installation of 50 mm conduit(s) by boring method complete with cable insertion (#4 AL C/N or 1/0 AL Triplex).	E17	lin.m	95			
C.4	Installation of 35' pole, davit arm and 206 precast concrete base including luminaire and appurtenances.	E17	each	24			
C.5	Installation of one (1) 10' ground rod at end of street light circuit. Trench #4 ground wire up to 1 m from rod location to new street light and connect (hammerlock) to top of the ground rod.	E17	each	11			
C.6	Install lower 3 m of Cable Guard, ground lug, cable up pole, and first 3 m section of ground rod per Standard CD 315-5.	E17	each	1			
C.7	Terminate 2/C #12 copper conductor to street light cables per Standard CD310-4, CD310-9 or CD310-10.	E17	set	24			
C.8	Installation of break-away base and reaction plate on base mounted poles up to 35'.	E17	each	24			
C.9	Installation of overhead span of #4 duplex between new or existing streetlight poles and connect luminaire to provide temporary Overhead Feed.	E17	per span	27			
C.10	Removal of overhead span of #4 duplex between new or existing streetlight poles to remove temporary Overhead Feed.	E17	per span	27			
<b>C</b>	<b><u>STREET LIGHT INSTALLATION</u></b>					Subtotal:	

**FORM B(R1): PRICES**  
(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>SUMMARY</b>						
<b>PART 1 CITY FUNDED WORK</b>						
A	<u>INKSTER BOULEVARD, MILNER STREET TO FIFE STREET, CONCRETE RECONSTRUCTION</u>				Subtotal:	
B	<u>WATER AND WASTE WORKS</u>				Subtotal:	
<b>(total price) PART 1</b>						
<b>PART 2 MANITOBA HYDRO FUNDED WORK</b> (See B9.5, B17.2.1, B18.4, D2, D13.2-3, D14.4)						
C	<u>STREET LIGHT INSTALLATION</u>				Subtotal:	
<b>(total price) PART 2</b>						
TOTAL BID PRICE (GST extra) (in figures) _____						

\_\_\_\_\_  
Name of Bidder

**FORM G1: BID BOND AND AGREEMENT TO BOND**

(Page 1 of 2)  
(See B13)

**BID BOND**

KNOW ALL MEN BY THESE PRESENTS THAT

\_\_\_\_\_

(hereinafter called the "Principal") and

\_\_\_\_\_

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

TENDER NO. 1017-2018

2019 Regional Street Renewal Program- Inkster Boulevard Reconstruction, Milner Street to Fife Street

as more fully set out in the Tender.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance and labour and material payment bonds, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

\_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_.

SIGNED AND SEALED  
in the presence of:

\_\_\_\_\_

(Witness as to Principal if no seal)

\_\_\_\_\_  
(Name of Principal)

Per: \_\_\_\_\_ (Seal)

Per: \_\_\_\_\_

\_\_\_\_\_  
(Name of Surety)

By: \_\_\_\_\_ (Seal)  
(Attorney-in-Fact)

**FORM G1: BID BOND AND AGREEMENT TO BOND**

(Page 2 of 2)  
(See B13)

**AGREEMENT TO BOND**

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

\_\_\_\_\_ of  
(Name of Bidder)

\_\_\_\_\_  
(Place)

the Bidder to you on \_\_\_\_\_, 20\_\_\_\_ for

TENDER NO. 1017-2018

2019 REGIONAL STREET RENEWAL PROGRAM- INKSTER BOULEVARD RECONSTRUCTION,  
MILNER STREET TO FIFE STREET

The Surety agrees to issue for the Principal:

1. a Performance Bond in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Tender; and
2. a Labour and Material Payment Bond in an amount equal to fifty percent (50%) of the Contract Price for the payment for all labour, service and material used or reasonably required for use in the performance of the Work shown and described in the Tender;

If our Principal's Bid is accepted by you, such Performance Bond and Labour and Material Payment Bond (the Bonds) to be maintained and continue in full force and effect until the expiration of the warranty period. The Bonds shall be in the form specified in the Tender.

It is a condition that this Agreement to Bond shall become null and void if the Bonds mentioned above are not required from our Principal within seventy five (75) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_ .

\_\_\_\_\_  
(Name of Surety)

By: \_\_\_\_\_ (Seal)  
(Attorney-in-Fact)