FORM A: BID (See B8)

1.	Contract Title	2018 LOCAL SIDEWALK RE	NEWALS AND ASSOCIATED	WORKS
2.	Bidder	Name of Bidder		
		Usual Business Name of Bidder as i	t appears on Invoice (if different from a	above)
		Street		
		City	Province	Postal Code
		Email Address of Bidder		
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
	(Choose one)	The Bidder is: a sole proprietor a partnership a corporation carrying on business under th	ne above name.	
3.	Contact Person	The Bidder hereby authorize the Bidder for purposes of the	s the following contact person e Bid.	to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions	All capitalized terms used ascribed to them in the Gene	in the Contract shall have the rail of the conditions.	he meanings
5.	Offer		perform the Work in accordatice, in Canadian funds, set out	

6.	Bid Security	In accordance with B13.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.
12.	Indigenous Self- Declaration	The City is requesting that Bidders identify if their business is at least 51% owned by one or more Indigenous persons of Canada.
		YES, 51% or more Indigenous ownership
		NO, it is not
		This information is being gathered for statistical purposes only and will not be used for purposes of evaluation.

13. Signatures The Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____ , 20_____ .

Signature of Bidder or Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

UNIT PR	ICES	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
А	SIDEWALK RENEWAL - BRUCE AVE FROM	M FERRY RD TO) AMHEF	R <u>ST ST</u>		
	<u>(NORTH SIDE)</u> EARTH AND BASE WORKS					
A.1	Excavation	CW 3110-R19	m³	2		
A.2	Sub-Grade Compaction	CW 3110-R19	m²	10		
A.3	Supplying and Placing Base Course Material	CW 3110-R19	m³	20		
\.4	Grading of Boulevards	CW 3110-R19	m²	450		
	ROADWORK - REMOVALS/RENEWALS					
۹.5	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
i)	150 mm Concrete Pavement (Type B)		m²	5		
A.6	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	10		
A.7	Drilled Tie Bars	CW 3230-R8				
i)	15 M Deformed Tie Bar		each	110		
A.8	Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A	m²	10		
A.9	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a	a) Less than 5 sq.m.		m²	10		
t	b) 5 sq.m. to 20 sq.m.		m²	10		
c	c) Greater than 20 sq.m.		m²	300		
ii)	150 mm Reinforced Sidewalk					
a	a) 5 sq.m. to 20 sq.m.		m²	20		

JNIT PRI	CES	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
.10	Concrete Curb Removal	CW 3240-R10				
i)	Barrier Integral		m	10		
A.11	Concrete Curb Installation	CW 3240-R10				
i)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229A,B,C	m	10		
A.12	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m	00 2007	m	5		
b)	3 m to 30 m		m	5		
ii)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	5		
iii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	66		
A.13	Construction of Asphaltic Concrete Overlay	CW 3410-R12				
i)	Tie-ins and Approaches					
a)	Туре ІА		tonne	6		
A.14	Construction of Asphalt Patches	CW 3410-R12	m²	12		
A.15	Detectable Warning Surface Tiles	CW 3326-R3	each	8		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
A.16	Catch Pit	CW 2130-R12				
i)	SD-023		each	1		
A.17	Frames & Covers	CW 3210-R8				
i)	AP-006 - Standard Frame for Manhole and Catch Basin		each	1		
ii)	AP-007 - Standard Solid Cover for Standard Frame		each	1		
iii)	AP-011 - Barrier Curb and Gutter Frame		each	1		
iv)	AP-012 - Barrier Curb and Gutter Cover		each	1		

UNIT	PRICES
------	--------

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	LANDSCAPING					
A.18	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	150		
ii)	width > or = 600 mm		m²	300		
Α	SIDEWALK RENEWAL - BRUCE AVE FROM (NORTH SIDE)	I FERRY RD TO	AMHEF	RST ST		

UNIT P	RIC	YES	(SEE B9)				
ITEN		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
в		SIDEWALK RENEWAL - GARFIELD ST N F	ROM SARGENT	AVE TO	DELLICE		
5		<u>AVE (EAST SIDE)</u>	1	1	I		
		EARTH AND BASE WORKS					
3.1		Supplying and Placing Base Course Material	CW 3110-R19	m³	36		
3.2		Grading of Boulevards	CW 3110-R19	m²	720		
		ROADWORK - REMOVALS/RENEWALS					
3.3		Drilled Tie Bars	CW 3230-R8				
i)		15 M Deformed Tie Bar		each	16		
3.4		Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)		100 mm Sidewalk	SD-228A				
	a)	Less than 5 sq.m.		m²	20		
	b)	5 sq.m. to 20 sq.m.		m²	20		
	c)	Greater than 20 sq.m.		m²	570		
3.5		Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	10		
3.6		Supply of Precast Sidewalk Blocks	CW 3235-R9	m²	5		
3.7		Removal of Precast Sidewalk Blocks	CW 3235-R9	m²	5		
3.8		Concrete Curb Renewal	CW 3240-R10				
i)		Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
	a)	Less than 3 m		m	10		
	b)	3 m to 30 m		m	5		
ii)		Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	15		
3.9		Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	5		
3.10		Construction of Asphalt Patches	CW 3410-R12	m²	5		
3.11		Detectable Warning Surface Tiles	CW 3326-R3	each	4		

		(SEE D9)				
UNIT PRIC	CES	-	-		-	
ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
F	ADJUSTMENTS					
B.12	Adjustment of Valve Boxes	CW 3210-R8	each	2		
B.13	Valve Box Extensions	CW 3210-R8	each	1		
B.14	Adjustment of Curb Stop Boxes	CW 3210-R8	each	18		
B.15	Curb Stop Extensions	CW 3210-R8	each	9		
	LANDSCAPING					
B.16	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	240		
ii)	width > or = 600 mm		m²	480		
В	<u>SIDEWALK RENEWAL - GARFIELD ST N FI AVE (EAST SIDE)</u>	ROM SARGENT	AVE TO	D ELLICE		

	ิรเด	CES	(SEE B9)				
ITEM		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
С		SIDEWALK RENEWAL - GRANVILLE ST FR	ROM EUCLID A	/E TO R	OVER AVE		
•		<u>(BOTH SIDES)</u>	1		l		
		EARTH AND BASE WORKS					
C.1		Supplying and Placing Base Course Material	CW 3110-R19	m³	45		
C.2		Grading of Boulevards	CW 3110-R19	m²	870		
		ROADWORK - REMOVALS/RENEWALS					
C.3		Drilled Tie Bars	CW 3230-R8				
i)		15 M Deformed Tie Bar		each	24		
C.4		Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)		100 mm Sidewalk	SD-228A				
	a)	Less than 5 sq.m.		m²	10		
	b)	5 sq.m. to 20 sq.m.		m²	10		
	c)	Greater than 20 sq.m.		m²	720		
ii)		150 mm Reinforced Sidewalk					
	a)	Less than 5 sq.m.		m²	5		
	b)	5 sq.m. to 20 sq.m.		m²	35		
C.5		Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	20		
C.6		Supply of Precast Sidewalk Blocks	CW 3235-R9	m²	10		
C.7		Removal of Precast Sidewalk Blocks	CW 3235-R9	m²	10		
C.8		Concrete Curb Removal	CW 3240-R10				
i)		Barrier Integral		m	5		
C.9		Concrete Curb Installation	CW 3240-R10				
i)		Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229A,B,C	m	5		

UNIT PRIC	CES	(SEE D9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.10	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	5		
ii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	12		
C.11	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	5		
C.12	Construction of Asphalt Patches	CW 3410-R12	m²	3		
	ADJUSTMENTS					
C.13	Adjustment of Valve Boxes	CW 3210-R8	each	1		
C.14	Valve Box Extensions	CW 3210-R8	each	1		
C.15	Adjustment of Curb Stop Boxes	CW 3210-R8	each	16		
C.16	Curb Stop Extensions	CW 3210-R8	each	8		
	LANDSCAPING					
C.17	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	290		
ii)	width > or = 600 mm		m²	580		
с	<u>SIDEWALK RENEWAL - GRANVILLE ST FF (BOTH SIDES)</u>	ROM EUCLID AV	<u>/E TO R</u>	OVER AVE		

ITEN		DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
			REF.		QUANTITY		
D		<u>SIDEWALK RENEWAL - MERRIWOOD AVE (BOTH SIDES)</u>	FROM SINCLA	<u>IR ST T</u>	<u>O AIRLIES ST</u>		
		EARTH AND BASE WORKS					
D.1		Excavation	CW 3110-R19	m³	4		
D.2		Sub-Grade Compaction	CW 3110-R19	m²	22		
D.3		Supplying and Placing Base Course Material	CW 3110-R19	m³	40		
D.4		Grading of Boulevards	CW 3110-R19	m²	900		
		ROADWORK - REMOVALS/RENEWALS					
D.5		Drilled Tie Bars	CW 3230-R8				
i)		15 M Deformed Tie Bar		each	76		
D.6		Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)		100 mm Sidewalk	SD-228A	m²	22		
D.7		Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)		100 mm Sidewalk	SD-228A				
	a)	Less than 5 sq.m.		m²	10		
	b)	5 sq.m. to 20 sq.m.		m²	20		
	c)	Greater than 20 sq.m.		m²	620		
ii)		150 mm Reinforced Sidewalk					
	a)	Less than 5 sq.m.		m²	5		
	b)	5 sq.m. to 20 sq.m.		m²	95		
D.8		Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	5		
D.9		Supply of Precast Sidewalk Blocks	CW 3235-R9	m²	5		
D.10		Removal of Precast Sidewalk Blocks	CW 3235-R9	m²	5		
D.11		Concrete Curb Removal	CW 3240-R10				
i)		Barrier Integral		m	10		

UNIT PRIC	CES .	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.12	Concrete Curb Installation	CW 3240-R10				
i)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229A,B,C	m	10		
D.13	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	5		
b)	3 m to 30 m		m	10		
ii)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	5		
iii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	53		
D.14	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	5		
D.15	Construction of Asphalt Patches	CW 3410-R12	m²	10		
D.16	Detectable Warning Surface Tiles	CW 3326-R3	each	4		
	ADJUSTMENTS					
D.17	Adjustment of Valve Boxes	CW 3210-R8	each	9		
D.18	Valve Box Extensions	CW 3210-R8	each	4		
D.19	Adjustment of Curb Stop Boxes	CW 3210-R8	each	8		
D.20	Curb Stop Extensions	CW 3210-R8	each	4		
	LANDSCAPING					
D.21	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	300		
ii)	width > or = 600 mm		m²	600		
D	<u>SIDEWALK RENEWAL - MERRIWOOD AVE (BOTH SIDES)</u>	FROM SINCLA	IR ST TO	D AIRLIES ST		

	ICES	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Е	SIDEWALK RENEWAL - FURBY ST FROM	MCDERMOT AV	E TO W	ILLIAM AVE		
-	(WEST SIDE)					
	EARTH AND BASE WORKS					
E.1	Supplying and Placing Base Course Material	CW 3110-R19	m³	25		
E.2	Grading of Boulevards	CW 3110-R19	m²	300		
	ROADWORK - REMOVALS/RENEWALS					
E.3	Drilled Tie Bars	CW 3230-R8				
i)	15 M Deformed Tie Bar		each	80		
E.4	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	100 mm Sidewalk		m²	46		
E.5	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
:	a) Less than 5 sq.m.		m²	5		
I	b) 5 sq.m. to 20 sq.m.		m²	10		
	c) Greater than 20 sq.m.		m²	270		
ii)	Monolithic Curb and Sidewalk	SD-228B	m²	28		
E.6	Concrete Curb Removal	CW 3240-R10				
i)	Barrier Integral		m	5		
E.7	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
;	a) Less than 3 m		m	5		
ļ	b) 3 m to 30 m		m	5		
ii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	54		
E.8	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	5		
E.9	Construction of Asphalt Patches	CW 3410-R12	m²	52		

	CES	(022 03)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E.10	Detectable Warning Surface Tiles	CW 3326-R3	each	6		
	ADJUSTMENTS					
E.11	Adjustment of Valve Boxes	CW 3210-R8	each	1		
E.12	Valve Box Extensions	CW 3210-R8	each	1		
E.13	Adjustment of Curb Stop Boxes	CW 3210-R8	each	2		
E.14	Curb Stop Extensions	CW 3210-R8	each	1		
	LANDSCAPING					
E.15	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	100		
ii)	width > or = 600 mm		M²	200		
Е	SIDEWALK RENEWAL - FURBY ST FROM	MCDERMOT AV	E TO W	ILLIAM AVE		
	(WEST SIDE)					

UNIT P	RIC	CFS	(SEE B9)				
ITEN		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F		SIDEWALK RENEWAL - YOUNG ST FROM		AVE TO			
Г		<u>AVE (EAST SIDE)</u>	1		I		
		EARTH AND BASE WORKS					
F.1		Supplying and Placing Base Course Material	CW 3110-R19	m³	23		
F.2		Grading of Boulevards	CW 3110-R19	m²	460		
		ROADWORK - REMOVALS/RENEWALS					
F.3		Drilled Tie Bars	CW 3230-R8				
i)		15 M Deformed Tie Bar		each	24		
F.4		Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)		100 mm Sidewalk	SD-228A				
	a)	Less than 5 sq.m.		m²	10		
	b)	5 sq.m. to 20 sq.m.		m²	20		
	c)	Greater than 20 sq.m.		m²	360		
ii)		150 mm Reinforced Sidewalk					
	a)	5 sq.m. to 20 sq.m.		m²	6		
iii)		Monolithic Curb and Sidewalk	SD-228B	m²	35		
F.5		Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	10		
F.6		Supply of Precast Sidewalk Blocks	CW 3235-R9	m²	5		
F.7		Removal of Precast Sidewalk Blocks	CW 3235-R9	m²	5		
F.8		Concrete Curb Renewal	CW 3240-R10				
i)		Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
	a)	Less than 3 m		m	5		
ii)		Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	21		
F.9		Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	5		
F.10		Construction of Asphalt Patches	CW 3410-R12	m²	3		

UNIT PRIC	CES	(OLL DO)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F.11	Detectable Warning Surface Tiles	CW 3326-R3	each	4		
	ADJUSTMENTS					
F.12	Adjustment of Valve Boxes	CW 3210-R8	each	1		
F.13	Valve Box Extensions	CW 3210-R8	each	1		
F.14	Adjustment of Curb Stop Boxes	CW 3210-R8	each	9		
F.15	Curb Stop Extensions	CW 3210-R8	each	5		
	LANDSCAPING					
F.16	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	155		
ii)	width > or = 600 mm		m²	305		
F	SIDEWALK RENEWAL - YOUNG ST FROM AVE (EAST SIDE)	CUMBERLAND	AVE TO	SARGENT		

	CES	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
G	<u>SIDEWALK RENEWAL - SELKIRK AVE FRO (SOUTH SIDE)</u>	<u>OM MAIN ST TO</u>	AUSTIN	<u>I ST N</u>		
	EARTH AND BASE WORKS					
G.1	Supplying and Placing Base Course Material	CW 3110-R19	m³	10		
G.2	Grading of Boulevards	CW 3110-R19	m²	190		
	ROADWORK - REMOVALS/RENEWALS					
G.3	Drilled Tie Bars	CW 3230-R8				
i)	15 M Deformed Tie Bar		each	8		
G.4	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a	Less than 5 sq.m.		m²	10		
b)	5 sq.m. to 20 sq.m.		m²	10		
C)	Greater than 20 sq.m.		m²	140		
ii)	150 mm Reinforced Sidewalk					
a	5 sq.m. to 20 sq.m.		m²	12		
G.5	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	5		
G.6	Supply of Precast Sidewalk Blocks	CW 3235-R9	m²	5		
G.7	Removal of Precast Sidewalk Blocks	CW 3235-R9	m²	5		
G.8	Concrete Curb Removal	CW 3240-R10				
i)	Barrier Integral		m	15		
G.9	Concrete Curb Installation	CW 3240-R10				
i)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	15		

	CES	(SEE D9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
G.10	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	5		
ii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	7		
G.11	Construction of Asphalt Patches	CW 3410-R12	m²	1		
	ADJUSTMENTS					
G.12	Adjustment of Valve Boxes	CW 3210-R8	each	1		
G.13	Valve Box Extensions	CW 3210-R8	each	1		
G.14	Adjustment of Curb Stop Boxes	CW 3210-R8	each	1		
G.15	Curb Stop Extensions	CW 3210-R8	each	1		
	LANDSCAPING					
G.16	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	65		
ii)	width > or = 600 mm		m²	125		
	MISCELLANEOUS					
G.17	Tree Removal, Green Ash 78.0cm Diameter	E10	each	1		
G.18	Tree Stump Grinding	E11	each	1		
G	SIDEWALK RENEWAL - SELKIRK AVE FRO (SOUTH SIDE)	OM MAIN ST TO	AUSTIN	IST N		

UNIT P	RIC	CES	(SEE B9)				
ITEN		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
н		SIDEWALK RENEWAL - FURBY ST FROM	BANNATYNE A	<i>VE ТО</i> И	/ILLIAM AVE		
		<u>(EAST SIDE)</u>					
		EARTH AND BASE WORKS					
H.1		Supplying and Placing Base Course Material	CW 3110-R19	m³	10		
H.2		Grading of Boulevards	CW 3110-R19	m²	140		
		ROADWORK - REMOVALS/RENEWALS					
H.3		Drilled Tie Bars	CW 3230-R8				
i)		15 M Deformed Tie Bar		each	40		
H.4		Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)		100 mm Sidewalk		m²	10		
H.5		Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)		100 mm Sidewalk	SD-228A				
	a)	Less than 5 sq.m.		m²	10		
	b)	5 sq.m. to 20 sq.m.		m²	20		
	c)	Greater than 20 sq.m.		m²	130		
H.6		Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	5		
1.7		Supply of Precast Sidewalk Blocks	CW 3235-R9	m²	5		
H.8		Removal of Precast Sidewalk Blocks	CW 3235-R9	m²	5		
H.9		Concrete Curb Renewal	CW 3240-R10				
i)		Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
	a)	Less than 3 m		m	5		
ii)		Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	30		
H.10		Construction of Asphalt Patches	CW 3410-R12	m²	12		
1.11		Detectable Warning Surface Tiles	CW 3326-R3	each	2		

	(SEE D9)				
CES					
DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
	REF.		QUANTITY		
ADJUSTMENTS					
Adjustment of Curb Ston Boxes	CW/ 3210-P8	oach	3		
Adjustment of Curb Stop Boxes	010 32 10-110	each	5		
Curb Stop Extensions	CW 3210-R8	each	1		
LANDSCAPING					
Sodding	CW 3510-R9				
width $< 600 \text{ mm}$		m²	45		
		2	05		
width > or = 600 mm		m²	95		
SIDEWALK RENEWAL - FURBY ST FROM	BANNATYNE A	<u>VE ТО И</u>	ILLIAM AVE	Subtotal	
<u>(EAST SIDE)</u>				Subiolal.	
	ADJUSTMENTS Adjustment of Curb Stop Boxes Curb Stop Extensions LANDSCAPING Sodding width < 600 mm width > or = 600 mm SIDEWALK RENEWAL - FURBY ST FROM	DESCRIPTION SPEC. REF. ADJUSTMENTS Adjustment of Curb Stop Boxes Adjustment of Curb Stop Boxes CW 3210-R8 Curb Stop Extensions CW 3210-R8 LANDSCAPING CW 3210-R8 Sodding CW 3510-R9 width < 600 mm	DESCRIPTION SPEC. REF. UNIT ADJUSTMENTS Adjustment of Curb Stop Boxes CW 3210-R8 each Curb Stop Extensions CW 3210-R8 each LANDSCAPING CW 3510-R9 m² width < 600 mm	DESCRIPTIONSPEC. REF.UNITAPPROX. QUANTITYADJUSTMENTSAdjustment of Curb Stop BoxesCW 3210-R8each3Curb Stop ExtensionsCW 3210-R8each1LANDSCAPING SoddingCW 3510-R9m²45width < 600 mm	DESCRIPTION SPEC. REF. UNIT APPROX. QUANTITY UNIT PRICE ADJUSTMENTS Adjustment of Curb Stop Boxes CW 3210-R8 each 3 Curb Stop Extensions CW 3210-R8 each 1 Image: CW 3210-R8 each 1 LANDSCAPING CW 3510-R9 m² 45 Image: CW 3510-R9 Image: CW 3510-

INIT PRI		0050		40000		
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
				Goranni		
	SUMMARY					
Α	SIDEWALK RENEWAL - BRUCE AVE FROM	I FERRY RD TO	O AMHEF	<u>RST ST</u>		
~	(NORTH SIDE)				Subtotal:	
в	SIDEWALK RENEWAL - GARFIELD ST N FF	ROM SARGEN	<u> AVE TC</u>	ELLICE AVE		
	(EAST SIDE)				Subtotal:	
С	SIDEWALK RENEWAL - GRANVILLE ST FR	OM EUCLID A	VE TO RO	OVER AVE		
	(BOTH SIDES)	Subtotal:				
D	SIDEWALK RENEWAL - MERRIWOOD AVE	FROM SINCLA	AIR ST TO	D AIRLIES ST		
			Subtotal:			
Е	SIDEWALK RENEWAL - FURBY ST FROM M (WEST SIDE)	ICDERMOT A	<u>/E TO WI</u>		Subtotal:	
	SIDEWALK RENEWAL - YOUNG ST FROM			SARGENT	Subiolai.	
F	AVE (EAST SIDE)			SANGLINT	Subtotal:	
	SIDEWALK RENEWAL - SELKIRK AVE FRO	M MAIN ST TO		I ST N		
G	(SOUTH SIDE)				Subtotal:	
Н	SIDEWALK RENEWAL - FURBY ST FROM E	BANNATYNE A	VE TO W	ILLIAM AVE		
п	(EAST SIDE)				Subtotal:	
OTAL BI	ID PRICE (GST extra)		(in figures)		

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B13)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

(hereinafter called the "Principal") and

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 193-2017

2018 LOCAL SIDEWALK RENEWALS AND ASSOCIATED WORKS

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

day of		
SIGNED AND SEALED in the presence of:	(Name of Principal)	
	Per:	(Seal)
(Witness as to Principal if no seal)	Per:	
	(Name of Surety)	
	By:(Attorney-in-Fact)	(Seal)

_____ of

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B13)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal,

(Name of Bidder)

(Place)

the Bidder to you on ______, 20_____, 20_____

BID OPPORTUNITY NO. 193-2017

2018 LOCAL SIDEWALK RENEWALS AND ASSOCIATED WORKS

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this ______ day of ______, 20_____, 20_____.

(Name of Surety)

_____ (Seal)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B13)

(Date)

The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 193-2017

2018 LOCAL SIDEWALK RENEWALS AND ASSOCIATED WORKS

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B13)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on June 24, 2018

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name	e of bank or financial institution)
Per:	
	(Authorized Signing Officer)
Per:	

(Authorized Signing Officer)