## FORM A: BID (See B8)

1.	Contract Title	SUPPLY AND DELIVERY	OF A COMPACT SEDAN	
2.	Bidder			
		Name of Bidder		
		Usual Business Name of Bidder	as it appears on Invoice (if different fro	om above)
		Street		
		City	Province	Postal Code
		Email Address of Bidder		
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		GST Registration Number (if app	licable)	
		The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		
		carrying on business unde	r the above name.	
3.	Contact Person	The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.		
		Contact Person	Title	
		Telephone Number	Facsimile Number	
		Email Address		
4.	Definitions	All capitalized terms use	ed in the Contract shall have	e the meanings

ascribed to them in the General Conditions and D3.

- 5. Offer The Bidder hereby offers to perform the Work in accordance with the Contract for the price(s), in Canadian funds, set out on Form B: Prices, appended hereto.
- 6. Commencement of the Work The Bidder agrees that no Work shall commence until he/she is in receipt of a notice of award from the Award Authority authorizing the commencement of the Work.
- 7. Contract The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
- 8. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No. \_\_\_\_\_ Dated \_\_\_\_\_

- 9. Time This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.
- 10.Indigenous Self-<br/>DeclarationThe City is requesting that Bidders identify if their business is at least<br/>51% owned by one or more Indigenous persons of Canada.

YES, 51% or more Indigenous ownership

NO, it is not

This information is being gathered for statistical purposes only and will not be used for purposes of evaluation.

# 11. Signatures The Bidder or the Bidder's authorized official or officials have signed this

\_\_\_\_\_ Day of \_\_\_\_\_, 20\_\_\_\_\_.

Signature of Bidder or Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

# FORM B: PRICES (See B9)

# SUPPLY AND DELIVERY OF A COMPACT SEDAN

UNIT PRICES

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	QUANTITY	UNIT PRICE
1.	Compact Sedan	18016	Each	1	

Name of Bidder

## FORM N: DETAILED SPECIFICATIONS 18016

## COMPACT SEDAN

### 1.0 DESCRIPTION OF EQUIPMENT

- 1.1 These specifications describe a <u>**Compact Sedan**</u> and other equipment and features as specified herein.
- 1.2 The <u>Compact Sedan</u> shall be a new 2018 model year or newer.
- 1.3 The **Compact Sedan** and all other items/components shall be the manufacturer's latest model. The equipment shall be furnished complete and ready for operation. Any parts or accessories not specifically mentioned, but which are required to complete and place the equipment and associated attachments in successful operation shall be furnished as though specifically mentioned in these specifications. The equipment and associated attachments, and all parts thereof, shall conform in strength and quality of material and workmanship, to the best standards and engineering practice of the industry.
- 1.4 It will be the responsibility of the Bidder to inform the City of any errors or omissions in these specifications, for under this Contract the Contractor shall be held responsible for the satisfactory operational function of the equipment.

#### 2.0 OTHER SPECIFICATIONS AND STANDARDS

- 2.1 All applicable SAE standards form an integral part of these specifications and shall have precedence in any conflict concerning minimum acceptable standards.
- 2.2 The **<u>Compact Sedan</u>** shall comply with the applicable regulations:

Transport Canada, National Safety Mark, NSM: <a href="http://www.tc.gc.ca/eng/acts-regulations/acts-road.htm">http://www.tc.gc.ca/eng/acts-regulations/acts-road.htm</a>

Manitoba Safety and Health Regulation, Parts 12, 16, 22: http://web2.gov.mb.ca/laws/regs/current/217.06.pdf

Canadian Motor Vehicle Safety Standards C.M.V.S.S. <u>http://laws-lois.justice.gc.ca/eng/regulations/C.R.C.,\_c.\_1038/section-sched3.html</u>

Manitoba Highway Traffic Act regulations and requirements including, but not limited to, a Manitoba Government Inspection with Safety Sticker. <u>http://web2.gov.mb.ca/laws/regs/index.php?act=h60</u>

Canadian Standards Association, CSA: <a href="http://www.csagroup.org/">http://www.csagroup.org/</a>

Under Writers of Canada, U/L: <u>http://www.ulc.ca/</u>

Society of Automotive Engineers, SAE: <a href="http://www.sae.org/">http://www.sae.org/</a>

City of Winnipeg Lighting Visibility Standard: <a href="http://winnipeg.ca/matmgt/pdfs/PublicWorksEquipLightingVisibility.pdf">http://winnipeg.ca/matmgt/pdfs/PublicWorksEquipLightingVisibility.pdf</a>

2.3 It will be the responsibility of the Bidder to inform the City of any deficiencies in these specifications, for under this Contract the Contractor shall be held responsible for the design, performance, reliability and satisfactory operational function of the units.

## 3.0 SERVICE FACILITY

3.1 For the purpose of warranty repairs, the Bidder shall have an authorized service facility. The facility, or a portion thereof, shall be dedicated to the service and maintenance of the type equipment being offered. Bidders shall provide a description of the service facility including, but not limited to, number of qualified service staff, years of service experience, and general service capabilities within three (3) Business Days upon request of the Contract Administrator.

### 4.0 <u>REFERENCES</u>

4.1 If available, please provide five (5) references where this equipment is used in a working environment where climatic conditions are similar to the City of Winnipeg.

## 5.0 MAKE & MODEL

5.1 State year, make and model being bid: \_\_\_\_\_

## 6.0 INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

6.1 Each bid will be evaluated based on adherence to all terms, conditions and requirements outlined in the Bid Opportunity package.

6.2 All items in these specifications must be answered indicating compliance or non-compliance. **BIDDERS SHALL STATE "YES" FOR COMPLIANCE OR STATE DEVIATION**, or give reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.

#### 6.3 EACH BIDDER IS REQUIRED TO FILL IN EVERY BLANK. FAILURE TO DO SO MAY BE USED AS A BASIS FOR REJECTION OF BID

#### 7.0 PERFORMANCE RELIABILITY

- 7.1 The responsibility for the design of the <u>**Compact Sedan**</u>, its performance and reliability shall rest upon the Contractor.
- 7.2 The term "repeated failures" as used herein is defined to mean that the same component, subassembly, or assembly develops repeated defects, breakdowns and/or malfunctions rendering the vehicle inoperative, or requiring repeated shop correction, service and/or replacement during the warranty period applicable for said component, subassembly, of assembly. Minor items or ordinary service adjustments are not included, or considered under the scope of "repeated failures", as well as other factors, such as operational damage due to accidents, misuse or lack of proper maintenance, service and lubrication attention by not following the manufacturer's preventative maintenance schedule.
- 7.3 Where the <u>**Compact Sedan**</u> develops "repeated failures" in service, the Contractor shall make any necessary engineering changes, repairs, alterations or modifications in order to guarantee reliability of performance.
- 7.4 The equipment shall be capable of consistent top performance in City of Winnipeg Environment. Note: The City of Winnipeg has four seasons with ambient temperatures ranging from approximately 90°F (32°C) to -40°F (-40°C)

# 8.0 <u>FUEL</u>

8.1 <u>Where applicable</u>, all equipment must be fully fueled upon delivery (no exceptions).

## 9.0 QUALIFICATIONS OF MANUFACTURER & CONTRACTOR

- 9.1 The manufacturer of the <u>Compact Sedan</u> shall have five (5) years continuous experience manufacturing <u>Compact Sedan</u>.
- 9.2 The manufacturer shall have in effect a documented quality control program ensuring that the quality of materials and workmanship, including welding, conforms to the best standards and engineering practice of the industry.
- 9.3 The Contractor shall have five (5) years continuous experience servicing, repairing and maintaining **Compact Sedan** of the type being offered.

# 10.0 **SPECIFICATIONS:**

10.1	Vehicle Make and Model	State:	
	Air Conditioning / Heating		
10.2	Air Conditioning	Required:	
10.3	Rear Window Defroster	Electric	
	Battery		
10.4	Battery	State: CCA	
	Bluetooth / Cell Phone Compati	bility	
10.5	Bluetooth® Technology	For use with cellular phones, "hands-	
		free" capable, voice command activated through vehicle's radio circuit	
	Body Style		
	Body Otylo		
10.6	Design & Seating	4 Door, 5 Passenger Seating	
10.6 10.7		4 Door, 5 Passenger Seating Sedan	
	Design & Seating		
	Design & Seating	Sedan Note: Hatchback not acceptable due to	
	Design & Seating Sedan	Sedan Note: Hatchback not acceptable due to	
10.7	Design & Seating Sedan Brakes	Sedan Note: Hatchback not acceptable due to operational requirements Power Brakes – 4-Wheel Anti-Lock	

10.10	Exterior	Any colour except white State:	
		Note: Exterior white not acceptable due to operational requirements	
	Drivetrain		
10.11	Туре	Front Wheel Drive	
	Engine		
10.12	Engine	4-cylinder, gasoline <b>State:</b>	
	Fuel Consumption		
10.13	Fuel Consumption	State: city rating L/100km	
10.14	Fuel Tank	Fully fuelled upon delivery	
	Mirrors		
10.15	Mirrors	Interior rearview and dual power exterior	
	Radio		
10.16	Radio	AM/FM with CD player or USB port with auxiliary input	
	Seating		
10.17	Front	Two (2) bucket seats or bench seat <b>State:</b> type	
10.18	Rear	60/40 Split fold-down	
10.19	Material	Cloth or cloth with vinyl trim	
	Standard Equipment		
10.20	12-Volt Power Point	Required:	
10.21	Air Bags	Required: quantity and locations	
10.22	Cruise Control	Required:	
10.23	Floor Mats - Rubber	Required: front and rear	
10.24	Ignition Keys:	Required: Three (3) required per vehicle	
10.25	Keyless Entry	Required: Two (2) fobs	
10.26	Mud Flaps	Required:	
10.27	Power Door Locks	Required:	
10.28	Power Windows	Required:	
10.29	Rear View Back-Up Camera	Required:	<u> </u>
10.30	Tilt Steering	Required:	

10.31	Windshield Wipers	Intermittent	
10.32	Wiper Blades	Winter blades with heavy duty rubber boot	
	Steering		
10.33	Power Steering	Required:	
	Tires		
10.34	Tires	All Season	
10.35	Wheels	Standard manufacturer's wheels, without locking nuts	
10.36	Spare	Compact size with rim	
	Transmission		
10.37	Automatic	Required:	
10.38	Trunk		
10.39	Trunk	Lockable	
		Note: Contents of the trumb connect be	
		Note: Contents of the trunk cannot be visible when closed due to operational requirements. Cargo covers not acceptable.	
	Wheelbase	visible when closed due to operational requirements. Cargo covers not	
10.40	<b>Wheelbase</b> Wheelbase	visible when closed due to operational requirements. Cargo covers not	
10.40		visible when closed due to operational requirements. Cargo covers not acceptable. Approximately 2600 mm (102 in.)	
10.40		visible when closed due to operational requirements. Cargo covers not acceptable. Approximately 2600 mm (102 in.)	
	Wheelbase	visible when closed due to operational requirements. Cargo covers not acceptable. Approximately 2600 mm (102 in.)	
11.0	Wheelbase   WARRANTY:   All warranty information shall be a	visible when closed due to operational requirements. Cargo covers not acceptable. Approximately 2600 mm (102 in.) State:	
11.0	Wheelbase <u>WARRANTY:</u> All warranty information shall be The successful bidder shall provi	visible when closed due to operational requirements. Cargo covers not acceptable. Approximately 2600 mm (102 in.) State: detailed and <u>include all exclusions</u> . de all published warranty information upon	
11.0	Wheelbase <u>WARRANTY:</u> All warranty information shall be of The successful bidder shall providelivery of the equipment.	visible when closed due to operational requirements. Cargo covers not acceptable. Approximately 2600 mm (102 in.) State: detailed and <u>include all exclusions</u> . de all published warranty information upon	
11.0 11.1	Wheelbase WARRANTY: All warranty information shall be of The successful bidder shall providelivery of the equipment. Bidder shall state all warranty info	visible when closed due to operational requirements. Cargo covers not acceptable. Approximately 2600 mm (102 in.) State: detailed and <u>include all exclusions</u> . de all published warranty information upon	

- 11.4 Corrosion (Rust-Through) State:
- 11.5 Drivetrain Coverage: State:
- 11.6 Roadside Assistance State:

## 12.0 **DELIVERY:**

12.1 <u>Delivery Point:</u> The complete unit shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, including invoice and N.V.I.S. (if applicable) to the WFMA 185 Tecumseh Street, Winnipeg MB.

# 12.2 Delivery Time:

Approximately 2 - 6 calendar weeks from date of award

Equipment shall be delivered between 8:00 am and 2:00 pm on Business Days.

State: earliest delivery time: \_\_\_\_\_

- 12.3 **Delivery Contact:** The Contractor shall contact the Contract Administrator prior to delivery of the equipment.
- 12.4 **P.D.I:** A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list

## 13.0 **MANUALS:**

13.1 **Operator's Manual:** One (1) per unit shall be supplied with the units when delivered:

### 14.0 **PARTS/LABOUR PRICING:**

- 14.1 Bidder to provide City of Winnipeg Parts Discount % Pricing from retail parts pricing. **State percentage discount**
- 14.2 Bidder to provide City of Winnipeg Labor Discount % Pricing from Retail shop labor rate. **State percentage discount**

## 15.0 **FIRST SERVICE PREVENTATIVE MAINTENANCE KIT:**

- 15.1 In order to assure minimum downtime of the Equipment in future service, the Contractor must provide one (1) complete replacement set of new OEM filters for each unit purchased. The set of required filters shall include (if applicable to the equipment type) air, fuel, oil, cab and hydraulic, or otherwise all known necessary common replacement filters required for the first preventative maintenance servicing.
- 15.2 The Contractor must provide a list of factory recommended lubricants to be used with the equipment, as well as a complete cross reference guide for all warranty approved lubricants and filters that can be used during Preventative Maintenance servicing.