

140 x 140 (6" X 6") PT TIMBER POST SLOPE POST TOP, TYP. 38 x 184 (2" X 8") PT TIMBER RAIL. FASTEN W/ 13 (1/2") x 114 (4.5") 200 x 200 (8" X 8") PT TIMBER POST GALVANIZED LAG BOLT & WASHER -SLOPE POST TOP, TYP. PREDRILLED & COUNTERSUNK, TYP. SLOPE CRUSHED LIMESTONE AWAY SLOPE CRUSHED LIMESTONE AWAY 600 FROM POST FROM POST GRADE AGATE PARK SIDE 19 (3/4") CRUSHED LIMESTONE 19 (3/4") CRUSHED LIMESTONE 50 MIN. ALL SIDES TYP.

A. TIMBER FENCE - FRONT SECTION

B. TIMBER FENCE - POST CROSS SECTION

C. POST BOLLARD - SECTION

TIMBER FENCE & POST BOLLARD Scale: 1:25 A.54-A4

TIMBER FENCE & POST BOLLARD NOTES

- 1. POSTS TO BE PLUMB & TRUE.
- 2. FENCE RAILS TO BE LEVEL, SQUARE, AND TRUE.
- 2. INSTALL CRUSHED LIMESTONE IN LIFTS & TAMP EACH LIFT THOROUGHLY.
- 3. TIMBER MEMBERS TO BE PRESSURE TREATED GREEN. 4. ALL HARDWARE TO BE ACQ APPROVED FOR OUTDOOR USE. 5. TREAT CUT ENDS ON SITE W/ CLEAR PRESERVATIVE SUITABLE FOR PT WOOD & OUTDOOR USE.

- 1. ALL WORK TO CONFORM TO CURRENT CITY OF WINNIPEG STANDARD CONSTRUCTION SPECIFICATIONS AND DETAILS UNLESS OTHERWISE NOTED.
- 2. DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE NOTED.
- 3. REPORT ANY DISCREPANCIES TO THE CONTRACT ADMINISTRATOR IMMEDIATELY.
- 4. DO NOT SCALE DRAWINGS.

CONTRACTOR TO CONFIRM ALL DIMENSIONS AND REPORT ANY DISCREPANCIES TO CONTRACT ADMINISTRATOR PRIOR TO CONSTRUCTION. LOCATION OF UNDERGROUND STRUCTURES AS SHOWN ARE BASED ON THE BEST INFORMATION AVAILABLE BUT NO GUARANTEE IS GIVEN THAT ALL EXISTING UTILITIES ARE SHOWN OR THAT THE GIVEN LOCATIONS ARE EXACT. CONFIRMATION OF EXISTENCE AND EXACT LOCATION OF ALL SERVICES MUST BE OBTAINED FROM THE INDIVIDUAL UTILITIES BEFORE PROCEEDING WITH CONSTRUCTION.



THE CITY OF WINNIPEG Planning, Property and Development Department Planning and Land Use Division Unit 15 - 30 Fort Street, Winnipeg, MB, (R3C 4X5)

DESIGNED BY	LL	CHECKED BY	СН		
DRAWN BY	LL	APPROVED BY	СН	MANAGER, PARK AND OPEN SPACES	DATE
HORIZ. SCALE	AS NOTED				
VERT. SCALE					
DATE	JUNE 2	2018		MANAGER, PLANNING AND LAND USE DIVISION	DATE

DRAWING NO.
A.54-A4
1
BID OPPORTUNITY NO. 594-2018