FORM A: BID (See B8)

1.	Contract Title	Empress Street Project, Pavem St. Matthews Avenue, Empress Ramps and Associated Works		
2.	Bidder	Name of Bidder		
		Usual Business Name of Bidder as it ap	opears on Invoice (if different from abov	e)
		Street		
		City	Province	Postal Code
		Email Address of Bidder		
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		The Bidder is:		
	(Choose one)	a sole proprietor		
	(0.10000 0.10)	a partnership		
		a corporation		
		carrying on business under the	above name.	
3.	Contact Person	The Bidder hereby authorizes the Bidder for purposes of the E		represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions	All capitalized terms used in ascribed to them in the General		meanings
5.	Offer	The Bidder hereby offers to p Contract for the Total Bid Price Prices, appended hereto.		

6.	Bid Security	In accordance with B13.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.
12.	Indigenous Self- Declaration	The City is requesting that Bidders identify if their business is at least 51% owned by one or more Indigenous persons of Canada.
		YES, 51% or more Indigenous ownership
		NO, it is not
		This information is being gathered for statistical purposes only and will not be used for purposes of evaluation.

13. Signatures The Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____ , 20_____ .

Signature of Bidder or Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT			
ST. JOHN AMBULANCE WAY & EMPRESS STREET EAST, PORTAGE AVENUE TO EMPRESS OVERPASS, CONCRETE RECONSTRUCTION								
EARTH AND BASE WORKS								
Excavation	CW 3110-R19	m³	3900					
Sub-Grade Compaction	CW 3110-R19	m²	5900					
Crushed Sub-base Material	CW 3110-R19							
50 mm - Limestone		tonne	2300					
100 mm - Limestone		tonne	4600					
Supplying and Placing Limestone Base Course Material	CW 3110-R19	m³	475					
Grading of Boulevards	CW 3110-R19	m²	5000					
Removal of Existing Concrete Bases	CW 3110-R19							
600 mm Diameter or Less		each	8					
Separation Geotextile Fabric	CW 3130-R4	m²	5900					
Supply and Install Geogrid	CW 3135-R1	m²	1500					
Fill Material	CW 3170-R3							
Placing Suitable Site Material		m³	200					
ROADWORKS - RENEWALS								
Pavement Removal	CW 3110-R19							
Concrete Pavement		m²	7200					
Temporary Asphalt Pavement		m²	40					
Drilled Dowels	CW 3230-R8							
19.1 mm Diameter		each	30					
28.6 mm Diameter		each	175					
Drilled Tie Bars	CW 3230-R8							
	EMPRESS OVERPASS, CONCRETE REC EARTH AND BASE WORKS Excavation Sub-Grade Compaction Crushed Sub-base Material 50 mm - Limestone 100 mm - Limestone Supplying and Placing Limestone Base Course Material Grading of Boulevards Removal of Existing Concrete Bases 600 mm Diameter or Less Separation Geotextile Fabric Supply and Install Geogrid Fill Material Placing Suitable Site Material ROADWORKS - RENEWALS Pavement Removal Concrete Pavement Temporary Asphalt Pavement Drilled Dowels 19.1 mm Diameter 28.6 mm Diameter	ST. JOHN AMBULANCE WAY & EMPRESS STREET EAST EMPRESS OVERPASS, CONCRETE RECONSTRUCTIONEARTH AND BASE WORKSExcavationCW 3110-R19Sub-Grade CompactionCW 3110-R19Crushed Sub-base MaterialCW 3110-R1950 mm - LimestoneCW 3110-R19100 mm - LimestoneCW 3110-R19Supplying and Placing Limestone Base Course MaterialCW 3110-R19Grading of BoulevardsCW 3110-R19600 mm Diameter or LessCW 3110-R19600 mm Diameter or LessCW 3135-R1Fill MaterialCW 3135-R1Fill MaterialCW 3170-R3Placing Suitable Site MaterialCW 3110-R19Concrete PavementCW 3110-R19Concrete PavementCW 3110-R19Drilled DowelsCW 3230-R819.1 mm Diameter28.6 mm Diameter	ST. JOHN AMBULANCE WAY & EMPRESS STREET EAST, PORT, EMPRESS OVERPASS, CONCRETE RECONSTRUCTION EARTH AND BASE WORKS Excavation CW 3110-R19 Sub-Grade Compaction CW 3110-R19 Crushed Sub-base Material CW 3110-R19 50 mm - Limestone tonne 100 mm - Limestone tonne Supplying and Placing Limestone Base CW 3110-R19 Grading of Boulevards CW 3110-R19 Removal of Existing Concrete Bases CW 3110-R19 600 mm Diameter or Less each Separation Geotextile Fabric CW 3130-R4 Supply and Install Geogrid CW 3170-R3 Placing Suitable Site Material m³ ROADWORKS - RENEWALS m³ Pavement Removal CW 3110-R19 Concrete Pavement m² Temporary Asphalt Pavement m² Drilled Dowels CW 3230-R8 19.1 mm Diameter each	ST. JOHN AMBULANCE WAY & EMPRESS STREET EAST, PORTAGE AVENUE EMPRESS OVERPASS, CONCRETE RECONSTRUCTIONEARTH AND BASE WORKSExcavationCW 3110-R19m³Sub-Grade CompactionCW 3110-R19m²Crushed Sub-base MaterialCW 3110-R19m²50 mm - Limestonetonne2300100 mm - Limestonetonne4600Supplying and Placing Limestone Base Course MaterialCW 3110-R19m²Grading of BoulevardsCW 3110-R19m²5000Removal of Existing Concrete BasesCW 3110-R19m²5000Supply and Install GeogridCW 3133-R4m²5900Supply and Install GeogridCW 3170-R3m²1500Fill MaterialCW 3110-R19m²200ROADWORKS - RENEWALSm²7200Pavement RemovalCW 3110-R19m²40Drilled DowelsCW 3230-R8m²4019.1 mm Diameteracach303028.6 mm Diameteracach175	ST. JOHN AMBULANCE WAY & EMPRESS STREET EAST, PORTAGE AVENUE TO EMPRESS OVERPASS. CONCRETE RECONSTRUCTION EARTH AND BASE WORKS Excavation CW 3110-R19 m³ 3900 Sub-Grade Compaction CW 3110-R19 m² 5900 Crushed Sub-base Material CW 3110-R19 m² 5900 So mm - Limestone tonne 2300 100 mm - Limestone tonne 4600 Supplying and Placing Limestone Base CW 3110-R19 m³ 475 Course Material CW 3110-R19 m² 5000 Removal of Existing Concrete Bases CW 3110-R19 m² 5000 Removal of Existing Concrete Bases CW 3110-R19 m² 5000 Supply and Install Geogrid CW 3130-R4 m² 5900 Supply and Install Geogrid CW 3170-R3 m³ 200 Fill Material m³ 200 7200 Forcer Pavement m² 7200 7200 Full Material CW 3110-R19 m² 40 Driled Dowels CW 3230-R8 10 10 10:1 mm Diameter each			

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
i)	15 M Deformed Tie Bar		each	30		
ii)	20 M Deformed Tie Bar		each	170		
iii)	25 M Deformed Tie Bar		each	10		
A.13	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	100 mm Sidewalk		m²	800		
ii)	Monolithic Curb and Sidewalk		m²	5		
A.14	Concrete Curb Removal	CW 3240-R10				
i)	Barrier Integral		m	45		
4.15	Concrete Curb Installation	CW 3240-R10				
i)	Barrier (180 mm reveal ht, Dowelled)	SD-205	m	50		
4.16	Construction of Asphaltic Concrete Overlay	CW 3410-R12				
i)	Main Line Paving					
a)	Туре ІА		tonne	25		
ii)	Temporary Asphalt Pavement					
a)	Туре ІА		tonne	5		
A.17	Planing of Pavement	CW 3450-R6				
i)	1 - 50 mm Depth (Asphalt)		m²	140		
4.18	City Supplied Precast Concrete Traffic Barriers	E14	each	25		
A.19	Remove and Salvage Existing Crash Attenuation Unit	E16	each	1		
4.20	Remove and Salvage Existing ABB Rail	CW 3650-R6	m	500		
4.21	Remove and Salvage Existing Barrier Posts	CW 3650-R6	each	46		
4.22	Removal of Existing F-Shape Barrier	E16	m	400		
4.23	Removal of Existing Bollards	E16	each	2		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORKS - NEW CONSTRUCTION					
A.24	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R17, E17				
i)	Construction of 230 mm Concrete Pavement (Plain-Dowelled)		m²	500		
ii)	Construction of 230 mm Concrete Pavement (Plain-Dowelled, Slip Form Paving)		M²	4000		
iii)	Construction of 200 mm Concrete Pavement (Reinforced)		m²	85		
iv)	Construction of Concrete Median Slabs	SD-227A	m²	400		
v)	Construction of Monolithic Concrete Bull- noses	SD-227C	m²	1		
A.25	Concrete Pavements for Early Opening	CW 3310-R17				
i)	Construction of 230 mm Concrete Pavement for Early Opening 24 Hour (Plain-Dowelled)		m²	100		
ii)	Construction of 230 mm Concrete Pavement for Early Opening 72 Hour (Plain-Dowelled)		m²	225		
iii)	Construction of 200 mm Concrete Pavement for Early Opening 24 Hour (Reinforced)		M²	25		
iv)	Construction of 200 mm Concrete Pavement for Early Opening 72 Hour (Reinforced)		m²	60		
A.26	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
i)	Construction of Barrier (180 mm ht, Integral)	SD-204	m	450		
ii)	Construction of Curb Ramp (8-12 mm ht, Integral)	SD-229C	m	30		
iii)	Construction of Safety Curb (330 mm ht)	SD-206B	m	615		
A.27	Supply and Installation of Dowel Assemblies	CW 3310-R17	m	1125		
A.28	100 mm Concrete Sidewalk	CW 3325-R5	m²	725		

	CES	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.29	Construction of F-Shape Barrier	E17				
i)	Single-sided		m	10		
ii)	Double-sided (Median)		m	280		
A.30	Grouted Stone Riprap	CW 3615-R4	m³	2.5		
A.31	Installation of Straw Wattle	E26	m	25.0		
	JOINT AND CRACK SEALING					
A.32	Reflective Crack Maintenance	CW 3250-R7	m	20		
4.33	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS Catch Basin	CW 2130-R12				
i)	SD-024, 1500 mm deep		each	2		
ii)	SD-024, 1800 mm deep		each	7		
iii)	SD-025, 1200 mm deep		each	1		
4.34	Catch Pit	CW 2130-R12				
i)	SD-023		each	7		
4.35	Installation of New Manhole	CW 2130-R12				
i)	SD-010					
a)	1200 mm		vert. m	8.9		
A.36	Sewer Service	CW 2130-R12				
i)	250 mm SSP					
a)	In a Trench, Class B Bedding with Sand, Class 3 Backfill		m	80		
b)	Trenchless Installation		m	20		

ITEN	Λ	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ii)		300 mm SSP					
	a)	In a Trench, Class B Bedding with Sand, Class 3 Backfill		m	40		
	b)	Trenchless Installation		m	25		
A.37		Corrugated Steel Pipe Culvert - Supply	CW 3610-R5, E19				
i)		(300 mm, 1.6 gauge, Galvanized)		m	20		
A.38		Corrugated Steel Pipe Culvert - Install	CW 3610-R5, E19				
i)		(300 mm, 1.6 gauge, Galvanized)		m	20		
A.39		Sewer Service Risers	CW 2130-R12				
i)		250 mm					
	a)	SD-015		vert. m	2.0		
A.40		Replace Existing Manhole and Catch Basin Frame and Cover	CW3210-R8				
i)		AP-006 - Standard Frame for Manhole and Catch Basin		each	2		
ii)		AP-007 - Standard Solid Cover for Standard Frame		each	2		
A.41		Connecting to Existing Manhole	CW 2130-R12				
i)		250 mm Catch Basin Lead (SSP)		each	1		
A.42		Connecting to Existing Catch Basin	CW 2130-R12				
i)		250 mm SSP		each	1		
A.43		Connecting to Existing Sewer	CW 2130-R12				
i)		300 mm Connecting Pipe					
	a)	Connecting to 375 mm Combined Sewer		each	1		
A.44		Connecting New Sewer Service to Existing Sewer Service	CW 2130-R12				
i)		250 mm (SSP)		each	1		

	CES	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.45	Connect to Existing Culvert	CW 3610-R5				
i)	300 mm CSP		each	1		
A.46	Sewer Inspection	CW 2145-R4				
i)	250 mm SSP		m	43		
ii)	300 mm SSP		m	15.6		
A.47	Removal of Existing Catch Basins	CW 2130-R12	each	10		
A.48	Removal of Existing Catch Pit	CW 2130-R12	each	2		
A.49	Relocation of Existing Catch Basins	CW 2130-R12	each	1		
A.50	Abandoning Existing Drainage Inlets	CW 2130-R12	each	4		
A.51	Installation of Subdrains	CW 3120-R4	m	108		
A.52	Abandoning Existing Sewer Services Under Pavement	CW 2130-R12				
i)	Existing Catch Basin Leads (250 mm or smaller)		each	9		
A.53	Removal of Existing Culverts	CW 3610-R5	m	28		
	ADJUSTMENTS					
A.54	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	2		
A.55	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	1.0		
A.56	Adjustment of Valve Boxes	CW 3210-R8	each	1		
A.57	Valve Box Extensions	CW 3210-R8	each	1		
A.58	Adjustment of Curb Stop Boxes	CW 3210-R8	each	1		
A.59	Curb Stop Extensions	CW 3210-R8	each	1		
4.60	Adjustment of Existing Manitoba Hydro Manholes	E18	each	2		
Α	ST. JOHN AMBULANCE WAY & EMPRESS	STREET EAST	. PORTA	AGE	Subtotal:	

	CES	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
В	ACTIVE TRANSPORTATION FACILITY, SO EMPRESS OVERPASS	UTH OF PORT	AGE AVI	<u>ENUE TO</u>		
	EARTH AND BASE WORKS					
B.1	Clearing and Grubbing	CW 3010-R4	ha	0.100		
3.2	Excavation	CW 3110-R19	m³	1800		
3.3	Sub-Grade Compaction	CW 3110-R19	m²	2500		
3.4	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	875		
B.5	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m³	210		
B.6	Separation Geotextile Fabric	CW 3130-R4	m²	2500		
B.7	Fill Material	CW 3170-R3				
i)	Placing Suitable Site Material		m³	200		
	ROADWORKS - NEW CONSTRUCTION					
B.8	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R17				
i)	Construction of 150 mm Concrete Pavement (Reinforced)		m²	16		
B.9	100 mm Concrete Sidewalk	CW 3325-R5	m²	1400		
B.10	Construction of Asphaltic Concrete Pavements	CW 3410-R12				
i)	Main Line Paving					
a)	Туре ІА		tonne	320		
ii)	Tie-ins and Approaches					
a)	Туре ІА		tonne	15		
B.11	Supply and Installation of Green Bicycle Lane Treatment - Longitudinal Lane Line	E21	m	475		
B.12	Construction of Rumble Strip	E22	m	475		
	JOINT AND CRACK SEALING					

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.13	Reflective Crack Maintenance	CW 3250-R7	m	275		
В	ACTIVE TRANSPORTATION FACILITY, SO EMPRESS OVERPASS	UTH OF PORT	AGE AVI	ENUE TO	Subtotal:	

UNIT PRIC	CES	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
С	MULTI-USE PATH, EAST OF MANITOBA F	YDRO SUB-ST	ATION A	DJACENT		
	TO CANADIAN PACIFIC RAILWAY	1				
	EARTH AND BASE WORKS					
C.1	Clearing and Grubbing	CW 3010-R4	ha	0.07		
C.2	Excavation	CW 3110-R19	m³	175		
C.3	Sub-Grade Compaction	CW 3110-R19	m²	510		
C.4	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	180		
C.5	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m³	55		
C.6	Separation Geotextile Fabric	CW 3130-R4	m²	510		
C.7	Grading of Boulevards	CW 3110-R19	m²	290		
C.8	Topsoil Excavation	CW 3170-R3	m³	100		
C.9	Fill Material	CW 3170-R3				
i)	Placing Suitable Site Material		m³	30		
	ROADWORKS - NEW CONSTRUCTION					
C.10	Construction of Asphaltic Concrete Pavements	CW 3410-R12				
i)	Main Line Paving					
a)	Туре ІА		tonne	90		
	JOINT AND CRACK SEALING					
C.11	Reflective Crack Maintenance	CW 3250-R7	m	50		
С	MULTI-USE PATH, EAST OF MANITOBA H TO CANADIAN PACIFIC RAILWAY	IYDRO SUB-ST	ATION A	DJACENT	Subtotal:	

UNIT PRI	CFS	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D	EMPRESS STREET EAST, NORTH OF EN AVENUE, CONCRETE RECONSTRUCTIO		ASS TO	JACK BLICK		
	EARTH AND BASE WORKS					
D.1	Excavation	CW 3110-R19	m³	6650		
D.2	Hydro-Excavation	E12	hour	16		
D.3	Sub-Grade Compaction	CW 3110-R19	m²	7000		
D.4	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm - Limestone		tonne	3000		
ii)	100 mm - Limestone		tonne	5000		
D.5	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m³	550		
D.6	Grading of Boulevards	CW 3110-R19	m²	5900		
D.7	Removal of Existing Concrete Bases	CW 3110-R19				
i)	600 mm Diameter or Less		each	15		
D.8	Separation Geotextile Fabric	CW 3130-R4	m²	7000		
D.9	Supply and Install Geogrid	CW 3135-R1	m²	1750		
D.10	Fill Material	CW 3170-R3				
i)	Placing Suitable Site Material		m³	250		
	ROADWORKS - RENEWALS					
D.11	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m²	12100		
ii)	Temporary Asphalt Pavement		m²	650		
iii)	Asphalt Sidewalk		m²	60		

JNIT PRI ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
	DESCRIPTION	REF.	UNIT	QUANTITY		AMOUNT
D.12	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	125		
ii)	28.6 mm Diameter		each	360		
D.13	Drilled Tie Bars	CW 3230-R8				
i)	15 M Deformed Tie Bar		each	125		
ii)	20 M Deformed Tie Bar		each	300		
iii)	25 M Deformed Tie Bar		each	10		
D.14	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	Median Slab		m²	200		
ii)	Monolithic Median Slab		m²	75		
iii)	Safety Median		m²	40		
iv)	100 mm Sidewalk		m²	1025		
V)	Bullnose		m²	15		
D.15	Concrete Curb Removal	CW 3240-R10				
i)	Barrier Integral		m	60		
ii)	Curb Ramp		m	25		
iii)	Temporary Barrier Curb		m	70		
D.16	Construction of Asphaltic Concrete Overlay	CW 3410-R12				
i)	Main Line Paving					
aj) Туре IA		tonne	70		
ii)	Tie-ins and Approaches					
a') Type IA		tonne	10		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
iii)	Temporary Asphalt Pavement					
a)	Туре ІА		tonne	80		
D.17	Planing of Pavement	CW 3450-R6				
i)	1 - 50 mm Depth (Asphalt)		m²	700		
D.18	Detectable Warning Surface Tiles	CW 3326-R3	each	20		
D.19	Removal of Precast Sidewalk Blocks	CW 3235-R9	m²	10		
D.20	Remove and Salvage Existing Limestone Planter Blocks	E16	LS	1		
D.21	Remove and Salvage Existing ABB Rail	CW 3650-R6	m	200		
D.22	Remove and Salvage Existing Barrier Posts	CW 3650-R6	each	25		
D.23	Removal of Existing F-Shape Barrier	E16	m	15		
D.24	Remove Wooden Plank Fence	E16	m	42		
D.25	Remove Post and Chain Fence	E16	m	220		
	ROADWORKS - NEW CONSTRUCTION					
D.26	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R17, E17				
i)	Construction of 230 mm Concrete Pavement (Plain-Dowelled)		m²	1200		
ii)	Construction of 230 mm Concrete Pavement (Plain-Dowelled, Slip Form Paving)		m²	3200		
iii)	Construction of 200 mm Concrete Pavement (Reinforced)		m²	380		
iv)	Construction of Concrete Median Slabs	SD-227A	m²	270		
V)	Construction of Concrete Safety Medians	SD-226B	m²	30		
vi)	Construction of Monolithic Concrete Bull- noses	SD-227C	m²	20		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.27	Concrete Pavements for Early Opening	CW 3310-R17				
i)	Construction of 230 mm Concrete Pavement for Early Opening 24 Hour (Plain-Dowelled)		m²	100		
ii)	Construction of 230 mm Concrete Pavement for Early Opening 72 Hour (Plain-Dowelled)		m²	550		
iii)	Construction of 200 mm Concrete Pavement for Early Opening 24 Hour (Reinforced)		m²	25		
iv)	Construction of 200 mm Concrete Pavement for Early Opening 72 Hour (Reinforced)		M²	250		
D.28	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
i)	Construction of Barrier (100 mm ht, Dowelled)	SD-205	m	100		
ii)	Construction of Barrier (150 mm ht, Dowelled)	SD-205	m	120		
iii)	Construction of Barrier (180 mm ht, Separate)	SD-203A	m	30		
iv)	Construction of Barrier (180 mm ht, Integral)	SD-204	m	575		
v)	Construction of Modified Barrier (180 mm ht, Integral)	SD-203B	m	570		
vi)	Construction of Curb Ramp (8-12 mm ht, Dowelled for Asphalt Overlay)	SD-229D	m	10		
vii)	Construction of Curb Ramp (8-12 mm ht, Integral)	SD-229C	m	110		
viii)	Construction of Safety Curb (330 mm ht)	SD-206B	m	205		
ix)	Construction of Splash Strip (180 mm ht, Monolithic Barrier Curb, 750 mm width)	SD-223A	m	70		
x)	Construction of Splash Strip, (Separate, 600 mm width)	SD-223B	m	175		
D.29	Supply and Installation of Dowel Assemblies	CW 3310-R17	m	1200		
D.30	100 mm Concrete Sidewalk	CW 3325-R5	m²	1600		
D.31	Interlocking Paving Stones	CW 3330-R5, E23	m²	165		
D.32	Lean Concrete Base	CW 3335-R1	m²	100		

UNIT PRI	CES	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.33	Construction of F-Shape Barrier	E17				
i)	Single-sided		m	10		
ii)	Double-sided (Median)		m	10		
	JOINT AND CRACK SEALING					
D.34	Reflective Crack Maintenance	CW 3250-R7	m	20		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
D.35	Catch Basin	CW 2130-R12				
i)	SD-024, 1500 mm deep		each	1		
ii)	SD-024, 1800 mm deep		each	5		
iii)	SD-024, 1200 mm deep		each	4		
D.36	Catch Pit	CW 2130-R12				
i)	SD-023		each	3		
D.37	Installation of New Manhole	CW 2130-R12				
i)	SD-010					
a	1200 mm	CW 2130-R12	vert. m	1.4		
D.38	Installation of New Manhole on Existing Sewer	CW 2130-R12				
i)	SD-010					
a	1200 mm	CW 2130-R12	vert. m	1.6		
D.39	Sewer Service	CW 2130-R12				
i)	250 mm SSP					
a	In a Trench, Class B Bedding with Sand, Class 3 Backfill		m	45		
b	Trenchless Installation		m	20		

ITEM	CES DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
ii)	300 mm SSP					
a)	In a Trench, Class B Bedding with Sand, Class 3 Backfill		m	110		
b)	Trenchless Installation		m	45		
0.40	Sewer Service Risers	CW 2130-R12				
i)	300mm SSP					
a)	SD-015		vert. m	1.0		
0.41	Replace Existing Manhole and Catch Basin Frame and Cover	CW3210-R8				
i)	AP-006 - Standard Frame for Manhole and Catch Basin		each	4		
ii)	AP-007 - Standard Solid Cover for Standard Frame		each	4		
iii)	AP-011 - Barrier Curb and Gutter Frame		each	1		
iv)	AP-012 - Barrier Curb and Gutter Cover		each	1		
0.42	Connecting to Existing Manhole	CW 2130-R12				
i)	250 mm Catch Basin Lead (SSP)		each	1		
ii)	300 mm Catch Basin Lead (SSP)		each	4		
0.43	Connecting to Existing Sewer	CW 2130-R12				
i)	300 mm Connecting Pipe					
a)	Connecting to 750 SRS		each	2		
).44	Sewer Inspection	CW 2145-R4				
i)	250 mm SSP		m	47.2		
ii)	300 mm SSP		m	123.2		
).45	Removal of Existing Catch Basins	CW 2130-R12	each	6		
0.46	Abandoning Existing Drainage Inlets	CW 2130-R12	each	6		
0.47	Installation of Subdrains	CW 3120-R4	m	120		

		(SEE B9)				
UNIT PRI						
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.48	Abandoning Existing Sewer Services Under Pavement	CW 2130-R12				
i)	Existing Catch Basin Leads (250 mm or Under Pavement)		each	4		
D.49	Removal of Existing Box Enclosure	CW 3530-R3	each	1		
D.50	Conduit Installation	E13	m	100		
	ADJUSTMENTS					
D.51	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	7		
D.52	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	1.0		
D.53	Cast-in-Place Concrete Risers for Manitoba Hydro Manholes	E18	vert. m	1.0		
D.54	Adjustment of Valve Boxes	CW 3210-R8	each	5		
D.55	Valve Box Extensions	CW 3210-R8	each	2		
D.56	Removal of Existing Bases and Service Boxes	CW 3620-R9				
i)	Service Box		each	1		
D.57	Adjustment of Existing Manitoba Hydro Manholes	E18	each	2		
D	EMPRESS STREET EAST, NORTH OF EMP AVENUE, CONCRETE RECONSTRUCTION		ASS TO	JACK BLICK	Subtotal:	

UNIT PRI	CES	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E	ACTIVE TRANSPORTATION FACILITY, NO JACK BLICK AVENUE	ORTH OF EMPR	ESS OV	<u>ERPASS TO</u>		
	EARTH AND BASE WORKS					
E.1	Excavation	CW 3110-R19	m³	1600		
E.2	Sub-Grade Compaction	CW 3110-R19	m²	2900		
E.3	Preparation of Existing Ground Surface	CW 3170-R3	m²	2100		
E.4	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	1000		
E.5	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m³	240		
E.6	Separation Geotextile Fabric	CW 3130-R4	m²	2900		
E.7	Fill Material	CW 3170-R3				
i)	Placing Suitable Site Material		m³	375		
	ROADWORKS - NEW CONSTRUCTION					
E.8	100 mm Concrete Sidewalk	CW 3325-R5	m²	1000		
E.9	Construction of Asphaltic Concrete Pavements	CW 3410-R12				
i)	Main Line Paving					
a)	Туре ІА		tonne	425		
ii)	Tie-ins and Approaches					
a)	Туре ІА		tonne	10		
E.10	Supply and Installation of Green Bicycle Lane Treatment - Longitudinal Lane Line	E21	m	550		
E.11	Construction of Rumble Strip	E22	m	550		
E.12	Supply and Installation of Green Bicycle Lane Treatment - Intersection Treatment	E21	m²	165		

UNIT PRI	CES					
ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
	JOINT AND CRACK SEALING					
E.13	Reflective Crack Maintenance	CW 3250-R7	m	325		
E	ACTIVE TRANSPORTATION FACILITY, NO	RTH OF EMPR	ESS OVI	ERPASS TO	Subtotal:	

UNIT PRI	ICES	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F	EMPRESS STREET, NORTH OF JACK BAR AVENUE, CONCRETE RECONSTRUCTION) ST. MA	<u>TTHEWS</u>		
	EARTH AND BASE WORKS					
F.1	Excavation	CW 3110-R19	m³	4800		
F.2	Hydro-Excavation	E12	hour	64		
F.3	Sub-Grade Compaction	CW 3110-R19	m²	6700		
F.4	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm - Limestone		tonne	3100		
ii)	100 mm - Limestone		tonne	5000		
F.5	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m³	550		
F.6	Grading of Boulevards	CW 3110-R19	m²	500		
F.7	Removal of Existing Concrete Bases	CW 3110-R19				
i)	600 mm Diameter or Less		each	11		
F.8	Separation Geotextile Fabric	CW 3130-R4	m²	6700		
F.9	Supply and Install Geogrid	CW 3135-R1	m²	2100		
F.10	Fill Material	CW 3170-R3				
i)	Placing Suitable Site Material		m³	75		
	ROADWORKS - RENEWALS					
F.11	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m²	7200		
ii)	Temporary Asphalt Pavement		m²	125		
iii)	Asphalt Sidewalk		m²	1000		

	CES	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F.12	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	125		
ii)	28.6 mm Diameter		each	280		
F.13	Drilled Tie Bars	CW 3230-R8				
i)	15 M Deformed Tie Bar		each	200		
ii)	20 M Deformed Tie Bar		each	450		
iii)	25 M Deformed Tie Bar		each	10		
F.14	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	Monolithic Median Slab		m²	20		
ii)	100 mm Sidewalk		m²	1400		
iii)	Bullnose		m²	10		
iv)	Monolithic Curb and Sidewalk		m²	20		
F.15	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	40		
F.16	Construction of Asphaltic Concrete Overlay	CW 3410-R12				
i)	Temporary Asphalt Pavement					
a)	Туре ІА		tonne	15		
F.17	Planing of Pavement	CW 3450-R6				
i)	1 - 50 mm Depth (Asphalt)		m²	25		
ii)	1 - 50 mm Depth (Concrete)		m²	50		
F.18	Detectable Warning Surface Tiles	CW 3326-R3	each	14		
F.19	Removal, Salvage, and Delivery of Overhead Cantilever Sign Structure	E15	each	1		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORKS - NEW CONSTRUCTION					
20	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R17, E17				
i)	Construction of 230 mm Concrete Pavement (Plain-Dowelled)		m²	1400		
ii)	Construction of 230 mm Concrete Pavement (Plain-Dowelled, Slip Form Paving)		m²	3100		
iii)	Construction of 200 mm Concrete Pavement (Reinforced)		m²	350		
iv)	Construction of Concrete Median Slabs	SD-227A	m²	750		
V)	Construction of Monolithic Concrete Bull- noses	SD-227C	m²	10		
F.21	Concrete Pavements for Early Opening	CW 3310-R17				
i)	Construction of 230 mm Concrete Pavement for Early Opening 24 Hour (Plain-Dowelled)		M²	100		
ii)	Construction of 230 mm Concrete Pavement for Early Opening 72 Hour (Plain-Dowelled)		m²	600		
iii)	Construction of 200 mm Concrete Pavement for Early Opening 24 Hour (Reinforced)		M²	25		
iv)	Construction of 200 mm Concrete Pavement for Early Opening 72 Hour (Reinforced)		m²	250		
F.22	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
i)	Construction of Barrier (180 mm ht, Dowelled)	SD-205	m	30		
ii)	Construction of Barrier (180 mm ht, Separate)	SD-203A	m	50		
iii)	Construction of Barrier (180 mm ht, Integral)	SD-204	m	775		
iv)	Construction of Modified Barrier (180 mm ht, Integral)	SD-203B	m	700		
V)	Construction of Mountable Curb (120 mm ht, Integral)	SD-201	m	10		
vi)	Construction of Curb Ramp (8-12 mm ht, Monolithic)	SD-229C	m	25		
vii)	Construction of Curb Ramp (8-12 mm ht, Integral)	SD-229C	m	100		
viii)	Construction of Safety Curb (330 mm ht)	SD-206B	m	25		
23	Supply and Installation of Dowel Assemblies	CW 3310-R17	m	1200		

	CES	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F.24	100 mm Concrete Sidewalk	CW 3325-R5	m²	1250		
F.25	Interlocking Paving Stones	CW 3330-R5, E23	m²	95		
F.26	Construction of Asphaltic Concrete Pavements	CW 3410-R11				
i)	Tie-ins and Approaches					
a)	Туре ІА		tonne	20		
F.27	Grouted Stone Riprap	CW 3615-R4	m³	10		
F.28	Installation of Straw Wattle	E26	m	50.0		
	JOINT AND CRACK SEALING					
F.29	Reflective Crack Maintenance	CW 3250-R7	m	30		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
F.30	Catch Basin	CW 2130-R12				
i)	SD-024, 1800 mm deep		each	11		
F.31	Catch Pit	CW 2130-R12				
i)	SD-023		each	1		
F.32	Installation of New Manhole	CW 2130-R12				
i)	SD-010					
a)	1200 mm	CW 2130-R12	vert. m	12.9		
F.33	Sewer Service	CW 2130-R12				
i)	150 mm SSP to Manitoba Hydro Manhole					
a)	In a Trench, Class B Bedding with Sand, Class 3 Backfill		m	35		

ITEN	1	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ii)		250 mm SSP					
	a)	In a Trench, Class B Bedding with Sand, Class 3 Backfill		m	55		
	b)	Trenchless Installation		m	60		
iii)		300 mm SSP					
		In a Trench, Class B Bedding with Sand, Class 3 Backfill		m	25		
	b)	Trenchless Installation		m	5		
F.34		Corrugated Steel Pipe Culvert - Supply	CW 3610-R5, E19				
i)		(300 mm, 1.6 gauge, Galvanized)		m	40		
F.35		Corrugated Steel Pipe Culvert - Install	CW 3610-R5, E19				
i)		(300 mm, 1.6 gauge, Galvanized)		m	40		
F.36		Replace Existing Manhole and Catch Basin Frame and Cover	CW 3210-R8				
i)		AP-006 - Standard Frame for Manhole and Catch Basin		each	2		
ii)		AP-007 - Standard Solid Cover for Standard Frame		each	2		
F.37		Connecting to Existing Manhole	CW 2130-R12				
i)		150 mm SSP to Manitoba Hydro Manhole		each	4		
F.38		Connecting New Sewer Service to Existing Sewer Service	CW 2130-R12				
i)		250 mm SSP		each	1		
F.39		Connect to Existing Culvert	CW 3610-R5				
i)		300 mm CSP		each	1		
F.40		Sewer Inspection	CW 2145-R4				
i)		150 mm SSP		m	19.4		
ii)		250 mm SSP		m	79.7		
F.41		Removal of Existing Catch Basins	CW 2130-R12	each	8		

	CES	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F.42	Relocation of Existing Catch Basins	CW 2130-R12	each	1		
F.43	Abandoning Existing Drainage Inlets	CW 2130-R12	each	3		
=.44	Installation of Subdrains	CW 3120-R4	m	96		
F.45	Abandoning Existing Sewer Services Under Pavement	CW 2130-R12				
i)	Existing Catch Basin Leads (300 mm under the Pavement)		each	3		
F.46	Removal of Existing Culverts	CW 3610-R5	m	65		
F.47	Relocating Existing Hydrant - Type A (Including New Hydrant and Valve)	CW 2110-R11, E20	each	1		
F.48	Fittings	CW 2110-R11				
i)	Bends (SD-004)					
a)	150 mm - 45°		each	1		
F.49	Watermain	CW 2110-R11				
i)	150 mm					
a)	In a Trench, Class B Bedding with Sand, Class 3 Backfill (Type 1 Fill)	CW 2110-R11	m	2		
F.50	Conduit Installation	E13	m	400		
	ADJUSTMENTS					
F.51	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	2		
F.52	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	1.0		
F.53	Adjustment of Valve Boxes	CW 3210-R8	each	10		
F.54	Valve Box Extensions	CW 3210-R8	each	3		
F.55	Adjustment of Existing Manitoba Hydro Manholes	E18	each	6		
F	EMPRESS STREET, NORTH OF JACK BLI AVENUE, CONCRETE RECONSTRUCTION) ST. MA	<u>TTHEWS</u>	Subtotal:	

	CFS	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
G	ACTIVE TRANSPORTATION FACILITY, NO ST. MATTHEWS AVENUE	RTH OF JACK	BLICK A	AVENUE TO		
	EARTH AND BASE WORKS					
G.1	Excavation	CW 3110-R19	m³	500		
G.2	Sub-Grade Compaction	CW 3110-R19	m²	2500		
G.3	Preparation of Existing Ground Surface	CW 3170-R3	m²	4800		
G.4	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	840		
Э.5	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m³	225		
G.6	Separation Geotextile Fabric	CW 3130-R4	m²	2500		
G.7	Fill Material	CW 3170-R3				
i)	Placing Suitable Site Material		m³	2600		
	ROADWORKS - NEW CONSTRUCTION					
G.8	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R17				
i)	Construction of 150 mm Concrete Pavement (Reinforced)		m²	12		
G.9	100 mm Concrete Sidewalk	CW 3325-R5	m²	375		
G.10 i)	Construction of Asphaltic Concrete Pavements Main Line Paving	CW 3410-R12				
a)	Туре ІА		tonne	240		
ii)	Tie-ins and Approaches					
a)	Туре ІА		tonne	20		
G.11	Concrete Curbs, Curb and Gutter, and	CW 3310-R17,				
i)	Splash Strips Monolithic Curb and Sidewalk for Asphalt	E17	m	425		
ii)	Cycle Track Splash Curb for Asphalt Cycle Track		m	420		
	JOINT AND CRACK SEALING					
G.12	Reflective Crack Maintenance	CW 3250-R7	m	250		
G	ACTIVE TRANSPORTATION FACILITY, NO ST. MATTHEWS AVENUE	RTH OF JACK	BLICK A	AVENUE TO	Subtotal:	

UNIT PRI	ICES					
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
н	LANDSCAPING WORKS					
EMPRES	S STREET EAST, SOUTH OF PORTAGE AV	ENUE TO EMP	RESS O	/ERPASS		
H.1	Native Grass Planting	E34	m²	14550		
H.2	Salt Tolerant Grass Seeding	E35	m²	7200		
4.3	Deciduous Trees	E32	each	125		
H.4	Deciduous Shrubs	E32	each	30		
1.5	Willow Whips	E32	each	700		
⊣.6	Weed Control	E34	LS	1		
H.7	Tache Bench	E31	each	3		
H.8	Concrete Rest Area (including bench footings)	E30	m²	13		
1.9	Granular Rest Area	E30	m²	7		
EMPRES	S STREET, EMPRESS OVERPASS TO ST. N	IATTHEWS AV	I /ENUE	I		
H.10	Native Grass Planting	E34	m²	1000		
H.11	Deciduous Trees	E32	each	25		
H.12	Weed Control	E34	LS	1		
H.13	Tree Removal	E29				
i)	0 to 10 cm diameter		each	5		
ii)	11 to 30 cm diameter		each	17		
iii)	Over 30 in diameter		each	12		
H.14	Installation of Straw Wattle	E26	m	100		
H.15	Erosion Control Blanket	E27	m²	20000		
н	LANDSCAPING WORKS	1		<u> </u>	Subtotal:	

UNIT PRI	CES	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
I	SLOPE STABILIZATION WORKS					
ASSINIB	DINE RIVER STABILIZATION					
l.1	Clearing and Grubbing	CW 3010-R4	ha	0.200		
1.2	Preparation of Existing Ground Surface	CW 3170-R3	m²	1600		
1.3	Fill Material	CW-3170-R3				
i)	Placing Suitable Site Material		m³	825		
1.4	Silt Fence	E28	m	140		
OMAND'S	CREEK STABILIZATION - SOUTH OF JAC	K BLICK AVEN	JE			
1.5	Clearing and Grubbing	CW 3010-R4	ha	0.180		
1.6	Supply and Place Class 350 Riprap	E24	tonne	1000		
1.7	Silt Fence	E28	m	160		
1.8	Separation Geotextile Fabric	CW 3130-R4	m²	900		
OMAND'S	S CREEK STABILIZATION - NORTH OF JAC	K BLICK AVEN	UE			
1.9	Clearing and Grubbing	CW 3010-R4	ha	0.780		
I.10	Construction of Rockfill Ribs	E25	tonne	4800		
I.11	Silt Fence	E28	m	450		
I.12	Construction of Asphaltic Concrete Overlay	CW 3410-R12				
i)	Main Line Paving					
aj	Туре IA		tonne	500		
I	SLOPE STABILIZATION WORKS	<u> </u>			Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
J	OVERPASS REHABILITATION WORKS	INLE .		QUANTIT		
.1	Structural Excavation	E36	LS	1		
.2	Structural Backfill	E37	LS	1		
.3	City Supplied Precast Concrete Traffic Barriers	E14	each	50		
l.4	Supply and Place Structural Concrete	E40				
i)	Concrete Overlay		LS	1		
ii)	Traffic Barriers		LS	1		
iii)	Cycling Path Curb		LS	1		
iv)	Expansion Slabs		LS	1		
V)	Roadway Slabs		LS	1		
vi)	Expansion Joint Dams		LS	1		
l.5	Centre Pier Column Jackets Self- Compacting Concrete	E41	LS	1		
J.6	Supply of Reinforcing Steel	E42				
i)	Plain Steel Reinforcing		kg	1650		
ii)	ChrōmX 9100 Reinforcing		kg	5220		
iii)	Stainless Steel Reinforcing		kg	17300		
1.7	Placing Reinforcing Steel	E42				
i)	Plain Steel Reinforcing		kg	1650		
ii)	ChrōmX 9100 Reinforcing		kg	5220		
iii)	Stainless Steel Reinforcing		kg	17300		
.8	Steel Strapping	E43	each	10		
.9	Hot-Poured Rubberized Asphalt Waterproofing with Protection Board	E45	m²	730		
1.10	Structrual Removals	E47				

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
i)	Epoxy Wearing Surface		LS	1		
ii)	Traffic Barriers		LS	1		
iii)	Expansion Joints		LS	1		
iv)	Concrete Overlay					
a)	35 mm Depth		LS	1		
b)	95 mm Depth		LS	1		
v)	Longitudinal and Transverse Grooves		LS	1		
.11	Bearings Repair	E48	LS	1		
.12	Temporary Protective Systems	E49	LS	1		
.13	Distributed Galvanic Anode System	E50				
i)	Centre Pier Columns		LS	1		
ii)	Deck Overlay		LS	1		
.14	Discrete Galvanic Anode System	E51	each	200		
.15	Drilling and Placing Dowels	E52	LS	1		
.16	Pier Surface Repairs	E53	m²	50		
.17	Supply and Install Aluminum Pedestrian Hand	E54	m	70		
.18	Asphalt Overlay on Bridge	E55	tonne	140		
.19	Supply and Install Expansion Joints	E58				
i)	Empress Overpass		each	2		
.20	Electrochemical Chloride Extraction	E63	LS	1		
.21	Salvaging Existing Barrier Rail	CW 3650-R6	m	100		
.22	Salvaging Existing Barrier Posts	CW 3650-R6	each	25		
.23	Installation of Barrier Rails	CW 3650-R6	m	100		

		(SEE B9)				
UNIT PRIC	CES					
ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
J.24	Installation of Barrier Posts	CW 3650-R6	each	25		
J.25	Supplying and Placing Limestone Base	CW 3310-R19	m ³	10		
0.20	Course Material	000 0010-1(10	m	10		
J.26	Construction of Asphaltic Concrete Overlay	CW 3410-R12				
i)	Main Line Paving					
a)	Туре ІА		tonne	10		
u)			tonne	10		
	The first second A second second					
ii)	Tie-ins and Approaches					
a)	Туре ІА		tonne	10		
J.27	Drilled Tie Bars	CW 3230-R8				
•		011 0200 1.0				
:)	20 M Deformed Tie Bar		each	60		
i)			each	60		
J.28	Concrete Pavements, Median Slabs, Bull-	CW 3310-R17				
	noses, and Safety Medians					
i)	Construction of 200 mm Concrete Pavement		m²	60		
	(Reinforced)					
J.29	Penetrating Concrete Sealer	E64	m²	530		
0.20		LOT		550		
J	OVERPASS REHABILITATION WORKS				Subtotal:	

UNIT PR	ICES	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
к	EMPRESS STREET RETAINING WALL					
K.1	Structural Excavation	E36	LS	1		
K.2	Structural Backfill	E37	LS	1		
K.3	Supply and Place Structural Concrete	E40				
i)	Pile Cap		LS	1		
ii)	Wall		LS	1		
K.4	Supply of Reinforcing Steel	E42				
i)	ChrōmX 9100 Reinforcing		kg	3655		
K.5	Placing Reinforcing Steel	E42				
i)	ChrōmX 9100 Reinforcing		kg	3655		
K.6	Supply and Install Aluminum Pedestrian Handrail/Bicycle Rail	E54	m	30		
K.7	Cellular Concrete	E56	m ³	70		
K.8	Supply Steel H Piles	E57	m	135		
K.9	Drive Steel H Piles	E57	m	135		
к	EMPRESS STREET RETAINING WALL	1		1	Subtotal:	

ITEM	CES DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
L	PEDESTRIAN ACCESSIBILITY RAMPS					
1	Structural Excavation	E36	LS	1		
.2	Structural Backfill	E37	LS	1		
.3	Supplying and Placing Subsurface Drainage	E38	LS	1		
4	Corrugated Steel Pipe Culvert - Supply	CW 3610-R5, E19				
i)	(250 mm, 1.6 mm gauge, galvanized)	210	m	15		
5	Corrugated Steel Pipe Culvert - Install	CW 3610-R5, E19				
i)	(250 mm, 1.6 mm gauge, trenchless)	213	m	15		
6	Supply and Install Turf Reinforcement Mat	E39	m²	250		
7	Supply and Place Structural Concrete	E40				
i)	Piers		LS	1		
ii)	Diaphrams		LS	1		
iii)	Drainage Channel		LS	1		
iv)	Slabs on Grade		LS	1		
8	Supply of Reinforcing Steel	E42				
i)	Plain Steel Reinforcing		kg	4335		
ii)	ChrōmX 9100 Reinforcing		kg	11135		
iii)	Stainless Steel Reinforcing		kg	55		

ITEM	Λ	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
.9		Placing Reinforcing Steel	E42				
i)		Plain Steel Reinforcing		kg	4335		
ii)		ChrōmX 9100 Reinforcing		kg	11135		
iii)		Stainless Steel Reinforcing		kg	55		
L.10		Miscellaneous Metal	E44				
i)		Supply					
	a)	Ramp Drainage System		kg	150		
	b)	Bollard Post		kg	30		
ii)		Erection					
	a)	Ramp Drainage System		kg	150		
	b)	Bollard Post		kg	30		
L.11		Random Stone Riprap	CW 3615-R4, E46	m³	25		
L.12		Grouted Stone Riprap	CW 3615-R4, E46	m³	3		
L.13		Structural Removals	CW 3240-R10, E47				
i)		Ramp Connection		LS	1		
14		Supply and Installation of Bearings	E48				
i)		Expansion Elastomeric Bearing		each	2		
ii)		Temporary Elastomeric Bearing		each	18		
L.15		Supply and Install Aluminum Pedestrian Handrail/Bicycle Rail	E54	m	300		
L.16		Supply and Install Expansion Joints	E58				
i)		North Pedestrian Accessibility Ramp					
	a)	SU-3		each	1		
	b)	SU-6		each	1		

UNIT PRICES							
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT	
L.17	Rock-Socketed Caissons	E59					
i)	Caisson Shaft		m	100			
ii)	Rock-Socket		m	25			
L.18	Supply Precast Prestressed Concrete Slabs	E60	each	5			
L.19	Erection of Precast Prestressed Concrete Slabs	E60	each	5			
L.20	Modular Block Retaining Walls	E61	LS	1			
L.21	Slope Protection Paving	E62	LS	1			
L.22	Separation Geotextile Fabric	CW 3130-R4	m²	325			
L.23	Catch Basin	CW 2130-R12					
i)	SD-025, 1200 mm deep		each	1			
L.24	Crushed Sub-base Material	CW 3110-R19					
i)	50 mm - Limestone		tonne	100			
L.25	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m³	25			
L.26	Sewer Inspection	CW 2145-R4					
i)	600 mm SSP		m	50			
L	PEDESTRIAN ACCESSIBILITY RAMPS	L	<u>I</u>		Subtotal:		

FORM B: PRICES

(SEE B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT	
SUMMARY							
Α	ST. JOHN AMBULANCE WAY & EMPRESS STREET EAST, PORTAGE AVENUE TO EMPRESS OVERPASS, CONCRETE RECONSTRUCTION				Subtotal:		
в	ACTIVE TRANSPORTATION FACILITY, SOUTH OF PORTAGE AVENUE TO EMPRESS OVERPASS				Subtotal:		
С	MULTI-USE PATH, EAST OF MANITOBA HYDRO SUB-STATION ADJACENT TO CANADIAN PACIFIC RAILWAY				Subtotal:		
D	EMPRESS STREET EAST, NORTH OF EMPRESS OVERPASS TO JACK BLICK AVENUE, CONCRETE RECONSTRUCTION				Subtotal:		
Е	ACTIVE TRANSPORTATION FACILITY, NORTH OF EMPRESS OVERPASS TO JACK BLICK AVENUE				Subtotal:		
F	EMPRESS STREET, NORTH OF JACK BLICK AVENUE TO ST. MATTHEWS AVENUE, CONCRETE RECONSTRUCTION				Subtotal:		
G	ACTIVE TRANSPORTATION FACILITY, NO ST. MATTHEWS AVENUE	ORTH OF JAC		VENUE TO	Subtotal:		
н	LANDSCAPING WORKS			Subtotal:			
I	SLOPE STABILIZATION WORKS				Subtotal:		
J	OVERPASS REHABILITATION WORKS				Subtotal:		
к	EMPRESS STREET RETAINING WALL				Subtotal:		
L	PEDESTRIAN ACCESSIBILITY RAMPS				Subtotal:		
	ID PRICE (GST extra)			(in figures)			
				(5)			

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B13)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

(hereinafter called the "Principal") and

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 602-2018

Empress Street Project, Pavement Reconstruction, Portage Avenue to St. Matthews Avenue, Empress Overpass Rehabilitation, Accessibility Ramps and Associated Works

As more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal)	
(Witness as to Principal if no seal)	Per:	(Seal)
	Per:	
	(Alexand Oracle)	
	(Name of Surety)	
	By: (Attorney-in-Fact)	(Seal)

_____ of

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B13)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal,

(Name of Bidder)

(Place)

the Bidder to you on ______, 20_____ , 20_____ for

BID OPPORTUNITY NO. 602-2018

Empress Street Project, Pavement Reconstruction, Portage Avenue to St. Matthews Avenue, Empress Overpass Rehabilitation, Accessibility Ramps and Associated Works

In an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this ______ day of ______, 20_____,

By:

(Name of Surety)

(Seal)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING

(BID SECURITY) (Page 1 of 2) (See B13)

(Date)

The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 602-2018

Empress Street Project, Pavement Reconstruction, Portage Avenue to St. Matthews Avenue, Empress Overpass Rehabilitation, Accessibility Ramps and Associated Works

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

____ Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B13)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on December 11, 2018.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name of bank or financial institution)

Per:

(Authorized Signing Officer)

Per:

(Authorized Signing Officer)