

FORM A: BID
(See B9)

1. Contract Title 2018 Northeast Exchange District Street Renewals – James Avenue and Waterfront Drive

2. Bidder

Name of Bidder

Usual Business Name of Bidder as it appears on Invoice (if different from above)

Street

City

Province

Postal Code

Email Address of Bidder

Facsimile Number

(Mailing address if different)

Street or P.O. Box

City

Province

Postal Code

The Bidder is:

(Choose one)

☐ a sole proprietor

☐ a partnership

☐ a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

Contact Person

Title

Telephone Number

Facsimile Number

4. Definitions

All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions.

5. Offer

The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

6. Bid Security

(Choose one)

In accordance with B13.1, the Bidder encloses bid security in the form of:

- ☐ a bid bond (Form G1: Bid Bond and Agreement to Bond)
- ☐ an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- ☐ a certified cheque or draft

and agrees that it shall be held by the City in accordance with the Contract.

7. Execution of Contract

The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.

8. Commencement of the Work

The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.

9. Contract

The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.

10. Addenda

The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No.	_____	Dated	_____
	_____		_____
	_____		_____

11. Time

This offer shall be open for acceptance, binding and irrevocable for a period of Sixty (60) Calendar Days following the Submission Deadline.

12. Indigenous Self-Declaration

The Bidder hereby declares the business is at least 51% owned by one or more Indigenous persons of Canada.

- ☐ YES
- ☐ NO, it is not

This information is being gathered for statistical purposes only and will not be used for purposes of evaluation.

13. Signatures

The Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____, 20____.

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

FORM B: PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A	<u>JAMES AVENUE ROADWORKS</u>					
	EARTH AND BASE WORKS					
A.1	Excavation	CW 3110-R19	m³	1200		
A.2	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	2200		
A.3	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m³	200		
A.4	Removal of Existing Concrete Bases	CW 3110-R19				
i)	600 mm Diameter or Less		each	2		
A.5	Separation Geotextile Fabric	CW 3130-R4	m²	2270		
A.6	Supply and Install Geogrid	CW 3135-R1	m²	800		
A.7	Full Depth Saw Cutting	E11	m	75		
	ROADWORKS - RENEWALS					
A.8	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m²	3300		
A.9	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	50		
A.10	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	200		
A.11	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	100 mm Sidewalk		m²	600		
A.12	Concrete Curb Removal	CW 3240-R10				
i)	Barrier		m	20		
A.13	Detectable Warning Surface Tiles	CW 3326-R3	each	4		
	ROADWORKS - NEW CONSTRUCTION					
A.14	Concrete Pavements for Early Opening	CW 3310-R17				
i)	Construction of 200 mm Concrete Pavement for Early Opening 72 Hour (Reinforced)		m²	210		
A.15	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
i)	Construction of Barrier (150 mm ht, Dowelled)	SD-205	m	10		
ii)	Construction of Curb and Gutter (150mm ht, Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200	m	255		
iii)	Construction of Curb and Gutter (150 mm ht, Modified Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200 SD-203B	m	75		
iv)	Construction of Curb and Gutter (40 mm ht, Lip Curb, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200 SD-202B	m	110		
v)	Construction of Curb and Gutter (8-12 mm ht, Curb Ramp, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200 SD-229E	m	50		

FORM B: PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
vi)	Construction of Mountable Curb 40mm ht (Integral)	SD-201	m	32		
A.16	100 mm Concrete Sidewalk with Blockouts	CW 3325-R5	m ²	1250		
A.17	150 mm Reinforced Concrete Sidewalk with Blockouts	CW 3325-R5	m ²	180		
A.18	Construction of Asphaltic Concrete Pavements	CW 3410-R12				
i)	Main Line Paving					
a)	Type IA		tonne	630		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	20		
A.19	Construction of Asphalt Patches	CW 3410-R12	m ²	100		
	JOINT AND CRACK SEALING					
A.20	Reflective Crack Maintenance	CW 3250-R7	m	200		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
A.21	Catch Basin	CW 2130-R12				
i)	SD-024, 1200 mm deep		each	1		
ii)	SD-024, 1800 mm deep		each	3		
A.22	Sewer Service	CW 2130-R12				
i)	200 mm, PVC					
a)	In a Trench, Class B Sand Bedding, Class 3 Backfill		m	2		
ii)	250 mm, PVC					
a)	In a Trench, Class B Sand Bedding, Class 3 Backfill		m	17		
A.23	Frames & Covers	CW3210-R8				
i)	AP-006 - Standard Frame for Manhole and Catch Basin		each	7		
ii)	AP-007 - Standard Solid Cover for Standard Frame		each	7		
A.24	Connecting to Existing Manhole	CW 2130-R12				
i)	200 mm Catch Basin Lead		each	1		
A.25	Connecting to Existing Sewer	CW 2130-R12				
a)	Connecting to 300 mm (Conc) Sewer		each	1		
b)	Connecting to 375 mm (PVC) Sewer		each	2		
A.26	Abandoning Existing Catch Basins	CW 2130-R12	each	6		
A.27	Removal of Existing Catch Basins	CW 2130-R12	each	6		
A.28	Abandoning Existing Drainage Inlets	CW 2130-R12	each	6		
A.29	Drainage Pipe	CW 3120-R4	m	170		
	ADJUSTMENTS					

FORM B: PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.30	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	8		
A.31	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	1.0		
ii)	Brick Risers		vert. m	1.0		
A.32	Lifter Rings (AP-010)	CW 3210-R8				
i)	38 mm		each	2		
ii)	51 mm		each	2		
iv)	76 mm		each	2		
A.33	Adjustment of Valve Boxes	CW 3210-R8	each	15		
A.34	Valve Box Extensions	CW 3210-R8	each	5		
A.35	Adjustment of Curb Stop Boxes	CW 3210-R8	each	5		
A.36	Curb Stop Extensions	CW 3210-R8	each	5		
A	<u>JAMES AVENUE ROADWORKS</u>				Subtotal:	
B	<u>JAMES AVENUE STREETSCAPING</u>					
	EXISTING TREE PROTECTION & PRUNING					
B.1	Tree Protection, Pruning, Root Pruning & Temporary Root Cover Material	E3, E13	l.s	1		
	CONCRETE & ACCESSORIES					
B.2	Light Standard Conc. Pile James Avenue	E26	each	11		
B.3	Water Level Indicator Conc. Pile Cap & Pile	E26	each	1		
B.4	Lily & James Bench Conc.	E26	each	1		
B.5	Waterfront & James Bench Conc.	E26	each	1		
B.6	Bench Conc. Pad	E26	each	1		
B.7	Bike Rack Conc. Pad	E26	each	1		
B.8	Precast Concrete Vault Cover	E14	each	22		
	TREE VAULTS					
B.9	Construction of Tree Vaults	E14	m ³	63		
	SOIL CELLS					
B.10	Soil Cells	E15	m3	172		
	UNIT PAVING					
B.11	Broadway Paver, Mahogany Colour	E16	m ²	91		
B.12	Holland 8cm Paver, Desert Buff	E16	m ²	16		
B.13	Holland 8cm Paver, Mahogany	E16	m ²	50		
B.14	Holland 8cm Paver, Ebony	E16	m ²	62		
B.15	Holland Paver, Charcoal Colour	E16	m ²	88		
B.16	Holland 6cm Paver, Natural	E16	m ²	37		

FORM B: PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.17	Holland 6cm Square Paver, Buff	E16	m ²	8		
B.18	Munic Paver From Stockpile	E16	m ²	35		
B.19	Clay Paver, Dark Ironspot	E16	m ²	160		
	FEATURES & SITE FURNISHINGS					
B.20	Water Level Indicator	E17, E18	ls	1		
B.21	Lily and James Bench	E19	ls	1		
B.22	Waterfront and James Bench	E19	ls	1		
B.23	Parking Screen Fence	E17, E18, E19	m	62		
B.24	Modification to Existing Parking Screen Fence	E17, E18, E19	m	41		
B.25	Information Panel	E20	each	2		
B.26	Tree Grate Frame	E14	each	15		
B.27	Tree Grate	E14	each	15		
B.28	Bench	E21	each	2		
B.29	Waste Receptacle	E21	each	2		
B.30	Bike Rack	E21	each	4		
	SOFT LANDSCAPE					
B.31	Planting Medium	E22	m ³	223		
B.32	Wood Chip Mulch	E22	m ²	21		
B.33	Sodding	CW 3510-R9, E23	m ²	50		
B.34	Brandon Elm	E24	each	4		
B.35	Prairie Horizon Alder	E24	each	11		
B.36	Dart's Gold Ninebark	E24	each	21		
B.37	Miss Kim Lilac	E24	each	19		
	LANDSCAPE MAINTENANCE					
B.38	Year One Maintenance	E25	l.s.	1		
B.39	Year Two Maintenance	E25	l.s.	1		
	WIRE AND CONDUIT					
B.40	53mm Red PVC Conduit with Fittings in Trench	E27	m	420		
B.41	#6 AWG RWU90 Cu. Wire	E27	m	840		
B.42	#12 AWG RW90 Cu. Wire	E27	m	125		
B.43	Concrete in-slab pullbox	E27	each	1		
	LUMINAIRES AND POLES					
B.44	Type '1' Post-Top Luminaire	E27	each	13		
B.45	Type '1' Pole	E27	each	11		

FORM B: PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	DECORATIVE STRUCTURE	E27				
B.46	Type '3' Luminaire	E27	m	40		
B.47	19mm EMT Conduit c/w fittings	E27	m	10		
B.48	Steel control enclosure c/w heater	E27	each	1		
B.49	DMX controller	E27	each	1		
	ELECTRICAL DISTRIBUTION					
B.50	15A Circuit Breaker in existing panel	E27	each	2		
B	<u>JAMES AVENUE STREETSCAPING</u>				Subtotal:	
C	<u>WATERFRONT DRIVE ROADWORKS AND STREETSCAPING</u>					
	EARTH AND BASE WORKS					
C.1	Excavation	CW 3110-R19	m³	705		
C.2	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	1145		
C.3	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m³	192		
C.4	Separation Geotextile Fabric	CW 3130-R4	m²	1220		
	ROADWORKS - RENEWALS					
C.5	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m²	1750		
C.6	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	85		
C.7	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	350		
C.8	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	100 mm Sidewalk		m²	420		
C.9	Concrete Curb Removal	CW 3240-R10				
i)	Curb and Gutter		m	220		
C.10	Planing of Pavement	CW 3450-R6				
i)	1 - 50 mm Depth (Asphalt)		m²	120		
C.11	Detectable Warning Surface Tiles	CW 3326-R3	each	52		
	ROADWORKS - NEW CONSTRUCTION					
C.12	Concrete Pavements for Early Opening	CW 3310-R17				

FORM B: PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	i) Construction of 200 mm Concrete Pavement with Blockouts for Early Opening 24 hour (Reinforced)		m ²	1600		
C.13	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
	i) Construction of Curb and Gutter (150mm ht, Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200	m	98		
	ii) Construction of Curb and Gutter (150 mm ht, Modified Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200 SD-203B	m	155		
	iii) Construction of Curb and Gutter (40 mm ht, Lip Curb, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200 SD-202B	m	40		
	iv) Construction of Curb and Gutter (8-12 mm ht, Curb Ramp, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200 SD-229E	m	177		
C.14	100 mm Concrete Sidewalk	CW 3325-R5	m ²	630		
C.15	Construction of Asphaltic Concrete Pavements	CW 3410-R12				
	i) Tie-ins and Approaches					
	a) Type IA		tonne	23		
C.16	Construction of Asphalt Patches	CW 3410-R12	m ²	65		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
C.17	Catch Basin	CW 2130-R12				
	i) SD-024, 1200 mm deep		each	1		
	ii) SD-024, 1800 mm deep		each	4		
C.18	Catch Pit	CW 2130-R12				
	i) SD-023		each	1		
C.19	Sewer Service	CW 2130-R12				
	i) 250 mm, PVC					
	a) In a Trench, Class B Sand Bedding, Class 3 Backfill		m	36		
C.20	Frames & Covers	CW3210-R8				
	i) AP-006 - Standard Frame for Manhole and Catch Basin		each	1		
	ii) AP-007 - Standard Solid Cover for Standard Frame		each	1		
C.21	Connecting to Existing Catch Basin	CW 2130-R12				
	i) 250 mm Drainage Connection Pipe		each	2		
C.22	Connecting to Existing Sewer	CW 2130-R12				
	a) Connecting to 525 mm Sewer		each	4		
C.23	Abandoning Existing Catch Basins	CW 2130-R12	each	1		

FORM B: PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.24	Removal of Existing Catch Basins	CW 2130-R12	each	1		
C.25	Abandoning Existing Drainage Inlets	CW 2130-R12	each	1		
	ADJUSTMENTS					
C.26	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	9		
C.27	Adjustment of Valve Boxes	CW 3210-R8	each	7		
	UNIT PAVING					
C.28	Broadway Paver, Mahogany Colour	E16	m ²	12		
C.29	Holland 8cm Paver, Desert Buff	E16				
i)	Salvage and Stockpile		m ²	35		
ii)	Re-Install Stockpiled Pavers		m ²	35		
iii)	Supply and Installation of Holland Pavers		m ²	80		
C.30	Holland 8cm Paver, Mahogany	E16				
i)	Salvage and Stockpile		m ²	100		
ii)	Re-Install Stockpiled Pavers		m ²	100		
iii)	Supply and Installation of Holland Pavers		m ²	200		
C.31	Holland 8cm Paver, Ebony	E16				
i)	Salvage and Stockpile		m ²	100		
ii)	Re-Install Stockpiled Pavers		m ²	100		
iii)	Supply and Installation of Holland Pavers		m ²	198		
C.32	Holland 6cm Paver, Natural	E16	m ²	28		
C.33	Holland 6cm Square Paver, Buff	E16	m ²	40		
C.34	Munic Paver From Stockpile	E16	m ²	203		
C.35	Clay Paver, Dark Ironspot	E16	m ²	60		
	LANDSCAPING					
C.36	Sodding	CW 3510-R9, E23				
i)	width > or = 600 mm		m ²	100		
C	<u>WATERFRONT DRIVE ROADWORKS AND STREETSCAPING</u>				Subtotal:	
D	<u>WATERFRONT AT PATHWAY</u>					
	EARTH AND BASE WORKS					
D.1	Excavation	CW 3110-R19	m ³	165		
D.2	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	160		
D.3	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m ³	40		
D.4	Grading of Boulevards	CW 3110-R19	m ²	1050		

FORM B: PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.5	Separation Geotextile Fabric	CW 3130-R4	m ²	410		
	ROADWORKS - RENEWALS					
D.6	Pavement Removal	CW 3110-R19				
i)	Asphalt Pavement		m ²	230		
	ROADWORKS - NEW CONSTRUCTION					
D.7	Construction of Asphaltic Concrete Pavements	CW 3410-R12				
i)	Main Line Paving					
a)	Type IA		tonne	120		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	25		
	CONCRETE & ACCESSORIES					
D.8	Light Standard Conc. Pile Waterfront AT Path	E26	each	3		
	LANDSCAPING					
D.9	Tree Protection, Pruning, Root Pruning & Temporary Root Cover Material	E3, E13	l.s	1		
D.10	Sodding	CW 3510-R9, E23				
i)	width > or = 600 mm		m ²	1050		
	ELECTRICAL					
D.11	53mm Red PVC Conduit with Fittings in Trench	E27	m	120		
D.11	#6 AWG RWU90 Cu. Wire	E27	m	240		
D.12	#12 AWG RW90 Cu. Wire	E27	m	30		
D.13	Type '2' Canopy Luminaire	E27	each	3		
D.14	Type '2' Pole	E27	each	3		
D.15	Type '2' 347/120V Transformer	E27	each	3		
D	<u>WATERFRONT AT PATHWAY</u>				Subtotal:	
E	<u>WATER AND WASTE</u>					
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
E.1	Sewer Repair - Up to 3.0 Meters Long	CW 2130-R12				
i)	300 mm					
a)	Class 3 Backfill		each	1		
E.2	Sewer Inspection (following repair)	CW2145-R3				
i)	300 mm, Clay		m	32		
E	<u>WATER AND WASTE</u>				Subtotal:	

FORM B: PRICES
 (SEE B10)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
SUMMARY						
A	<u>JAMES AVENUE ROADWORKS</u>				Subtotal:	
B	<u>JAMES AVENUE STREETSCAPING</u>				Subtotal:	
C	<u>WATERFRONT DRIVE ROADWORKS AND STREETSCAPING</u>				Subtotal:	
D	<u>WATERFRONT AT PATHWAY</u>				Subtotal:	
E	<u>WATER AND WASTE</u>				Subtotal:	
TOTAL BID PRICE (GST extra) (in figures) _____						

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2)

(See B13)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

(hereinafter called the "Principal") and

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 61-2018

2018 Northeast Exchange District Street Renewals – James Avenue and Waterfront Drive

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of _____, 20_____.

SIGNED AND SEALED
in the presence of:

(Witness as to Principal if no seal)

(Name of Principal)

Per: _____ (Seal)

Per: _____

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2)

(See B13)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

_____ of
(Name of Bidder)

(Place)

the Bidder to you on _____, 20____ for

BID OPPORTUNITY NO. 61-2018

2018 Northeast Exchange District Street Renewals – James Avenue and Waterfront Drive

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within Sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20_____.

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 1 of 2)
(See B13)

(Date)

The City of Winnipeg
Corporate Finance Department
Materials Management Division
185 King Street, Main Floor
Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 61-2018

2018 Northeast Exchange District Street Renewals – James Avenue and Waterfront Drive

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

_____ Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 2 of 2)
(See B13)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on May 15, 2018

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name of bank or financial institution)

Per: _____
(Authorized Signing Officer)

Per: _____
(Authorized Signing Officer)