

'SONOTUBE' WRAPPED WITH 2 LAYERS OF 4 mil 400mm dia. CONC. PILE - CONC. TO BE TYPE 50

1. THE CONTRACTOR SHALL OBTAIN ALL NECESSARY PERMITS, PAY ALL NECESSARY FEES AND GIVE ALL NECESSARY NOTICES.

2. REMOVE SURROUNDING FENCE AND POSTS AROUND RECONSTRUCTION. INSTALL NEW FENCE AND POSTS SURROUNDING RECONSTRUCTION. 3. CONTRACTOR SHALL TAKE PRECAUTIONARY STEPS TO PROTECT EXISTING

TREES WITHIN THE LIMITS OF ACTIVITIES AS OUTLINED IN THE SPECIFICATIONS 4. CONTRACTOR TO CONFIRM THE LOCATION OF ALL UTILITIES/SERVICES IN THE FIELD PRIOR TO CONSTRUCTION

5. THE CONTRACTOR SHALL PROVIDE CONSTRUCTION LAYOUT THROUGHOUT

6. THE CONTRACTOR SHALL MAINTAIN ONE SET OF PLANS ON SITE IN WHICH THE CONTRACTOR SHALL CLEARLY NOTE ALL AS-BUILT INFORMATION AS THE PROJECT PROGRESSES

7. PLEXIPAVE SURFACING AND COLOR LINE PAINTING SHALL BE APPLIED IN ADHERENCE TO MANUFACTURERS DIRECTIONS AND SPECIFICATIONS. 8. RESTORATION OF THE SITE TO EQUAL OR BETTER CONDITION TO BE COMPLETED IMMEDIATELY FOLLOWING CONSTRUCTION ACTIVITIES AT CONTRACTORS EXPENSE.

9. INSTALL TEMPORARY FENCING AROUND CONSTRUCTION AREA 10. MAINTAIN DIMENSIONS AND LOCATIONS OF EXISTING GATES UPON INSTALLATION OF NEW FENCE

CONTRACTOR TO CONFIRM ALL DIMENSIONS AND REPORT ANY DISCREPANCIES TO CONTRACT ADMINISTRATOR PRIOR TO CONSTRUCTION. LOCATION OF UNDERGROUND STRUCTURES AS SHOWN ARE BASED ON THE BEST INFORMATION AVAILABLE BUT NO GUARANTEE IS GIVEN THAT ALL EXISTING UTILITIES ARE SHOWN OR THAT THE GIVEN LOCATIONS ARE EXACT. CONFIRMATION OF EXISTENCE AND EXACT LOCATION OF ALL SERVICES MUST BE OBTAINED FROM THE INDIVIDUAL UTILITIES BEFORE PROCEEDING WITH CONSTRUCTION.

NTS



PROVIDE POSITIVE DRAINAGE

IMPORTED TOPSOIL

DEPTH VARIES (SEE DWG

S.38-B)

EXISTING GROUND

TOWARD SUB-DRAIN

THE CITY OF WINNIPEG Planning, Property and Development Department Planning and Land Use Division Unit 15 - 30 Fort Street, Winnipeg, MB, (R3C 4X5)

SCALE 1:15

CROSS SECTION - SUB-DRAIN

CROSS SECTION - COURT NEW CONSTRUCTION

SCALE 1:100

NEW ASPHALT/PLEXIPAVE

ÖVERLAP NON-WOVEN GEOTEXTILE SEAMS MIN.

BACKFILL TRENCH WITH 19

mm DIA. CLEAN LIMESTONE

WEEPING TILE C/W GEOTEXTILE WRAP, CENTERED IN BOTTOM OF

100 mm DIA. PERFORATED

TRENCH

SURFACE

DESIGNED BY CHECKED BY SR **DRAWN BY** MANAGER. DATE SR **APPROVED BY** PARK AND OPEN SPACES HORIZ. SCALE SEE DWG VERT. SCALE DATE DATE MANAGER. July 2018 PLANNING AND LAND USE DIVISION

DETAIL - TENNIS POST C/W C.I.P. PILE

/////////

11.28 (37') O.C. BETWEEN POSTS

- FINISHED SURFACE

POLY - UPPER 2.3M OF FOOTING

SULPHATE RESISTANT WITH 28 DAY

COMPRESSIVE STRENGTH OF 30 MPa

- MIN 0.050 M COVER OVER RE-BAR

10M RINGS @ 300 mm O.C.

- 4-20M VERT. CONT.

DRAWING TITLE

Sir John Franklin Park

Tennis Court Rehabilitation & Associated Works

DETAIL - PLEXIPAVE SURFACING

Sections & Details

SITE ADDRESS 1405 Wellington Crescent

BLUE PLEXI COLOR PAINT (TYP.)

GREY PLEXI COLOR PAINT (TYP.)

FOR INTERIOR PLAY AREA

FOR EXTERIOR PLAY AREA -

DRAWING NO.

YELLOW PLEXI COLOR LINE PAINT (TYP.)

WHITE PLEXI COLOR LINE PAINT (TYP.)

- PLEXI COLOR LINE PAINT

-FORTIFIED PLEXIPAVE

- ACRYLIC RESURFACER

- ASPHALT PAVEMENT

_50 WIDE

S.38-C

BID OPPORTUNITY NO.

665-2018