# FORM A: BID (See B8)

| 1. | Contract Title                 | SUPPLY AND DELIVER                             | RY OF A ROTARY BRUSH C                                  | UTTER               |  |  |  |
|----|--------------------------------|--|---|---------------------|--|--|--|
| 2. | Bidder                         | News (Pidde                                    |   |                     |  |  |  |
|    |                                | Name of Bidder                                 |   |                     |  |  |  |
|    |                                | Usual Business Name of Bido                    | er as it appears on Invoice (if differer                | nt from above)      |  |  |  |
|    |                                | Street   | Street  |                     |  |  |  |
|    |                                | City   | Province  | Postal Code         |  |  |  |
|    |                                | Email Address of Bidder                        |   |                     |  |  |  |
|    |                                | Facsimile Number                               |   |                     |  |  |  |
|    | (Mailing address if different) | Street or P.O. Box                             |   |                     |  |  |  |
|    |                                | City   | Province  | Postal Code         |  |  |  |
|    |                                | GST Registration Number (if applicable)        |   |                     |  |  |  |
|    |                                | The Bidder is:                                 |   |                     |  |  |  |
|    | (Choose one)                   | a sole proprietor                              |   |                     |  |  |  |
|    |                                | a partnership                                  |   |                     |  |  |  |
|    |                                | a corporation                                  |   |                     |  |  |  |
|    |                                | carrying on business un                        | der the above name.                                     |                     |  |  |  |
| 3. | Contact Person                 | The Bidder hereby auth the Bidder for purposes | orizes the following contact of the Bid.                | person to represent |  |  |  |
|    |                                | Contact Person                                 | Title   |                     |  |  |  |
|    |                                | Telephone Number                               | Facsimile Number  |                     |  |  |  |
|    |                                | Email Address                                  |   |                     |  |  |  |
| 4. | Definitions                    |  | sed in the Contract shall he General Conditions and D3. | nave the meanings   |  |  |  |

| 5.  | Offer                           | The Bidder hereby offers to perform the Work in accordance with the Contract for the price(s), in Canadian funds, set out on Form B: Prices, appended hereto.   |
|-----|---------------------------------|---|
| 6.  | Commencement of the Work        | The Bidder agrees that no Work shall commence until he/she is in receipt of a notice of award from the Award Authority authorizing the commencement of the Work.  |
| 7.  | Contract                        | The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid. |
| 8.  | Addenda                         | The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:   |
|     |                                 | No Dated  |
|     |                                 |   |
|     |                                 |   |
| 9.  | Time                            | This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.  |
| 10. | Indigenous Self-<br>Declaration | The City is requesting that Bidders identify if their business is at least 51% owned by one or more Indigenous persons of Canada.   |
|     |                                 | YES, 51% Indigenous ownership   |
|     |                                 | NO, it is not   |
|     |                                 | This information is being gathered for statistical purposes only and will not be used for purposes of evaluation.   |

| 11. Signatures |  | The Bidder or the Bidder's authorized official or officials have signed this        |  |  |
|----------------|--|---|--|--|
|                |  | , 20  |  |  |
|                |  | Signature of Bidder or<br>Bidder's Authorized Official or Officials                 |  |  |
|                |  | (Print here name and official capacity of individual whose signature appears above) |  |  |
|                |  | (Print here name and official capacity of individual whose signature appears above) |  |  |

# **FORM B: PRICES**

(See B9)

# SUPPLY AND DELIVERY OF A ROTARY BRUSH CUTTER

# **UNIT PRICES**

| ITEM<br>NO. | DESCRIPTION         | SPEC.<br>REF. | UNIT | QUANTITY | UNIT<br>PRICE |
|-------------|---------------------|---------------|------|----------|---------------|
| 1.          | Rotary Brush Cutter | 18003         | Each | 1        |               |

| Name of Bidder |  |
|----------------|--|

#### **FORM N: DETAILED SPECIFICATIONS 18003**

### **ROTARY BRUSH CUTTER**

#### 1.0 DESCRIPTION OF EQUIPMENT

- 1.1 These specifications describe a <u>Rotary Brush Cutter</u> and other equipment and features as specified herein.
- 1.2 The **Rotary Brush Cutter** shall be a new 2018 model year or newer.
- 1.3 The Rotary Brush Cutter and all other items/components shall be the manufacturer's latest model. The equipment shall be furnished complete and ready for operation. Any parts or accessories not specifically mentioned, but which are required to complete and place the equipment and associated attachments in successful operation shall be furnished as though specifically mentioned in these specifications. The equipment and associated attachments, and all parts thereof, shall conform in strength and quality of material and workmanship, to the best standards and engineering practice of the industry.
- 1.4 It will be the responsibility of the Bidder to inform the City of any errors or omissions in these specifications, for under this Contract the Contractor shall be held responsible for the satisfactory operational function of the equipment.

#### 2.0 OTHER SPECIFICATIONS AND STANDARDS

- 2.1 All applicable SAE standards form an integral part of these specifications and shall have precedence in any conflict concerning minimum acceptable standards.
- 2.2 Where applicable, the **Rotary Brush Cutter** shall comply with the following regulations:

Transport Canada, National Safety Mark, NSM: http://www.tc.gc.ca/eng/acts-regulations/acts-road.htm

Manitoba Safety and Health Regulation, Parts 12, 16, 22: http://web2.gov.mb.ca/laws/regs/current/217.06.pdf

Canadian Motor Vehicle Safety Standards C.M.V.S.S.

http://laws-lois.justice.gc.ca/eng/regulations/C.R.C.,\_c.\_1038/section-sched3.html

Manitoba Highway Traffic Act regulations and requirements including, but not limited to, a Manitoba Government Inspection with Safety Sticker. <a href="http://web2.gov.mb.ca/laws/regs/index.php?act=h60">http://web2.gov.mb.ca/laws/regs/index.php?act=h60</a>

Canadian Standards Association, CSA:

http://www.csagroup.org/

Under Writers of Canada, U/L:

http://www.ulc.ca/

Society of Automotive Engineers, SAE:

http://www.sae.org/

City of Winnipeg Lighting Visibility Standard:

http://winnipeg.ca/matmgt/pdfs/PublicWorksEquipLightingVisibility.pdf

2.3 It will be the responsibility of the Bidder to inform the City of any deficiencies in these specifications, for under this Contract the Contractor shall be held responsible for the design, performance, reliability and satisfactory operational function of the units.

#### 3.0 SERVICE FACILITY

3.1 For the purpose of warranty repairs, the Bidder shall have an authorized service facility. The facility, or a portion thereof, shall be dedicated to the service and maintenance of the type equipment being offered. Bidders shall provide a description of the service facility including, but not limited to, number of qualified service staff, years of service experience, and general service capabilities within three (3) Business Days upon request of the Contract Administrator.

| 4.0 | RE | :F | ΕF | ₹E | NC | ES |
|-----|----|----|----|----|----|----|
|     |    |    |    |    |    |    |

| 4.1 | If available, please provide five (5) references where this equipment is used in a working environment where climatic conditions are similar to the City of Winnipeg. |
|-----|---|
|     |   |
|     |   |
|     |   |
|     |   |
| 5.0 | MAKE & MODEL  |
| 5.1 | State: make and model being bid:  |
|     |   |

#### 6.0 INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

- 6.1 Each bid will be evaluated based on adherence to all terms, conditions and requirements outlined in the Bid Opportunity package.
- All items in these specifications must be answered indicating compliance or non-compliance.

  BIDDERS SHALL STATE "YES" FOR COMPLIANCE OR STATE DEVIATION, or give reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 6.3 EACH BIDDER IS REQUIRED TO FILL IN EVERY BLANK. FAILURE TO DO SO MAY BE USED AS A BASIS FOR REJECTION OF BID

#### 7.0 PERFORMANCE RELIABILITY

- 7.1 The responsibility for the design of the **Rotary Brush Cutter**, its performance and reliability shall rest upon the Contractor.
- 7.2 The term "repeated failures" as used herein is defined to mean that the same component, subassembly, or assembly develops repeated defects, breakdowns and/or malfunctions rendering the vehicle inoperative, or requiring repeated shop correction, service and/or replacement during the warranty period applicable for said component, subassembly, of assembly. Minor items or ordinary service adjustments are not included, or considered under the scope of "repeated failures", as well as other factors, such as operational damage due to accidents, misuse or lack of proper maintenance, service and lubrication attention by not following the manufacturer's preventative maintenance schedule.
- 7.3 Where the <u>Rotary Brush Cutter</u> develops "repeated failures" in service, the Contractor shall make any necessary engineering changes, repairs, alterations or modifications in order to guarantee reliability of performance.
- 7.4 The equipment shall be capable of consistent top performance in City of Winnipeg Environment.

  Note: The City of Winnipeg has four seasons with ambient temperatures ranging from approximately 90°F (32°C) to -40°F (-40°C)

# 8.0 <u>FUEL</u>

8.1 Where applicable, all equipment must be fully fuelled upon delivery (no exceptions).

#### 9.0 QUALIFICATIONS OF MANUFACTURER & CONTRACTOR

- 9.1 The manufacturer of the <u>Rotary Brush Cutter</u> shall have five (5) years continuous experience manufacturing Rotary Brush Cutter.
- 9.2 The manufacturer shall have in effect a documented quality control program ensuring that the quality of materials and workmanship, including welding, conforms to the best standards and engineering practice of the industry.
- 9.3 The Contractor shall have five (5) years continuous experience servicing, repairing and maintaining **Rotary Brush Cutter** of the type being offered.

# 10.0 **SPECIFICATIONS:**

10.1 Rotary Brush Cutter shall be compatible with City of Winnipeg's equipment Hitachi ZX200LC-3 and EX200LC-2 Excavators.

nall be complete with all hardware (including any

Rotary Brush Cutter shall be complete with all hardware (including any electrical harnesses and mounting brackets) necessary for hook-up and proper operation for the intended application. Will use existing hydraulic hoses and hose couplers

Note: The City of Winnipeg currently has a mounting bracket designed for a Promac Brush Cutter





| 10.2 | City of Winnipeg <u>Existing</u><br>Mounting Bracket and Pusher<br>Plate | State: Yes if it can be installed on new brush cutter by the successful bidder. The price for installation must be included in Unit Price provided on Form B: Prices               |  |
|------|--|--|--|
|      |  | Note: City of Winnipeg will remove and deliver for installation onto the new brush cutter.   |  |
|      |  | <b>State:</b> No if it cannot be used on new brush cutter. The price for new mounting plate, pusher pad and installation must be included in Unit Price provided on Form B: Prices |  |
|      |  | Note: Must fit existing quick attach coupler system on City of Winnipeg's Hitachi Excavators stated in Specification 10.1  |  |
| 10.3 | Cut Width  | Approximately 48 - 60 in.  State:  |  |
| 10.4 | Cutting Capacity   | Approximately 4 – 6 in. diameter <b>State:</b>   |  |
| 10.5 | Weight   | Approximately 2800 – 3200 lbs. (not including mounting bracket and pusher pad)  State:   |  |
| 10.6 | Motor Size   | Approximately 107 cc State:  |  |
| 10.7 | Motor Type   | Bent Axis piston or equivalent State:  |  |
| 10.8 | Flow   | Approximately 36 - 42 gpm State:   |  |
| 10.9 | Pressure   | Approximately 4000 psi <b>State:</b>   |  |

#### 10.10 Blade Type

Three Blade Disc - Heavy Duty State:



|       |   | 3 BLADE DISC  |  |
|-------|---|---|--|
| 10.11 | Disc Speed  | Approximately 1800 RPM State:   |  |
| 10.12 | Blades  | Hardened Steel State:   |  |
| 10.13 | Blade Size  | Approximately 1 in. thick State:  |  |
| 10.14 | Blade - Spares  | One (1) spare set   |  |
| 10.15 | Case Drain Line   | Case drain line connection port State:  |  |
| 10.16 | Wear Resistant Liner  | Constructed with QT100 Plate or equivalent State:   |  |
| 10.17 | Structural Frame  | Heavy Duty State:   |  |
| 11.0  | WARRANTY:   |   |  |
| 11.1  | successful bidder shall provide a                             | detailed and include all exclusions. The ll published warranty information upon shall state all warranty information. |  |
| 11.2  |   | sh Cutter shall cover the complete against any defects of workmanship, period of 12 months.                           |  |
|       |   | defective during said warranty period and sed by negligence on the part of the user o cost to the City.               |  |
|       | The warranty shall be effective from by the City of Winnipeg. | om the date the equipment is put into service   |  |
|       | Please provide complete warrant                               | y details with the bid submission.  |  |
| 11.3  | Basic Parts and Labour  | State:  |  |

| 12.0 | DELIVERY:  |  |
|------|--|--|
| 12.1 | <u>Delivery Point:</u> The complete unit shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, including invoice and N.I.V.S. (if applicable) to the WFMA 185 Tecumseh Street, Winnipeg MB.  |  |
| 12.2 | <u>Delivery Time:</u> Equipment shall be delivered between 8:00 am and 2:00 pm on Business Days.  State: delivery time   |  |
| 12.3 | <u>Delivery Contact:</u> The Contractor shall contact the Contract Administrator prior to delivery of the equipment.   |  |
| 12.4 | <u>P.D.I:</u> A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list  |  |
| 13.0 | MANUALS:   |  |
| 13.1 | Operator's Manual: Two (2) per unit shall be supplied with the units when delivered:   |  |
| 14.0 | PARTS/LABOUR PRICING:  |  |
| 14.1 | Bidder to provide City of Winnipeg Parts Discount % Pricing from retail parts pricing. <b>State percentage discount</b>  |  |
| 14.2 | Bidder to provide City of Winnipeg Labor Discount % Pricing from Retail shop labor rate. <b>State percentage discount</b>  |  |
| 15.0 | FIRST SERVICE PREVENTATIVE MAINTENANCE KIT:  |  |
| 15.1 | In order to assure minimum downtime of the Equipment in future service, the Contractor must provide one (1) complete replacement set of new OEM filters for each unit purchased. The set of required filters shall include (if applicable to the equipment type) air, fuel, oil, cab and hydraulic, or otherwise all known necessary common replacement filters required for the first preventative maintenance servicing. |  |
| 15.2 | The Contractor must provide a list of factory recommended lubricants to be used with the equipment, as well as a complete cross reference guide for all warranty approved lubricants and filters that can be used during Preventative Maintenance servicing.   |  |