4.

FORM A: BID (See B8)

1.	Contract Title	SUPPLY AND DELIVERY EXCAVATOR WITH HI-RA	OF A USED 18-TON WHEELEI AIL CAPABILITIES	D
2.	Bidder	Name of Bidder		
			as it appears on Invoice (if different from	above)
		Street		
		City	Province	Postal Code
		Email Address of Bidder		
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		GST Registration Number (if app	licable)	
		The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		
		carrying on business unde	r the above name.	
3.	Contact Person	The Bidder hereby author the Bidder for purposes of	izes the following contact personant the Bid.	on to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
		Email Address		
4.	Definitions	All capitalized terms use ascribed to them in the Ge	d in the Contract shall have neral Conditions.	the meanings

5.	Offer	The Bidder hereby offers to perform the Work in accordance with the Contract for the price(s), in Canadian funds, set out on Form B: Prices, appended hereto.
6.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a notice of award from the Award Authority authorizing the commencement of the Work.
7.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
8.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
9.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of thirty (30) Calendar Days following the Submission Deadline, except that the availability of the goods bid may be subject to bona fide prior sale.
10.	Indigenous Self- Declaration	The City is requesting that Bidders identify if their business is at least 51% owned by one or more Indigenous persons of Canada.
		YES, 51% or more Indigenous ownership
		NO, it is not
		This information is being gathered for statistical purposes only and will not be used for purposes of evaluation.

11.	Signatures	The Bidder or the Bidder's authorized official or officials have signed t
		, 20
		Signature of Bidder or Bidder's Authorized Official or Officials
		(Print here name and official capacity of individual whose signature appears above)
		(Print here name and official capacity of individual whose signature appears above)

FORM B: PRICES

(See B9)

SUPPLY AND DELIVERY OF A USED 18-TON WHEELED EXCAVATOR WITH HI-RAIL CAPABILITIES

UNIT PRICES

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	QUANTITY	UNIT PRICE
1.	18-Ton Wheeled Excavator	18034	Each	1	
2.	Hi-Rail Attachment	18037	Each	1	

-	
Name of Bidder	

FORM N: DETAILED SPECIFICATIONS 18034

18-TON WHEELED EXCAVATOR

1.0 DESCRIPTION OF EQUIPMENT

- 1.1 These specifications describe an 18-Ton Wheeled Excavator and other equipment and features as specified herein. The 18-Ton Wheeled Excavator may be equipped with or without the Hi-Rail attachment. Excavators not equipped with the Hi-Rail Attachment will have the Hi-Rail Attachment installed after delivery of the excavator.
- 1.2 The <u>18-Ton Wheeled Excavator</u> shall be a used 18-Ton Wheeled Excavator model year 2006 or newer with approximately no more than 2000 hours on the machine.
- 1.3 The 18-Ton Wheeled Excavator and all other items/components shall be the manufacturer's latest model. The equipment shall be furnished complete and ready for operation. Any parts or accessories not specifically mentioned, but which are required to complete and place the equipment and associated attachments in successful operation shall be furnished as though specifically mentioned in these specifications. The equipment and associated attachments, and all parts thereof, shall conform in strength and quality of material and workmanship, to the best standards and engineering practice of the industry.
- 1.4 It will be the responsibility of the Bidder to inform the City of any errors or omissions in these specifications, for under this Contract the Contractor shall be held responsible for the satisfactory operational function of the equipment.

2.0 OTHER SPECIFICATIONS AND STANDARDS

- 2.1 All applicable SAE standards form an integral part of these specifications and shall have precedence in any conflict concerning minimum acceptable standards.
- 2.2 Where applicable, the **18-Ton Wheeled Excavator** shall comply with the applicable regulations:

Transport Canada, National Safety Mark, NSM: http://www.tc.qc.ca/eng/acts-regulations/acts-road.htm

Manitoba Safety and Health Regulation, Parts 12, 16, 22:

http://web2.gov.mb.ca/laws/regs/current/217.06.pdf

Canadian Motor Vehicle Safety Standards C.M.V.S.S. http://laws-lois.justice.gc.ca/eng/regulations/C.R.C., c. 1038/section-sched3.html

Manitoba Highway Traffic Act regulations and requirements including, but not limited to, a Manitoba Government Inspection with Safety Sticker. http://web2.gov.mb.ca/laws/regs/index.php?act=h60

Canadian Standards Association, CSA:

http://www.csagroup.org/

Under Writers of Canada, U/L:

http://www.ulc.ca/

Society of Automotive Engineers, SAE:

http://www.sae.org/

City of Winnipeg Lighting Visibility Standard:

http://winnipeg.ca/matmgt/pdfs/PublicWorksEquipLightingVisibility.pdf

2.3 It will be the responsibility of the Bidder to inform the City of any deficiencies in these specifications, for under this Contract the Contractor shall be held responsible for the design, performance, reliability and satisfactory operational function of the units.

3.0 SERVICE FACILITY

3.1 For the purpose of warranty repairs, the Bidder shall have an authorized service facility. The facility, or a portion thereof, shall be dedicated to the service and maintenance of the type equipment being offered. Bidders shall provide a description of the service facility including, but not limited to, number of qualified service staff, years of service experience, and general service capabilities within three (3) Business Days upon request of the Contract Administrator.

4.0	REFERENCES
-----	------------

4.1	If available, please provide five (5) references where this equipment is used in a working environment where climatic conditions are similar to the City of Winnipeg.		
5.0	MAKE & MODEL		
5.1	State year, make and model being bid:		

6.0 INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

- 6.1 Each bid will be evaluated based on adherence to all terms, conditions and requirements outlined in the Bid Opportunity package.
- All items in these specifications must be answered indicating compliance or non-compliance.

 BIDDERS SHALL STATE "YES" FOR COMPLIANCE OR STATE DEVIATION, or give reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 6.3 EACH BIDDER IS REQUIRED TO FILL IN EVERY BLANK. FAILURE TO DO SO MAY BE USED AS A BASIS FOR REJECTION OF BID

7.0 PERFORMANCE RELIABILITY


- 7.1 The responsibility for the design of the <u>18-Ton Wheeled Excavator</u> its performance and reliability shall rest upon the Contractor.
- 7.2 The term "repeated failures" as used herein is defined to mean that the same component, subassembly, or assembly develops repeated defects, breakdowns and/or malfunctions rendering the vehicle inoperative, or requiring repeated shop correction, service and/or replacement during the warranty period applicable for said component, subassembly, of assembly. Minor items or ordinary service adjustments are not included, or considered under the scope of "repeated failures", as well as other factors, such as operational damage due to accidents, misuse or lack of proper maintenance, service and lubrication attention by not following the manufacturer's preventative maintenance schedule.
- 7.3 Where the <u>18-Ton Wheeled Excavator</u> develops "repeated failures" in service, the Contractor shall make any necessary engineering changes, repairs, alterations or modifications in order to guarantee reliability of performance.


- 7.4 The equipment shall be capable of consistent top performance in City of Winnipeg Environment.


 Note: The City of Winnipeg has four seasons with ambient temperatures ranging from approximately 90°F (32°C) to -40°F (-40°C).
- 8.0 FUEL
- 8.1 Where applicable, all equipment must be fully fueled upon delivery (no exceptions).
- 9.0 QUALIFICATIONS OF MANUFACTURER & CONTRACTOR
- 9.1 The manufacturer of the <u>18-Ton Wheeled Excavator</u> shall have five (5) years continuous experience manufacturing <u>18-Ton Wheeled Excavator</u>.
- 9.2 The manufacturer shall have in effect a documented quality control program ensuring that the quality of materials and workmanship, including welding, conforms to the best standards and engineering practice of the industry.
- 9.3 The Contractor shall have five (5) years continuous experience servicing, repairing and maintaining **18-Ton Wheeled Excavator** of the type being offered.

10.0 **SPECIFICATIONS:**

10.1	Excavator Make	State:	
10.2	Excavator Model	State:	
10.3	Excavator Model Year	State:	<u></u>
10.4	Excavator Hours	State:	
	Dimensions		
10.5	Use the diagrams for specific	ations 10.6 to 10.19	







10.6	Dimension A: Shipping Length	Approximately 9000 mm (29 ft. 6 in.) State:	
10.7	Dimension B: Overall Width	Approximately 2530 mm (8ft. 4 in.) State:	
10.8	Dimension C: Shipping Height	Approximately 3130 mm (10 ft. 3 in.) State:	
10.9	Dimension D: Wheelbase	Approximately 2650 mm (8 ft. 8 in.) State:	

10.10	Dimension E: Ground clearance	Approximately 360 mm (1 ft. 2 in.) State:	
10.11	Dimension F: Overall Width – Outriggers Down	Approximately 3700 mm (12 ft. 2 in.) State:	
10.12	Dimension G: Height to Top of Cab	Approximately 3080 mm (10 ft. 1 in.) State:	
10.13	Dimension H: Tail Swing Radius	Approximately 2440 mm (8 ft.) State:	
10.14	Dimension I: Cutting Height	Approximately 9180 mm (30 ft. 1 in.) State:	
10.15	Dimension J: Loading Height	Approximately 6380 mm (20 ft. 11 in.) State:	
10.16	Dimension K: Reach Along Ground	Approximately 8970 mm (29 ft. 5 in.) State:	
10.17	Dimension L: Vertical Wall Dig Depth	Approximately 4770 mm (15 ft. 8 in.) State:	
10.18	Dimension M: Digging Depth	Approximately 5340 mm (17 ft. 6 in.) State:	
10.19	Dimension N: Upper Structure Clearance	Approximately 1270 mm (4 ft. 2 in.) State:	
10.20	Operating Weight	Approximately 18,800 kg (41,450 lbs.) (18T) State:	
	Electrical		
10.21	Alternator	State: amps	
	Engine		
10.22	Horsepower	Approximately 90 kW (121 hp) State:	
10.23	Displacement	Approximately 4.3 L (264 cu in.) State:	
10.24	Torque	Approximately 447 Nm (330 lb-ft.) State:	
	Hydraulic System		
10.25	Main Pumps	Two (2) variable –displacement axial piston State: Minimum Flow State: Maximum Flow	

10.26	Pilot Pump	Two (2) Gear • One (1) for pilot • One (1) for Steering and Brakes State: maximum flow State: Pressure setting	
10.27	System Operating Pressure	State: Implement circuits State: Travel circuits State: Swing circuits	
10.28	Oil Filtration	State:	
	Lights		
10.29	Headlights	State:	
10.30	Work Lights	State: qty and locations	
10.31	Turn Signals	State:	
10.32	Hazards	State:	
10.33	Brake Lights	State:	
10.34	Side Marker lights	State:	
	Operational		
10.35	Fuel	Diesel State:	
10.36	Fuel Capacity	Approximately 280 L (74 US gal) State:	
10.37	Cooling System Capacity	Approximately 19 L (5 US gal) State:	
10.38	Engine Oil Capacity	Approximately 19 L (4.2 US gal) State:	
10.39	Hydraulic System Fluid Capacity	Approximately 270 L (71.3 US gal) State:	
10.40	Hydraulic Pump Flow Capacity	Approximately 400 L/min (106 gal/min) State:	
10.41	Operational Voltage	Approximately 24 V State:	
10.42	Operator Cab		
10.43	Type-ROPS	Roll-over protective structure complete with pressurized cab, OSHA certified or equal. State:	

10.44	Seat	Cushioned, adjustable bucket type with arm rests, cloth upholstery air suspension with retractable seat belt. State:	
10.45	Ride Control	Factory installed. State:	
10.46	All Windows	Tinted safety glass with appropriate markings for all panes and opening type where applicable. State:	
10.47	Ignition Keys	State: qty available	
10.48	Doors	State:	
10.49	Interior Rear-View Mirror	Adjustable. State:	
10.50	Windshield Wipers	Intermittent State:	
10.51	Heater/Defroster	State:	
10.52	Window Fans	State:	
10.53	Air Conditioning	State:	
10.54	Steps	State:	
	Swing Mechanism		
10.55	Swing Speed	Approximately 13 rpm State:	
10.56	Swing Torque	Approximately 40,500 Nm (29,800 lbft.) State:	
	Transmission		
10.57	Туре	2-Gear Power-shift State:	
10.58	Number of Forward Gears	Two (2) State:	
10.59	Number of Reverse Gears	Two (2) State:	
	Undercarriage		
10.60	Brakes	Four (4) wheelMaintenance freeWet discState:	
10.61	Parking Brake	State:	

10.62	Travel Speed	Approximately 30 km/h (19 mph) State:	
10.63	Creeper Speed	State:	
10.64	Turning Radius	Approximately 6550 mm (21 ft. 6 in.) State:	
	Attachments		
10.65	Bucket(s)	State: type and capacity	
10.66	Front Blade	If equipped State:	
10.67	Outriggers	If equipped State:	
	Service Records		
10.68	Service Records	If available, include documentation State:	
11.0	WARRANTY:		
11.1	All warranty information shall be	All warranty information shall be detailed and include all exclusions.	
	The Contractor shall provide all published warranty information upon delivery of the equipment.		
	Bidder shall state all warranty information.		
11.2	Basic Vehicle (Comprehensive)	State:	
12.0	DELIVERY:		
12.1	Delivery Point: The complete unit shall be serviced, ready for operation and		
	delivered F.O.B. with the freight applicable) to the WFMA 185 Te	prepaid, including invoice and N.V.I.S. (if ecumseh Street, Winnipeg MB.	
12.2	Delivery Time:		
	Equipment shall be delivered between 8:00 am and 2:00 pm on Business Days.		
	State: earliest delivery time from date of award:		
12.3	<u>Delivery Contact:</u> The Contract prior to delivery of the equipment	tor shall contact the Contract Administrator nt.	
12.4		shall be performed by the Contractor on the on including completed check list	

The City of Winnipeg	
Bid Opportunity No. 776-201	ξ

Bid Submission Page 13 of 17

Template Versions	E020180312 -	Floor

13.0 IVIAINUALS	13.0	MANUALS
-----------------	------	---------

13.1 Operator's Manual: One (1) per unit shall be supplied with the units when delivered:

FORM N: DETAILED SPECIFICATIONS 18037

HI-RAIL ATTACHMENT

1.0 DESCRIPTION OF EQUIPMENT

- 1.1 These specifications describe a <u>Hi-Rail Attachment</u> and other equipment and features as specified herein.
- 1.2 The <u>Hi-Rail Attachment</u> shall be a new or used model year 2006 or newer with approximately no more than 2000 hours on the attachment.
- 1.3 The <u>Hi-Rail Attachment</u> and all other items/components shall be the manufacturer's latest model. The equipment shall be furnished complete and ready for operation. Any parts or accessories not specifically mentioned, but which are required to complete and place the equipment and associated attachments in successful operation shall be furnished as though specifically mentioned in these specifications. The equipment and associated attachments, and all parts thereof, shall conform in strength and quality of material and workmanship, to the best standards and engineering practice of the industry.
- 1.4 It will be the responsibility of the Bidder to inform the City of any errors or omissions in these specifications, for under this Contract the Contractor shall be held responsible for the satisfactory operational function of the equipment.

2.0 OTHER SPECIFICATIONS AND STANDARDS

- 2.1 All applicable SAE standards form an integral part of these specifications and shall have precedence in any conflict concerning minimum acceptable standards.
- 2.2 <u>Where applicable</u>, the <u>Hi-Rail Attachment</u> shall comply with the applicable regulations:

Transport Canada, National Safety Mark, NSM: http://www.tc.gc.ca/eng/acts-regulations/acts-road.htm

Manitoba Safety and Health Regulation, Parts 12, 16, 22: http://web2.gov.mb.ca/laws/regs/current/217.06.pdf

Canadian Motor Vehicle Safety Standards C.M.V.S.S. http://laws-lois.justice.gc.ca/eng/regulations/C.R.C., c. 1038/section-sched3.html

Manitoba Highway Traffic Act regulations and requirements including, but not limited to, a Manitoba Government Inspection with Safety Sticker. http://web2.gov.mb.ca/laws/regs/index.php?act=h60

Canadian Standards Association, CSA: http://www.csagroup.org/

Under Writers of Canada, U/L:

http://www.ulc.ca/

Society of Automotive Engineers, SAE:

http://www.sae.org/

City of Winnipeg Lighting Visibility Standard: http://winnipeg.ca/matmgt/pdfs/PublicWorksEquipLightingVisibility.pdf

2.3 It will be the responsibility of the Bidder to inform the City of any deficiencies in these specifications, for under this Contract the Contractor shall be held responsible for the design, performance, reliability and satisfactory operational function of the units.

3.0 SERVICE FACILITY

3.1 For the purpose of warranty repairs, the Bidder shall have an authorized service facility. The facility, or a portion thereof, shall be dedicated to the service and maintenance of the type equipment being offered. Bidders shall provide a description of the service facility including, but not limited to, number of qualified service staff, years of service experience, and general service capabilities within three (3) Business Days upon request of the Contract Administrator.

4.0 REFERENCES

4.1	If available, please provide five (5) references where this equipment is used in a working environment where climatic conditions are similar to the City of Winnipeg.
5.0	MAKE & MODEL
5.1	State year, make and model being bid:

6.0 INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

- 6.1 Each bid will be evaluated based on adherence to all terms, conditions and requirements outlined in the Bid Opportunity package.
- All items in these specifications must be answered indicating compliance or non-compliance.

 BIDDERS SHALL STATE "YES" FOR COMPLIANCE OR STATE DEVIATION, or give reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 6.3 EACH BIDDER IS REQUIRED TO FILL IN EVERY BLANK. FAILURE TO DO SO MAY BE USED AS A BASIS FOR REJECTION OF BID

7.0 PERFORMANCE RELIABILITY

- 7.1 The responsibility for the design of the <u>Hi-Rail Attachment</u> its performance and reliability shall rest upon the Contractor.
- 7.2 The term "repeated failures" as used herein is defined to mean that the same component, subassembly, or assembly develops repeated defects, breakdowns and/or malfunctions rendering the vehicle inoperative, or requiring repeated shop correction, service and/or replacement during the warranty period applicable for said component, subassembly, of assembly. Minor items or ordinary service adjustments are not included, or considered under the scope of "repeated failures", as well as other factors, such as operational damage due to accidents, misuse or lack of proper maintenance, service and lubrication attention by not following the manufacturer's preventative maintenance schedule.
- 7.3 Where the <u>Hi-Rail Attachment</u> develops "repeated failures" in service, the Contractor shall make any necessary engineering changes, repairs, alterations or modifications in order to guarantee reliability of performance.

- 7.4 The equipment shall be capable of consistent top performance in City of Winnipeg Environment.

 Note: The City of Winnipeg has four seasons with ambient temperatures ranging from approximately 90°F (32°C) to -40°F (-40°C).
- 8.0 FUEL
- 8.1 Where applicable, all equipment must be fully fueled upon delivery (no exceptions).
- 9.0 QUALIFICATIONS OF MANUFACTURER & CONTRACTOR
- 9.1 The manufacturer of the <u>Hi-Rail Attachment</u> shall have five (5) years continuous experience manufacturing <u>Hi-Rail Attachment</u>.
- 9.2 The manufacturer shall have in effect a documented quality control program ensuring that the quality of materials and workmanship, including welding, conforms to the best standards and engineering practice of the industry.
- 9.3 The Contractor shall have five (5) years continuous experience servicing, repairing and maintaining <u>Hi-Rail Attachment</u> of the type being offered.

Hi-Rail Attachment

10.0	Hi-Rail Make	State:	
10.1	Hi-Rail Model	State:	
10.2	Hi-Rail Style	State:	
10.3	Excavator	State: Make and model of Excavator for which Hi-Rail is built or designed for.	
10.4	Rail Travel Speed	State:	
10.5	Suspension	State:	
10.6	Guide Wheels	State:	
10.7	Safety Pins Locks	State:	
10.8	Raise / Lower Operation	State:	
10.9	Track Gauge	State:	
10.10	Track Signal Insulation	State:	
10.11	Steering Wheel Lock	State:	
10.12	De-Rail Guards	State:	
10.13	Front Rail Sweeps	State:	
10.14	Hydraulic Power Pack	State:	
10.15	Electrical Controls	State:	
10.16	Brakes	State:	
	Service Records		
10.17	Service Records	If available, include documentation State:	

11.0	WARRANTY:	
11.1	All warranty information shall be detailed and include all exclusions.	
	The Contractor shall provide all published warranty information upon delivery of the equipment.	
	Bidder shall state all warranty information.	
11.2	Basic Vehicle (Comprehensive) State:	
12.0	DELIVERY:	
12.1	<u>Delivery Point:</u> The complete unit shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, including invoice and N.V.I.S. (if applicable) to the WFMA 185 Tecumseh Street, Winnipeg MB.	
12.2	Delivery Time:	
	Equipment shall be delivered between 8:00 am and 2:00 pm on Business Days.	
	State: earliest delivery time from date of award:	
12.3	<u>Delivery Contact:</u> The Contractor shall contact the Contract Administrator prior to delivery of the equipment.	
12.4	<u>P.D.I:</u> A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list	
13.0	MANUALS:	
13.1	Operator's Manual: One (1) per unit shall be supplied with the units when delivered:	