Template Version: C420190115 - RW

FORM A: BID (See B8)

1.	Contract Title	2019 RESIDENTIAL SIDEWALK RENEWALS AND ASSOCIATED WORKS	
2.	Bidder	Name of Bidder	
		Usual Business Name of Bidder as it appears on Invoice (if different from above)	
		Street	
		City Province Postal C	ode
		Email Address of Bidder	
		Facsimile Number	
	(Mailing address if different)	Street or P.O. Box	
		City Province Postal C	ode
	(0)	The Bidder is:	
	(Choose one)	a sole proprietor	
		a partnership	
		a corporation	
		carrying on business under the above name.	
3.	Contact Person	The Bidder hereby authorizes the following contact person to repres the Bidder for purposes of the Bid.	ent
		Contact Person Title	
		Telephone Number Facsimile Number	
4.	Definitions	All capitalized terms used in the Contract shall have the meaning ascribed to them in the General Conditions.	ngs
5.	Offer	The Bidder hereby offers to perform the Work in accordance with Contract for the Total Bid Price, in Canadian funds, set out on Form Prices, appended hereto.	

6. In accordance with B13.1, the Bidder encloses bid security in the form of **Bid Security** a bid bond (Form G1: Bid Bond and Agreement to Bond) and agrees that it shall be held by the City in accordance with the Contract. 7. **Execution of Contract** The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4. 8. Commencement The Bidder agrees that no Work shall commence until he/she is in of the Work receipt of a letter of intent from the Award Authority authorizing the commencement of the Work. 9. Contract By submitting a bid in response to this Tender, the Bidder certifies that it has read, understands, and agrees to the terms and conditions of this Tender and that the Tender, in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid. 10. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract: No. Dated 11. Time This offer shall be open for acceptance, binding and irrevocable for a period of Sixty (60) Calendar Days following the Submission Deadline. Indigenous Self-12. The City is requesting that Bidders identify if their business is at least Declaration 51% owned by one or more Indigenous persons of Canada. YES, 51% or more Indigenous ownership

NO, it is not

not be used for purposes of evaluation.

This information is being gathered for statistical purposes only and will

. .

3.	Signatures	The Bidder or the Bidder's authorized official or officials have signed this
		, 20
		Signature of Bidder or Bidder's Authorized Official or Officials
		(Print here name and official capacity of individual whose signature appears above)
		(Print here name and official capacity of individual whose signature appears above)

(SEE B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Α	SIDEWALK RENEWAL-SUN VALLEY DRIVE (SOU	TH SIDE) FROM HO	VINGHA	M STREET T	O SUNNY HILL	S ROAD
	EARTH AND BASE WORKS					
\ .1	Supplying and Placing Base Course Material	CW 3110-R19	m³	20		
A.2	Grading of Boulevards	CW 3110-R19	m²	290		
	ROADWORKS - RENEWALS					
A.3	Drilled Tie Bars	CW 3230-R8				
i)	15 M Deformed Tie Bar		each	24		
٨.4	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
а	Less than 5 sq.m.		m²	20		
b) 5 sq.m. to 20 sq.m.		m²	10		
С) Greater than 20 sq.m.		m²	335		
٨.5	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	11		
A.6	Supply of Precast Sidewalk Blocks	CW 3235-R9	m²	5		
. .7	Removal of Precast Sidewalk Blocks	CW 3235-R9	m²	11		
A.8	Concrete Curb Removal	CW 3240-R10				
i)	Barrier Integral		m	5		
A .9	Concrete Curb Installation	CW 3240-R10				
i)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	5		
A.10	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205,				
а	Less than 3 m	SD-206A	m	10		
ii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	14		
A.11	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	1		
\.12	Construction of Asphalt Patches	CW 3410-R12	m²	5		
A.13	Detectable Warning Surface Tiles	CW 3326-R3	each	12		
	ADJUSTMENTS					
A.14	Adjustment of Valve Boxes	CW 3210-R8	each	1		
A.15	Valve Box Extensions	CW 3210-R8	each	1		
A.16	Adjustment of Curb Stop Boxes	CW 3210-R8	each	12		
A.17	Curb Stop Extensions	CW 3210-R8	each	6		

(SEE B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	LANDSCAPING					
A.18	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	145		
ii)	width > or = 600 mm		m²	295		
Α	SIDEWALK RENEWAL-SUN VALLEY DRIVE (SOUTH S TO SUNNY HILLS ROAD	Subtotal:				

(SEE B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
В	SIDEWALK RENEWAL- McIVOR AVENUE (SOUTH SI	DE) FROM HEND	ERSON	HIGHWAY T	O EDKAR CRE	<u>SCENT</u>
	EARTH AND BASE WORKS					
.1	Supplying and Placing Base Course Material	CW 3110-R19	m³	10		
.2	Grading of Boulevards	CW 3110-R19	m²	135		
	ROADWORKS - RENEWALS					
.3	Drilled Tie Bars	CW 3230-R8				
i)	15 M Deformed Tie Bar		each	20		
.4	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
а	Less than 5 sq.m.		m²	10		
b) 5 sq.m. to 20 sq.m.		m²	20		
c	Greater than 20 sq.m.		m²	125		
.5	Concrete Curb Removal	CW 3240-R10				
i)	Barrier Integral		m	5		
.6	Concrete Curb Installation	CW 3240-R10				
i)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	5		
5.7	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205,				
а	Less than 3 m	SD-206A	m	2		
ii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	17		
.8	Construction of Asphalt Patches	CW 3410-R12	m²	5		
.9	Detectable Warning Surface Tiles	CW 3326-R3	each	3		
	ADJUSTMENTS					
.10	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	1		
.11	Lifter Rings (AP-010)	CW 3210-R8				
i)	38 mm		each	1		
ii)	51 mm		each	1		

(SEE B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX.	UNIT PRICE	AMOUNT
	LANDSCAPING			Q 07 11 1 1 1 1		
B.12	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	65		
ii)	width > or = 600 mm		m²	135		
В	SIDEWALK RENEWAL- McIVOR AVENUE (SOUTH SIL TO EDKAR CRESCENT	DE) FROM HEND	ERSON	HIGHWAY	Subtotal:	

(SEE B9)

UNIT PRICES

The City of Winnipeg Tender No. 113-2019 Template Version: C420190115-RW

ITE	EM		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
(С		SIDEWALK RENEWAL- McIVOR AVENUE (NORTH S	IDE) FROM HEND	ERSON	HIGHWAY T	O REINY DRIVE	
			EARTH AND BASE WORKS					
C.1			Supplying and Placing Base Course Material	CW 3110-R19	m³	15		
0.2			Grading of Boulevards	CW 3110-R19	m²	190		
			ROADWORKS - RENEWALS					
:.3			Drilled Tie Bars	CW 3230-R8				
ij)		15 M Deformed Tie Bar		each	25		
2.4			Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i	i)		100 mm Sidewalk	SD-228A				
		a)	Less than 5 sq.m.		m²	5		
		b)	5 sq.m. to 20 sq.m.		m²	15		
		c)	Greater than 20 sq.m.		m²	200		
ii	i)		150 mm Reinforced Sidewalk					
		a)	Less than 5 sq.m.		m²	10		
		b)	5 sq.m. to 20 sq.m.		m²	10		
.5			Concrete Curb Removal	CW 3240-R10				
ij)		Barrier Integral		m	5		
.6			Concrete Curb Installation	CW 3240-R10				
ij)		Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	5		
.7			Concrete Curb Renewal	CW 3240-R10				
ij)		Barrier (150 mm reveal ht, Dowelled)	SD-205,				
		a)	Less than 3 m	SD-206A	m	5		
ii	i)		Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	20		
8.3			Construction of Asphalt Patches	CW 3410-R12	m²	10		
.9			Detectable Warning Surface Tiles	CW 3326-R3	each	5		
			ADJUSTMENTS					
.10			Adjustment of Valve Boxes	CW 3210-R8	each	1		
.11			Valve Box Extensions	CW 3210-R8	each	1		
.12			Adjustment of Curb Stop Boxes	CW 3210-R8	each	2		
.13			Curb Stop Extensions	CW 3210-R8	each	2		

(SEE B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	LANDSCAPING					
C.14	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	90		
ii)	width > or = 600 mm		m²	180		
С	SIDEWALK RENEWAL- McIVOR AVENUE (NORTH SIL	Subtotal:				
	TO REINY DRIVE					

(SEE B9)

ITEM	l	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D		SIDEWALK RENEWAL- LONDON STREET (EAST SI	DE) FROM MUNRO	<u>DE AVEN</u>	IUE TO PRIM	ICE RUPERT A	<u>VENUE</u>
		EARTH AND BASE WORKS					
D.1		Excavation	CW 3110-R19	m³	20		
0.2		Supplying and Placing Base Course Material	CW 3110-R19	m³	26		
0.3		Grading of Boulevards	CW 3110-R19	m²	350		
		ROADWORKS - RENEWALS					
0.4		Drilled Tie Bars	CW 3230-R8				
i)		15 M Deformed Tie Bar		each	185		
).5		Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)		100 mm Sidewalk		m²	270		
0.6		Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)		100 mm Sidewalk	SD-228A	m²	340		
0.7		Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)		100 mm Sidewalk	SD-228A				
	a)	Less than 5 sq.m.		m²	10		
	b)	5 sq.m. to 20 sq.m.		m²	55		
	c)	Greater than 20 sq.m.		m²	20		
ii)		Monolithic Curb and Sidewalk	SD-228B	m²	30		
8.0		Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	5		
0.9		Concrete Curb Renewal	CW 3240-R10				
i)		Barrier (150 mm reveal ht, Dowelled)	SD-205,				
	a)	Less than 3 m	SD-206A	m	10		
ii)		Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	25		
iii)		Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	110		
0.10		Construction of Asphalt Patches	CW 3410-R12	m²	30		
D.11		Detectable Warning Surface Tiles	CW 3326-R3	each	32		
		ADJUSTMENTS					
0.12		Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	2		
0.13		Adjustment of Valve Boxes	CW 3210-R8	each	8		
).14		Valve Box Extensions	CW 3210-R8	each	4		
0.15		Adjustment of Curb Stop Boxes	CW 3210-R8	each	4		

(SEE B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX.	UNIT PRICE	AMOUNT
D.16	Curb Stop Extensions	CW 3210-R8	each	2		
	LANDSCAPING					
D.17	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	180		
ii)	width > or = 600 mm		m²	360		
D	SIDEWALK RENEWAL- LONDON STREET (EAST SIDE PRINCE RUPERT AVENUE	IUE TO	Subtotal:			

(SEE B9)

ITEM	1	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E		SIDEWALK RENEWAL- ROCH STREET (BOTH SIE	DES) FROM TRENT	AVENUE	TO SYDNE	Y AVENUE	
		EARTH AND BASE WORKS					
.1		Excavation	CW 3110-R19	m³	40		
.2		Supplying and Placing Base Course Material	CW 3110-R19	m³	42		
.3		Grading of Boulevards	CW 3110-R19	m²	580		
		ROADWORKS - RENEWALS					
.4		Pavement Removal	CW 3110-R19				
i)		Concrete Pavement		m²	2		
.5		Drilled Tie Bars	CW 3230-R8				
i)		15 M Deformed Tie Bar		each	100		
.6		Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)		100 mm Sidewalk		m²	500		
7		Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)		100 mm Sidewalk	SD-228A	m²	640		
.8		Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)		100 mm Sidewalk	SD-228A				
	a)	Less than 5 sq.m.		m²	10		
	b)	5 sq.m. to 20 sq.m.		m²	20		
ii)		150 mm Reinforced Sidewalk					
	a)	5 sq.m. to 20 sq.m.		m²	20		
iii)		Monolithic Curb and Sidewalk	SD-228B	m²	25		
.9		Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	5		
.10		Concrete Curb Removal	CW 3240-R10				
i)		Barrier Integral		m	4		
.11		Concrete Curb Installation	CW 3240-R10				
i)		Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	4		
.12		Concrete Curb Renewal	CW 3240-R10				
i)		Barrier (150 mm reveal ht, Dowelled)	SD-205,				
-	a)	Less than 3 m	SD-206A	m	10		
ii)	•	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	5		
iii)		Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	80		
.13		Construction of Asphalt Patches	CW 3410-R12	m²	25		

(SEE B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ADJUSTMENTS					
E.14	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	1		
E.15	Adjustment of Valve Boxes	CW 3210-R8	each	2		
E.16	Valve Box Extensions	CW 3210-R8	each	2		
E.17	Adjustment of Curb Stop Boxes	CW 3210-R8	each	4		
E.18	Curb Stop Extensions	CW 3210-R8	each	2		
	LANDSCAPING					
E.19	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	285		
ii)	width > or = 600 mm		m²	575		
E	SIDEWALK RENEWAL- ROCH STREET (BOTH SIDES SYDNEY AVENUE) FROM TRENT	A <i>VENUE</i>	<u>TO</u>	Subtotal:	

(SEE B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT		
F	SIDEWALK RENEWAL- BRONX AVENUE (BOTH SIDES) - GATEWAY ROAD TO GREY STREET							
	EARTH AND BASE WORKS							
F.1	Supplying and Placing Base Course Material	CW 3110-R19	m³	25				
F.2	Grading of Boulevards	CW 3110-R19	m²	340				
	ROADWORKS - RENEWALS							
F.3	Drilled Tie Bars	CW 3230-R8						
i)	15 M Deformed Tie Bar		each	25				
F.4	Miscellaneous Concrete Slab Renewal	CW 3235-R9						
i)	100 mm Sidewalk	SD-228A						
a)	Less than 5 sq.m.		m²	15				
b)	5 sq.m. to 20 sq.m.		m²	20				
c)	Greater than 20 sq.m.		m²	365				
ii)	150 mm Reinforced Sidewalk							
a)	5 sq.m. to 20 sq.m.		m²	12				
F.5	Concrete Curb Renewal	CW 3240-R10						
i)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	10				
ii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	20				
F.6	Construction of Asphalt Patches	CW 3410-R12	m²	10				
F.7	Detectable Warning Surface Tiles	CW 3326-R3	each	2				
	ADJUSTMENTS							
F.8	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	1				
	LANDSCAPING							
F.9	Sodding	CW 3510-R9						
i)	width < 600 mm		m²	165				
ii)	width > or = 600 mm		m²	335				
F	<u>SIDEWALK RENEWAL- BRONX AVENUE (BOTH SIDE STREET</u>	S) - GATEWAY I	ROAD TO	O GREY	Subtotal:			

(SEE B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
G	SIDEWALK RENEWAL- THOM AVENUE EAST (SOUT	H SIDE) - DAY S	TREET T	O WABASH	A STREET	
	EARTH AND BASE WORKS					
6.1	Supplying and Placing Base Course Material	CW 3110-R19	m³	30		
6.2	Grading of Boulevards	CW 3110-R19	m²	400		
	ROADWORKS - RENEWALS					
G.3	Drilled Tie Bars	CW 3230-R8				
i)	15 M Deformed Tie Bar		each	25		
6.4	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m²	5		
b)	5 sq.m. to 20 sq.m.		m²	25		
c)	Greater than 20 sq.m.		m²	460		
G.5	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	25		
6.6	Concrete Curb Removal	CW 3240-R10				
i)	Barrier Integral		m	10		
9.7	Concrete Curb Installation	CW 3240-R10				
i)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	10		
G.8	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205,				
a)	Less than 3 m	SD-206A	m	10		
ii)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	15		
iii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	30		
6.9	Construction of Asphalt Patches	CW 3410-R12	m²	3		
S.10	Detectable Warning Surface Tiles	CW 3326-R3	each	3		
	ADJUSTMENTS					
G.11	Adjustment of Valve Boxes	CW 3210-R8	each	2		
6.12	Valve Box Extensions	CW 3210-R8	each	1		
S.13	Adjustment of Curb Stop Boxes	CW 3210-R8	each	8		
G.14	Curb Stop Extensions	CW 3210-R8	each	4		

(SEE B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	LANDSCAPING					
G.15	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	200		
ii)	width > or = 600 mm		m²	400		
•	SIDEWALK RENEWAL- THOM AVENUE EAST (SOUTH SIDE) - DAY STREET TO					
G	WABASHA STREET					

(SEE B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
н	SIDEWALK RENEWAL- THOM AVENUE WEST (SOU	TH SIDE) - WINOI	VA STRE	ET TO BON	D STREET	
	EARTH AND BASE WORKS					
1.1	Supplying and Placing Base Course Material	CW 3110-R19	m³	18		
1.2	Grading of Boulevards	CW 3110-R19	m²	230		
	ROADWORKS - RENEWALS					
1.3	Drilled Tie Bars	CW 3230-R8				
i)	15 M Deformed Tie Bar		each	16		
1.4	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
а	Less than 5 sq.m.		m²	5		
b) 5 sq.m. to 20 sq.m.		m²	10		
c	Greater than 20 sq.m.		m²	255		
1.5	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	15		
1.6	Concrete Curb Removal	CW 3240-R10				
i)	Barrier Integral		m	15		
1.7	Concrete Curb Installation	CW 3240-R10				
i)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	15		
1.8	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205,				
а	Less than 3 m	SD-206A	m	5		
b) 3 m to 30 m		m	5		
ii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	15		
1.9	Construction of Asphalt Patches	CW 3410-R12	m²	5		
	ADJUSTMENTS					
.10	Adjustment of Valve Boxes	CW 3210-R8	each	2		
.11	Valve Box Extensions	CW 3210-R8	each	1		
.12	Adjustment of Curb Stop Boxes	CW 3210-R8	each	8		
.13	Curb Stop Extensions	CW 3210-R8	each	4		

(SEE B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	LANDSCAPING					
H.14	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	115		
ii)	width > or = 600 mm		m²	225		
н	SIDEWALK RENEWAL- THOM AVENUE WEST (SOUTH SIDE) - WINONA STREET TO					
н	BOND STREET			_		

(SEE B9)

UNIT PRICES

The City of Winnipeg Tender No. 113-2019 Template Version: C420190115-RW

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ı <u>s</u>	SIDEWALK RENEWAL- MADELINE STREET (EAST SI	DE) - EDWARD /	AVENUE	WEST TO H	AROLD AVEN	UE WEST
E	ARTH AND BASE WORKS					
I.1 Su	supplying and Placing Base Course Material	CW 3110-R19	m³	40		
.2 G	Grading of Boulevards	CW 3110-R19	m²	540		
	COADWORKS - RENEWALS Partial Slab Patches	CW 3230-R8				
- E	Early Opening (72 hour)	OW 0200 NO	ma?	2		
	00 mm Concrete Pavement (Type A)		m²	2		
.4 Di	rilled Tie Bars	CW 3230-R8				
i) 15	5 M Deformed Tie Bar		each	110		
.5 M	liscellaneous Concrete Slab Renewal	CW 3235-R9				
i) 10	00 mm Sidewalk	SD-228A				
a) Le	ess than 5 sq.m.		m²	65		
b) 5	sq.m. to 20 sq.m.		m²	90		
c) G	Greater than 20 sq.m.		m²	505		
ii) 15	50 mm Reinforced Sidewalk					
a) Le	ess than 5 sq.m.		m²	5		
.6 Ad	djustment of Precast Sidewalk Blocks	CW 3235-R9	m²	15		
.7 C	concrete Curb Removal	CW 3240-R10				
i) Ba	arrier Integral		m	35		
.8 C	Concrete Curb Installation	CW 3240-R10				
i) M	flodified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	35		
.9 C	concrete Curb Renewal	CW 3240-R10				
i) Ba	arrier (150 mm reveal ht, Dowelled)	SD-205,				
b) 3	m to 30 m	SD-206A	m	15		
ii) M	flodified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	20		
iii) C	curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	90		
.10 C	construction of Asphalt Patches	CW 3410-R12	m²	40		
.11 Do	letectable Warning Surface Tiles	CW 3326-R3	each	20		
	SSOCIATED DRAINAGE AND UNDERGROUND					
	eatch Pit	CW 2130-R12				
i) SI	D-023		each	1		
,						

(SEE B9)

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
I.13	Drainage Connection Pipe	REF. CW 2130-R12	m	QUANTITY 2		
	ADJUSTMENTS					
I.14	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	2		
I.15	Lifter Rings (AP-010)	CW 3210-R8				
i)	51 mm		each	1		
I.16	Adjustment of Valve Boxes	CW 3210-R8	each	4		
I.17	Valve Box Extensions	CW 3210-R8	each	2		
	LANDSCAPING					
I.18	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	270		
ii)	width > or = 600 mm		m²	550		
	 SIDEWALK RENEWAL- MADELINE STREET (EAST SI	DE) EDWARD	AVENIJE	WEST TO	Cubtotali	
I	HAROLD AVENUE WEST	Subtotal:				

(SEE B9)

٦	TEM	1	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	J		SIDEWALK RENEWAL- De BOURMONT AVENUE (WE	ST SIDE) - ELIZ	ABETH F	ROAD TO MA	AGINOT STREE	<u>T</u>
			EARTH AND BASE WORKS					
J.1			Supplying and Placing Base Course Material	CW 3110-R19	m³	25		
J.2			Grading of Boulevards	CW 3110-R19	m²	340		
			ROADWORKS - RENEWALS					
.3			Drilled Tie Bars	CW 3230-R8				
	i)		15 M Deformed Tie Bar		each	80		
.4			Miscellaneous Concrete Slab Renewal	CW 3235-R9				
	i)		100 mm Sidewalk	SD-228A				
		a)	Less than 5 sq.m.		m²	25		
		b)	5 sq.m. to 20 sq.m.		m²	55		
		c)	Greater than 20 sq.m.		m²	330		
	ii)		150 mm Reinforced Sidewalk					
		a)	Less than 5 sq.m.		m²	5		
		b)	5 sq.m. to 20 sq.m.		m²	10		
.5			Concrete Curb Removal	CW 3240-R10				
	i)		Barrier Integral		m	10		
.6			Concrete Curb Installation	CW 3240-R10				
	i)		Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	10		
.7			Concrete Curb Renewal	CW 3240-R10				
	i)		Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	10		
	ii)		Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	45		
.8			Construction of Asphalt Patches	CW 3410-R12	m²	10		
.9			Detectable Warning Surface Tiles	CW 3326-R3	each	6		
			ADJUSTMENTS					
.10)		Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	1		
.11			Adjustment of Valve Boxes	CW 3210-R8	each	3		
.12	<u> </u>		Valve Box Extensions	CW 3210-R8	each	2		

(SEE B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	LANDSCAPING					
J.13	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	170		
ii)	width > or = 600 mm		m²	340		
	SIDEWALK RENEWAL- De BOURMONT AVENUE (WE	Subtotal:				
J	MAGINOT STREET	Subtotal.				

(SEE B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
K	SIDEWALK RENEWAL- GREENWOOD AVENUE (SOU	ITH SIDE) - WYO	MING ST	REET TO #4	19 GREENWOO	D AVENUE
	EARTH AND BASE WORKS					
K.1	Supplying and Placing Base Course Material	CW 3110-R19	m³	40		
K.2	Grading of Boulevards	CW 3110-R19	m²	520		
	ROADWORKS - RENEWALS					
K.3	Drilled Tie Bars	CW 3230-R8				
i)	15 M Deformed Tie Bar		each	30		
K.4	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	5 sq.m. to 20 sq.m.		m²	20		
b)	Greater than 20 sq.m.		m²	630		
ii)	150 mm Reinforced Sidewalk					
a)	5 sq.m. to 20 sq.m.		m²	5		
< .5	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	2		
K.6	Concrete Curb Renewal	CW 3240-R10				
i)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	10		
ii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	24		
K.7	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	2		
K.8	Construction of Asphalt Patches	CW 3410-R12	m²	3		
	ADJUSTMENTS					
< .9	Adjustment of Valve Boxes	CW 3210-R8	each	4		
K .10	Valve Box Extensions	CW 3210-R8	each	2		
K.11	Adjustment of Curb Stop Boxes	CW 3210-R8	each	4		
K.12	Curb Stop Extensions	CW 3210-R8	each	2		
	LANDSCAPING					
K.13	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	260		
ii)	width > or = 600 mm		m²	550		
K	SIDEWALK RENEWAL- GREENWOOD AVENUE (SOU #49 GREENWOOD AVENUE	TH SIDE) - WYO	MING ST	REET TO	Subtotal:	

(SEE B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX.		AMOUNT
		IXLI.		QUANTITI	ı	
	SUMMARY				_	
Α	SIDEWALK RENEWAL-SUN VALLEY DRIVE (SOUTH S	SIDE) FROM HO	VINGHA	M STREET	Subtotal:	
	TO SUNNY HILLS ROAD	E EDOM HEND	EDOON	I II O I II A I A I A	0.1.1.1	
В	SIDEWALK RENEWAL- MCIVOR AVENUE (SOUTH SID	DE) FROM HEND	ERSON	HIGHWAY	Subtotal:	
	SIDEWALK RENEWAL- McIVOR AVENUE (NORTH SIE	E) FROM HEND	ERSON	HIGHWAY	Subtotal:	
С	TO REINY DRIVE				Gubtotui.	
D	SIDEWALK RENEWAL- LONDON STREET (EAST SIDE	E) FROM MUNRO	DE AVEN	IUE TO	Subtotal:	
	PRINCE RUPERT AVENUE					
E	SIDEWALK RENEWAL- ROCH STREET (BOTH SIDES)	FROM TRENT	AVENUE	TO	Subtotal:	
	SYDNEY AVENUE SIDEWALK RENEWAL- BRONX AVENUE (BOTH SIDE	C) CATEMAN	OAD T	CDEV	0.11.11	
F	STREET	S) - GATEWAT I	ROAD II	JGKET	Subtotal:	
	SIDEWALK RENEWAL- THOM AVENUE EAST (SOUTH	H SIDE) - DAY ST	REET T	0	Subtotal:	
G	WABASHA STREET	•				
Н	SIDEWALK RENEWAL- THOM AVENUE WEST (SOUT	H SIDE) - WINON	IA STRE	ET TO	Subtotal:	
"	BOND STREET					
ı	SIDEWALK RENEWAL- MADELINE STREET (EAST SI	DE) - EDWARD A	AVENUE	WEST TO	Subtotal:	
	HAROLD AVENUE WEST SIDEWALK RENEWAL- De BOURMONT AVENUE (WE	ST SIDE) EL 17	ADETU D	POAD TO	Subtotal:	
J	MAGINOT STREET	31 3IDE) - ELIZA	ADEINI	COAD TO	Subtotal:	
	SIDEWALK RENEWAL- GREENWOOD AVENUE (SOU	TH SIDE) - WYO	MING ST	REET TO	Subtotal:	
K	#49 GREENWOOD AVENUE	•			2 2.2.2 3 (4.1)	
TOTAL BII	D PRICE (GST extra)	(in fig	ures)			
	•	, -	,			

Template Version: C420190115 - RW

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B13)

BID BOND

KNOW ALL MEN BY THESE PRESENTS	ГНАТ	
(hereinafter called the "Principal") and		
(hereinafter called the "Surety"), are held called the "Obligee") in the sum of ten per described, for the payment of which sum to administrators, successors and assigns, joi	cent (10%) of the Total Bid Price he Principal and Surety bind the	ce set out in the Bid hereinafter emselves, their heirs, executors
WHEREAS the Principal has submitted a B	id to the Obligee for	
TENDER NO. 113-2019		
2019 RESIDENTIAL SIDEWALK RENEWA	LS AND ASSOCIATED WORKS	5
as more fully set out in the Tender.		
NOW THEREFORE the condition of this obif said Bid is accepted and the Principal, in the said Obligee and furnishes the requir obligation shall be void, but otherwise shall	accordance with the terms of the ed performance and labour and	e Bid, enters into a Contract with
IN WITNESS WHEREOF the Principal and	Surety have signed and sealed	this bond the
day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal)	
(Witness as to Principal if no seal)	Per:	

(Name of Surety)

(Attorney-in-Fact)

(Seal)

Ву:

Template Version: C420190115 - RW

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B13)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on ______, 20____ for TENDER NO. 113-2019 2019 RESIDENTIAL SIDEWALK RENEWALS AND ASSOCIATED WORKS The Surety agrees to issue for the Principal: 1. a Performance Bond in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Tender; and 2. a Labour and Material Payment Bond in an amount equal to fifty percent (50%) of the Contract Price for the payment for all labour, service and material used or reasonably required for use in the performance of the Work shown and described in the Tender; If our Principal's Bid is accepted by you, such Performance Bond and Labour and Material Payment Bond (the Bonds) to be maintained and continue in full force and effect until the expiration of the warranty period. The Bonds shall be in the form specified in the Tender. It is a condition that this Agreement to Bond shall become null and void if the Bonds mentioned above are not required from our Principal within sixty (60) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this ______, 20_____. (Name of Surety) (Attorney-in-Fact) (Seal)