Template Version: C420190115 - RW

#### FORM A: BID (See B8)

1.	Contract Title	2019 LOCAL STREET RENEWAL PROGRAM - HUDSON ST, VILLENEUVE BLVD AND OTHER LOCATIONS
2.	Bidder	Name of Bidder
		Usual Business Name of Bidder as it appears on Invoice (if different from above)
		Street
		City Province Postal Coc
		Email Address of Bidder
		Facsimile Number
	(Mailing address if different)	Street or P.O. Box
		City Province Postal Coc
	(Choose one)	The Bidder is:  a sole proprietor  a partnership
		a corporation carrying on business under the above name.
3.	Contact Person	The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.
		Contact Person Title
		Telephone Number Facsimile Number
4.	Definitions	All capitalized terms used in the Contract shall have the meaning ascribed to them in the General Conditions.
5.	Offer	The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form E Prices, appended hereto.

Template Version: C420190115 - RW

6.	Bid Security	In accordance with B13.1, the Bidder encloses bid security in the form of a bid bond (Form G1: Bid Bond and Agreement to Bond) and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	By submitting a bid in response to this Tender, the Bidder certifies that it has read, understands, and agrees to the terms and conditions of this Tender and that the Tender, in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
		<del></del>
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of Sixty (60) Calendar Days following the Submission Deadline.
12.	Indigenous Self- Declaration	The City is requesting that Bidders identify if their business is at least 51% owned by one or more Indigenous persons of Canada.
		YES, 51% or more Indigenous ownership
		NO, it is not
		This information is being gathered for statistical purposes only and will not be used for purposes of evaluation.

12	Signatur	Δ.

3.	Signatures	The Bidder or the Bidder's authorized official or officials have signed this						
		, 20						
		Signature of Bidder or Bidder's Authorized Official or Officials						
		(Print here name and official capacity of individual whose signature appears above)						
		(Print here name and official capacity of individual whose signature appears above)						

# FORM B: PRICES (SEE B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 1	I CITY FUNDED WORK					
A	ASPHALT RECONSTRUCTION: DEREKS WINDEMERE AVENUE	TREET FROM PA	ARKER A	AVENUE TO		
	EARTH AND BASE WORKS					
1	Excavation	CW 3110-R19	m³	2,400		
2	Sub-Grade Compaction	CW 3110-R19	m²	4,000		
3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm - Crushed Concrete		tonne	3,800		
4	Supplying and Placing Crushed Concrete Base Course Material	CW 3110-R19	m³	400		
5	Grading of Boulevards	CW 3110-R19	m²	3,560		
6	Stabilization Geotextile Fabric	CW 3130-R5	m²	4,000		
	ROADWORKS - REMOVALS/RENEWALS					
7	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m²	3,800		
N.8	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	30		
9	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	70		
10	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m²	30		
b)	5 sq.m. to 20 sq.m.		m²	150		
c)	Greater than 20 sq.m.		m²	500		
.11	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	5		
.12	Supply of Precast Sidewalk Blocks	CW 3235-R9	m²	2		
\.13	Removal of Precast Sidewalk Blocks	CW 3235-R9	m²	2		

# FORM B: PRICES (SEE B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORK - NEW CONSTRUCTION					
A.14	Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians	CW 3310-R17				
i)	Construction of 150 mm Concrete Pavement (Reinforced)		m²	300		
A.15	Concrete Pavements for Early Opening	CW 3310-R17				
i)	Construction of 150 mm Concrete Pavement for Early Opening 24 Hour (Reinforced)		m²	160		
ii)	Construction of 150 mm Concrete Pavement for Early Opening 72 Hour (Reinforced)		m²	160		
A.16	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
i)	Construction of Modified Barrier (180 mm Reveal ht, Integral)	SD-203B	m	65		
ii)	Construction of Modified Barrier (180 mm ht, Integral)	SD-203B	m	20		
iii)	Construction of Curb and Gutter (180 mm ht, Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement), Slip Form Paving	SD-200	m	490		
iv)	Construction of Curb and Gutter (180 mm ht, Modified Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200 SD-203B	m	75		
v)	Construction of Curb and Gutter (40 mm ht, Lip Curb, Integral, 600 mm width, 150 mm Plain Concrete Pavement), Slip Form Paving	SD-200 SD-202B	m	135		
vi)	Construction of Curb and Gutter (8-12 mm ht, Curb Ramp, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200 SD-229E	m	75		
vii)	Construction of Mountable Curb 75 mm ht,	SD-201	m	60		
viii)	(Integral) Construction of Curb Ramp (8-12 mm ht, Integral)	SD-229C	m	20		
ix)	Construction of Curb Ramp (8-12 mm ht Reveal, Integral)	SD-229C	m	10		
A.17	Construction of Asphaltic Concrete Pavements	CW 3410-R12				
i)	Main Line Paving					
á	Type IA		tonne	750		

# FORM B: PRICES (SEE B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	70		
	JOINT AND CRACK SEALING					
A.18	Reflective Crack Maintenance	CW 3250-R7	m	20		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
A.19	Catch Basin	CW 2130-R12				
i)	SD-024, 1800 mm deep		each	12		
١.20	Sewer Service	CW 2130-R12				
i)	250 mm, PVC					
a)	In a Trench, Class B Type 2 Bedding, Class 2 Backfill		m	59		
21	Frames & Covers	CW 3210-R8				
i)	AP-006 - Standard Frame for Manhole and Catch Basin		each	7		
ii)	AP-007 - Standard Solid Cover for Standard Frame		each	7		
22	Connecting to Existing Sewer	CW 2130-R12				
i)	250 mm (Type PVC) Connecting Pipe					
a)	Connecting to 375 mm (Type Concrete ) Sewer		each	2		
b)	Connecting to 450 mm (Type Concrete) Sewer		each	2		
c)	Connecting to 600 mm (Type Concrete) Sewer		each	2		
d)	Connecting to 750 mm (Type Concrete) Sewer		each	6		
A.23	Removal of Existing Catch Basins	CW 2130-R12	each	12		
24	Removal of Existing Catch Pit	CW 2130-R12	each	1		
A.25	Installation of Subdrains	CW 3120-R4	m	144		

# FORM B: PRICES (SEE B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ADJUSTMENTS					
A.26	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	7		
A.27	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	3.7		
A.28	Lifter Rings (AP-010)	CW 3210-R8				
i)	51 mm		each	12		
A.29	Adjustment of Valve Boxes	CW 3210-R8	each	5		
A.30	Valve Box Extensions	CW 3210-R8	each	2		
	LANDSCAPING					
A.31	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	160		
ii)	width > or = 600 mm		m²	3,400		
A	ASPHALT RECONSTRUCTION: DEREK STREET FROM PARKER AVENU					
_ ~	WINDEMERE AVENUE				Subtotal:	

# FORM B: PRICES (SEE B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
В	ASPHALT RECONSTRUCTION: HUDSON S TO CHEVRIER BOULEVARD	STREET FROM	CLAREN	ICE AVENUE		
	EARTH AND BASE WORKS					
B.1	Excavation	CW 3110-R19	m³	2,800		
B.2	Sub-Grade Compaction	CW 3110-R19	m²	4,700		
B.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm - Crushed Concrete		tonne	4,700		
B.4	Supplying and Placing Crushed Concrete Base Course Material	CW 3110-R19	m³	520		
B.5	Grading of Boulevards	CW 3110-R19	m²	3,300		
B.6	Stabilization Geotextile Fabric	CW 3130-R5	m²	4,700		
	ROADWORKS - REMOVALS/RENEWALS					
B.7	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m²	4,750		
B.8	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	50		
B.9	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	210		
B.10	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m²	10		
b)	5 sq.m. to 20 sq.m.		m²	60		
c)	Greater than 20 sq.m.		m²	560		
B.11	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	10		
B.12	Supply of Precast Sidewalk Blocks	CW 3235-R9	m²	10		
B.13	Removal of Precast Sidewalk Blocks	CW 3235-R9	m²	10		

# FORM B: PRICES (SEE B9)

DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ROADWORKS - NEW CONSTRUCTION					
Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians	CW 3310-R17				
Construction of 150 mm Concrete Pavement (Reinforced)		m²	790		
Concrete Pavements for Early Opening	CW 3310-R17				
Construction of 150 mm Concrete Pavement for Early Opening 72 Hour (Reinforced)		m²	150		
Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
Construction of Barrier (180 mm ht, Integral)	SD-204	m	10		
Construction of Modified Barrier (180 mm ht, Integral)	SD-203B	m	50		
Construction of Curb and Gutter (180 mm ht, Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement), Slip Form Paving	SD-200	m	590		
Construction of Curb and Gutter (180 mm ht, Modified Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200 SD-203B	m	62		
Construction of Curb and Gutter (40 mm ht, Lip Curb, Integral, 600 mm width, 150 mm Plain Concrete Pavement), Slip Form Paving	SD-200 SD-202B	m	240		
Construction of Curb and Gutter (8-12 mm ht, Curb Ramp, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200 SD-229E	m	30		
Construction of Mountable Curb 75 mm ht,	SD-201	m	10		
(Integral) Construction of Curb Ramp (8-12 mm ht, Integral)	SD-229C	m	10		
Construction of Asphaltic Concrete Pavements	CW 3410-R12				
Main Line Paving					
) Type IA		tonne	820		
Tie-ins and Approaches					
) Type IA		tonne	140		
	ROADWORKS - NEW CONSTRUCTION Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians Construction of 150 mm Concrete Pavement (Reinforced) Concrete Pavements for Early Opening Construction of 150 mm Concrete Pavement for Early Opening 72 Hour (Reinforced) Concrete Curbs, Curb and Gutter, and Splash Strips Construction of Barrier (180 mm ht, Integral) Construction of Modified Barrier (180 mm ht, Integral) Construction of Curb and Gutter (180 mm ht, Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement), Slip Form Paving Construction of Curb and Gutter (180 mm ht, Modified Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement) Construction of Curb and Gutter (40 mm ht, Lip Curb, Integral, 600 mm width, 150 mm Plain Concrete Pavement), Slip Form Paving Construction of Curb and Gutter (8-12 mm ht, Curb Ramp, Integral, 600 mm width, 150 mm Plain Concrete Pavement) Construction of Curb and Gutter (8-12 mm ht, Curb Ramp, Integral, 600 mm width, 150 mm Plain Concrete Pavement) Construction of Asphaltic Concrete Pavements Main Line Paving Type IA	ROADWORKS - NEW CONSTRUCTION Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians Construction of 150 mm Concrete Pavement (Reinforced) Concrete Pavements for Early Opening Construction of 150 mm Concrete Pavement for Early Opening 72 Hour (Reinforced) Concrete Curbs, Curb and Gutter, and Splash Strips Construction of Barrier (180 mm ht, Integral) Construction of Modified Barrier (180 mm ht, Integral) Construction of Curb and Gutter (180 mm ht, Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement) Construction of Curb and Gutter (180 mm ht, Modified Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement) Construction of Curb and Gutter (180 mm ht, Modified Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement) Construction of Curb and Gutter (40 mm ht, Lip Curb, Integral, 600 mm width, 150 mm Plain Concrete Pavement) Construction of Curb and Gutter (8-12 mm ht, Curb Ramp, Integral, 600 mm width, 150 mm Plain Concrete Pavement) Construction of Curb and Gutter (8-12 mm ht, Curb Ramp, Integral, 600 mm width, 150 mm Plain Concrete Pavement) Construction of Curb Ramp (8-12 mm ht, (Integral)) Construction of Asphaltic Concrete Pavements Main Line Paving Type IA Tie-ins and Approaches	ROADWORKS - NEW CONSTRUCTION Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians Construction of 150 mm Concrete Pavement (Reinforced) Concrete Pavements for Early Opening Construction of 150 mm Concrete Pavement for Early Opening 72 Hour (Reinforced) Concrete Curbs, Curb and Gutter, and Splash Strips Construction of Barrier (180 mm ht, Integral) Construction of Modified Barrier (180 mm ht, Integral) Construction of Curb and Gutter (180 mm ht, Integral) Construction of Curb and Gutter (180 mm ht, Modified Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement) Construction of Curb and Gutter (180 mm ht, Modified Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement) Construction of Curb and Gutter (40 mm ht, Lip Curb, Integral, 600 mm width, 150 mm Plain Concrete Pavement) Construction of Curb and Gutter (40 mm ht, Lip Curb, Integral, 600 mm width, 150 mm Plain Concrete Pavement) Construction of Curb and Gutter (8-12 mm ht, Curb Ramp, Integral, 600 mm width, 150 mm Plain Concrete Pavement) Construction of Mountable Curb 75 mm ht, (Integral) Construction of Curb Ramp (8-12 mm ht, Integral) Construction of Asphaltic Concrete Pavements Main Line Paving Tipe IA Tie-ins and Approaches	REF. QUANTITY  ROADWORKS - NEW CONSTRUCTION Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians Construction of 150 mm Concrete Pavement (Reinforced) Concrete Pavements for Early Opening Construction of 150 mm Concrete Pavement for Early Opening 72 Hour (Reinforced) Concrete Curbs, Curb and Gutter, and Splash Strips Construction of Barrier (180 mm ht, Integral) Construction of Modified Barrier (180 mm ht, Integral) Construction of Curb and Gutter (180 mm ht, Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement), Slip Form Paving Construction of Curb and Gutter (180 mm ht, Modified Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement) Construction of Curb and Gutter (180 mm ht, Modified Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement) Construction of Curb and Gutter (40 mm ht, Lip Curb, Integral, 600 mm width, 150 mm Plain Concrete Pavement) Construction of Curb and Gutter (40 mm ht, Lip Curb, Integral, 600 mm width, 150 mm Plain Concrete Pavement) Construction of Curb and Gutter (8-12 mm ht, Curb Ramp, Integral, 600 mm width, 150 mm Plain Concrete Pavement) Construction of Curb and Gutter (8-12 mm ht, Curb Ramp, Integral, 600 mm width, 150 mm Plain Concrete Pavement) Construction of Curb Ramp (8-12 mm ht, Integral) Construction of Curb Ramp (8-12 mm ht, Integral) Construction of Asphaltic Concrete Pavements Main Line Paving Type IA Tie-ins and Approaches	REF. QUANTITY  ROADWORKS - NEW CONSTRUCTION Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians Construction of 150 mm Concrete Pavement (Reinforced) Concrete Pavements for Early Opening Construction of 150 mm Concrete Pavement for Early Opening 72 Hour (Reinforced) Concrete Curbs, Curb and Gutter, and Splash Strips Construction of Barrier (180 mm ht, Integral) Construction of Modified Barrier (180 mm ht, Integral) Construction of Curb and Gutter (180 mm ht, Integral) Construction of Curb and Gutter (180 mm ht, Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement) Construction of Curb and Gutter (180 mm ht, Modified Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement) Construction of Curb and Gutter (40 mm ht, Lip Curb, Integral, 600 mm width, 150 mm Plain Concrete Pavement) Construction of Curb and Gutter (40 mm ht, Lip Curb, Integral, 600 mm width, 150 mm Plain Concrete Pavement) Construction of Curb and Gutter (40 mm ht, Lip Curb, Integral, 600 mm width, 150 mm Plain Concrete Pavement) Construction of Curb and Gutter (40 mm ht, Lip Curb, Integral, 600 mm width, 150 mm Plain Concrete Pavement) Construction of Curb and Gutter (40 mm ht, Lip Curb, Integral, 600 mm width, 150 mm Plain Concrete Pavement) Construction of Curb Ramp (8-12 mm ht, (Integral) Construction of Asphaltic Concrete Pavements  Main Line Paving Type IA  Tie-ins and Approaches

# FORM B: PRICES (SEE B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
B.18	Catch Basin	CW 2130-R12				
i)	SD-024, 1200 mm deep		each	2		
ii)	SD-024, 1800 mm deep		each	6		
B.19	Catch Pit	CW 2130-R12				
i)	SD-023		each	2		
B.20	Sewer Service	CW 2130-R12				
i)	250 mm, PVC					
a)	In a Trench, Class B Type 2 Bedding, Class 2 Backfill		m	35		
B.21	Drainage Connection Pipe	CW 2130-R12	m	9		
B.22	Frames & Covers	CW 3210-R8				
i)	AP-006 - Standard Frame for Manhole and Catch Basin		each	12		
ii)	AP-007 - Standard Solid Cover for Standard Frame		each	12		
B.23	Connecting to Existing Catch Basin	CW 2130-R12				
i)	250 mm Drainage Connection Pipe		each	2		
B.24	Connecting to Existing Sewer	CW 2130-R12				
i)	250 mm (Type PVC) Connecting Pipe					
a)	Connecting to 300 mm (Type Unknown ) Sewer		each	4		
b)	Connecting to 375 mm (Type Unknown ) Sewer		each	2		
c)	Connecting to 450 mm (Type Unknown) Sewer		each	2		
B.25	Removal of Existing Catch Basins	CW 2130-R12	each	8		
B.26	Catch Basin Cleaning	CW 2140-R4	each	2		
B.27	Installation of Subdrains	CW 3120-R4	m	96		

# FORM B: PRICES (SEE B9)

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
	ADJUSTMENTS					
B.28	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	14		
B.29	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	1		
B.30	Lifter Rings (AP-010)	CW 3210-R8				
i)	51 mm		each	24		
B.31	Adjustment of Valve Boxes	CW 3210-R8	each	10		
B.32	Valve Box Extensions	CW 3210-R8	each	2		
B.33	Adjustment of Curb Stop Boxes	CW 3210-R8	each	15		
B.34	Curb Stop Extensions	CW 3210-R8	each	6		
	LANDSCAPING					
B.35	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	800		
ii)	width > or = 600 mm		m²	2,500		
_	ASPHALT RECONSTRUCTION: HUDSON S	ICE AVENUE	6.1			
В	TO CHEVRIER BOULEVARD	Subtotal:				

# FORM B: PRICES (SEE B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
С	REHABILITATION: THATCHER DRIVE FRO	OM UNIVERSITY	CRESC	ENT TO		
	EARTH AND BASE WORKS					
C.1	Excavation	CW 3110-R19	m³	80		
C.2	Supplying and Placing Crushed Concrete Base Course Material	CW 3110-R19	m³	80		
C.3	Grading of Boulevards	CW 3110-R19	m²	3,000		
	ROADWORKS - REMOVALS/RENEWALS					
C.4	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m²	400		
ii)	Asphalt Pavement		m²	15		
C.5	Slab Replacement	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m²	250		
C.6	Partial Slab Patches	CW 3230-R8				
i)	150 mm Concrete Pavement (Type A)		m²	10		
ii)	150 mm Concrete Pavement (Type B)		m²	80		
iii)	150 mm Concrete Pavement (Type D)		m²	30		
C.7	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m²	250		
C.8	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	200		
C.9	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	420		
C.10	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
а	5 sq.m. to 20 sq.m.		m²	20		
C.11	Concrete Curb Removal	CW 3240-R10				
i)	Mountable Curb		m	610		

# FORM B: PRICES (SEE B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.12	Concrete Curb Installation	CW 3240-R10				
i)	Barrier (100 mm reveal ht, Dowelled)	SD-205	m	420		
ii)	Barrier (100 mm reveal ht, Separate)	SD-203A	m	70		
iii)	Lip Curb (40 mm reveal ht, Integral)	SD-202B	m	130		
C.13	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	3 m to 30 m	00 200/1	m	60		
ii)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229C,D	m	10		
iii)	Splash Strip (150 mm reveal ht, Monolithic Modified Barrier Curb, 750 mm width)	SD-223A SD-203B	m	10		
C.14	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	200		
C.15	Planing of Pavement	CW 3450-R6				
i)	50 - 100 mm Depth (Asphalt)		m²	100		
C.16	Pavement Repair Fabric	E10	m²	600		
C.17	Detectable Warning Surface Tiles	CW 3326-R3	each	2		
	ROADWORKS - NEW CONSTRUCTION					
C.18	Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians	CW 3310-R17				
i)	Construction of 150 mm Concrete Pavement (Reinforced)		m²	200		
C.19	Concrete Pavements for Early Opening	CW 3310-R17				
i)	Construction of 150 mm Concrete Pavement for Early Opening 72 Hour (Reinforced)		m²	200		
C.20	Interlocking Paving Stones	CW 3330-R5	m²	80		
C.21	Construction of Asphaltic Concrete Pavements	CW 3410-R12				
i)	Main Line Paving					
a)	Type IA		tonne	660		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	60		

# FORM B: PRICES (SEE B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	JOINT AND CRACK SEALING					
C.22	Longitudinal Joint & Crack Filling ( > 25 mm in width )	CW 3250-R7	m	50		
C.23	Reflective Crack Maintenance	CW 3250-R7	m	900		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
C.24	Catch Basin	CW 2130-R12				
i)	SD-024, 1800 mm deep		each	6		
C.25	Catch Pit	CW 2130-R12				
i)	SD-023		each	2		
C.26	Sewer Service	CW 2130-R12				
i)	250 mm, PVC					
a)	In a Trench, Class B Type 2 Bedding, Class 2 Backfill		m	55		
C.27	Drainage Connection Pipe	CW 2130-R12	m	20		
C.28	Connecting to Existing Manhole	CW 2130-R12				
i)	250 mm Catch Basin Lead		each	6		
C.29	Connecting to Existing Catch Basin	CW 2130-R12				
i)	250 mm Drainage Connection Pipe		each	2		
C.30	Removal of Existing Catch Basins	CW 2130-R12	each	6		
C.31	Removal of Existing Catch Pit	CW 2130-R12	each	2		
C.32	Catch Basin Cleaning	CW 2140-R4	each	2		
	ADJUSTMENTS					
C.33	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	8		
C.34	Adjustment of Valve Boxes	CW 3210-R8	each	8		
C.35	Valve Box Extensions	CW 3210-R8	each	1		
C.36	Adjustment of Curb Stop Boxes	CW 3210-R8	each	2		
C.37	Curb Stop Extensions	CW 3210-R8	each	1		

### FORM B: PRICES

(SEE B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	LANDSCAPING					
C.38	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m²	3,000		
С	REHABILITATION: THATCHER DRIVE FRO PEMBINA HIGHWAY	Subtotal:				

# FORM B: PRICES (SEE B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D	CONCRETE RECONSTRUCTION: VILLENI DUCHARME AVENUE TO RUE DES TRAPP		RD FRO	<u>M</u>		
	EARTH AND BASE WORKS					
D.1	Excavation	CW 3110-R19	m³	4,800		
0.2	Sub-Grade Compaction	CW 3110-R19	m²	4,800		
0.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm - Crushed Concrete		tonne	5,000		
0.4	Supplying and Placing Crushed Concrete Base Course Material	CW 3110-R19	m³	500		
0.5	Grading of Boulevards	CW 3110-R19	m²	3,900		
0.6	Stabilization Geotextile Fabric	CW 3130-R5	m²	4,800		
	ROADWORKS - REMOVALS/RENEWALS					
0.7	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m²	5,000		
0.8	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	50		
0.9	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	120		
0.10	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m²	120		
b)	5 sq.m. to 20 sq.m.		m²	100		
C)	Greater than 20 sq.m.		m²	80		
D.11	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	10		
0.12	Supply of Precast Sidewalk Blocks	CW 3235-R9	m²	10		
0.13	Removal of Precast Sidewalk Blocks	CW 3235-R9	m²	10		
0.14	Detectable Warning Surface Tiles	CW 3326-R3	each	4		

# FORM B: PRICES (SEE B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORKS - NEW CONSTRUCTION					
D.15	Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians	CW 3310-R17				
i)	Construction of 200 mm Concrete Pavement (Plain-Dowelled), Slip Form Paving		m²	2,020		
ii)	Construction of 150 mm Concrete Pavement (Reinforced)		m²	1,520		
D.16	Concrete Pavements for Early Opening	CW 3310-R17				
i)	Construction of 200 mm Concrete Pavement for Early Opening 72 Hour (Plain-Dowelled)		m²	2,020		
D.17	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
i)	Construction of Barrier (180 mm ht, Integral), Slip Form Paving	SD-204	m	670		
ii)	Construction of Modified Barrier (180 mm ht, Integral)	SD-203B	m	70		
iii)	Construction of Lip Curb (40 mm ht, Integral)	SD-202B	m	320		
iv)	Construction of Curb Ramp (8-12 mm ht, Integral)	SD-229C	m	30		
D.18	Supply and Installation of Dowel Assemblies	CW 3310-R17	m	900		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
D.19	Catch Basin	CW 2130-R12				
i)	SD-024, 1800 mm deep		each	4		
D.20	Sewer Service	CW 2130-R12				
i)	250 mm, PVC					
á	In a Trench, Class B Type 2 Bedding, Class 2 Backfill		m	40		
D.21	Frames & Covers	CW 3210-R8				
i)	AP-006 - Standard Frame for Manhole and Catch Basin		each	2		
ii)	AP-007 - Standard Solid Cover for Standard Frame		each	2		

# FORM B: PRICES (SEE B9)

UNIT PRIC						
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.22	Connecting to Existing Manhole	CW 2130-R12				
i)	250 mm Catch Basin Lead		each	4		
D.23	Removal of Existing Catch Basins	CW 2130-R12	each	4		
D.24	Installation of Subdrains	CW 3120-R4	m	48		
D.25	Watermain and Water Service Insulation	CW 2110-R11				
i)	Pipe Under Roadway Excavation (SD-018)		m²	1,200		
	ADJUSTMENTS					
D.26	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	6		
D.27	Adjustment of Valve Boxes	CW 3210-R8	each	6		
D.28	Valve Box Extensions	CW 3210-R8	each	2		
D.29	Adjustment of Curb Stop Boxes	CW 3210-R8	each	10		
D.30	Curb Stop Extensions	CW 3210-R8	each	2		
	LANDSCAPING					
D.31	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m²	3,900		
D	CONCRETE RECONSTRUCTION: VILLENE DUCHARME AVENUE TO RUE DES TRAPP	<u>M</u>	Subtotal:			

# FORM B: PRICES (SEE B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E	REHABILITATION: CALEDON ROAD FROM KILLARNEY AVENUE	MAPLERIDGE	AVENU	<u>E TO</u>		
	EARTH AND BASE WORKS					
E.1	Excavation	CW 3110-R19	m³	70		
E.2	Supplying and Placing Crushed Concrete Base Course Material	CW 3110-R19	m³	70		
E.3	Grading of Boulevards	CW 3110-R19	m²	1,000		
	ROADWORKS - REMOVALS/RENEWALS					
E.4	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m²	350		
E.5	Slab Replacement	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m²	90		
E.6	Partial Slab Patches	CW 3230-R8				
i)	150 mm Concrete Pavement (Type D)		m²	20		
E.7	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m²	50		
E.8	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
i)	150 mm Concrete Pavement (Type B)		m²	20		
ii)	150 mm Concrete Pavement (Type D)		m²	60		
E.9	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	50		
E.10	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	275		
E.11	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m²	10		
b)	5 sq.m. to 20 sq.m.		m²	25		
c)	Greater than 20 sq.m.		m²	100		

# FORM B: PRICES (SEE B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E.12	Concrete Curb Removal	CW 3240-R10				
i)	Barrier Separate		m	70		
ii)	Mountable Curb		m	120		
E.13	Concrete Curb Installation	CW 3240-R10				
i)	Barrier (100 mm reveal ht, Dowelled)	SD-205	m	120		
ii)	Barrier (100 mm reveal ht, Separate)	SD-203A	m	70		
iii)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	60		
iv)	Modified Barrier (150 mm reveal ht, Integral)	SD-203B	m	40		
v)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229A,B,C	m	45		
E.14	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (100 mm reveal ht, Separate)	SD-203A				
a)	Less than 3 m		m	20		
ii)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229C,D	m	25		
E.15	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	16		
E.16	Planing of Pavement	CW 3450-R6				
i)	50 - 100 mm Depth (Asphalt)		m²	70		
E.17	Pavement Repair Fabric	E10	m²	600		
E.18	Detectable Warning Surface Tiles	CW 3326-R3	each	6		
	ROADWORKS - NEW CONSTRUCTION					
E.19	Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians	CW 3310-R17				
i)	Construction of 150 mm Concrete Pavement (Reinforced)		m²	180		
E.20	Concrete Pavements for Early Opening	CW 3310-R17				
i)	Construction of 150 mm Concrete Pavement for Early Opening 72 Hour (Reinforced)		m²	170		
E.21	100 mm Concrete Sidewalk	CW 3325-R5	m²	450		
E.22	Interlocking Paving Stones	CW 3330-R5	m²	10		

# FORM B: PRICES (SEE B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E.23	Construction of Asphaltic Concrete Pavements	CW 3410-R12				
i)	Main Line Paving					
a)	Type IA		tonne	480		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	90		
	JOINT AND CRACK SEALING					
E.24	Longitudinal Joint & Crack Filling ( > 25 mm in width )	CW 3250-R7	m	50		
E.25	Reflective Crack Maintenance	CW 3250-R7	m	500		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
E.26	Catch Basin	CW 2130-R12				
i)	SD-024, 1200 mm deep		each	1		
ii)	SD-024, 1800 mm deep		each	1		
E.27	Catch Pit	CW 2130-R12				
i)	SD-023		each	2		
E.28	Sewer Service	CW 2130-R12				
i)	250 mm, PVC					
a)	In a Trench, Class B Type 2 Bedding, Class 2 Backfill		m	4		
E.29	Drainage Connection Pipe	CW 2130-R12	m	20		
E.30	Connecting to Existing Catch Basin	CW 2130-R12				
i)	250 mm Drainage Connection Pipe		each	2		
E.31	Connecting New Sewer Service to Existing Sewer Service	CW 2130-R12				
i)	250 mm		each	4		
E.32	Removal of Existing Catch Basins	CW 2130-R12	each	2		
E.33	Removal of Existing Catch Pit	CW 2130-R12	each	2		

# FORM B: PRICES (SEE B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ADJUSTMENTS					
E.34	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	3		
E.35	Adjustment of Valve Boxes	CW 3210-R8	each	4		
E.36	Valve Box Extensions	CW 3210-R8	each	1		
	LANDSCAPING					
E.37	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	200		
ii)	width > or = 600 mm		m²	800		
E	REHABILITATION: CALEDON ROAD FROM KILLARNEY AVENUE	Subtotal:				

# FORM B: PRICES (SEE B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F	SEWER REPAIRS: DEREK STREET, HUDSO	ON STREET & 1	<u>HATCHI</u>	ER DRIVE		
	DEREK ST (MH60010922)					
F.1	Remove and Replace Risers	CW2130-R12				
i)	SD-010					
a)	750 mm Diameter Risers		vert.m.	1.6		
F.2	Grout Pipe Interface	CW2130-R12	each	1		
F.3	Manhole Inspection	CW2145-R4	each	1		
	DEREK ST (MH60011004)					
F.4	Remove and Replace Risers	CW2130-R12				
i)	SD-010					
a)	750 mm Diameter Risers		vert.m.	1.1		
F.5	Grout Pipe Interface	CW2130-R12	each	1		
F.6	Manhole Inspection	CW2145-R4	each	1		
	HUDSON ST (MA60018188)					
F.7	Sewer Repair - Up to 3.0 Meters Long	CW 2130-R12				
i)	375mm LDS					
a)	Class 3 Backfill		each	1		
F.8	Sewer Repair - In Addition to First 3.0 Meters	CW 2130-R12				
i)	375 mm					
a)	Class 3 Backfill		m	3.1		
F.9	Sewer Inspection ( following repair)	CW 2145-R4				
i)	375 mm, LDS		m	98.5		
	THATCHER DR (MA60016103)					
F.10	Sewer Repair - Up to 3.0 Meters Long	CW 2130-R12				
i)	375mm LDS					
	Class 3 Backfill		each	1		

# FORM B: PRICES (SEE B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F.11	Sewer Inspection (following repair)	CW 2145-R4				
i)	375 mm, LDS		m	99		
F	SEWER REPAIRS: DEREK STREET, HUDSON STREET & THATCHER DRIVE					

# FORM B: PRICES (SEE B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 2						
	(See B10.5, B18.2.1, B19.6, D2,	, D15.2-3,	D16.4)			
G	NEW STREET LIGHT INSTALLATION					
	HUDSON STREET FROM CLARENCE AVENUE TO CHEVRIER BOULEVARD					
G.1	Removal of 25' to 35' street light pole and precast, poured in place concrete, steel power installed base or direct buried including davit arm, luminaire and appurtenances.	E11	each	12		
G.2	Installation of 50 mm conduit(s) by boring method complete with cable insertion (#4 AL C/N or 1/0 AL Triplex).	E11	lin.m	406		
G.3	Installation of 25'/35' pole, davit arm and precast concrete base including luminaire and appurtenances.	E11	each	11		
G.4	Installation of one (1) 10' ground rod at end of street light circuit. Trench #4 ground wire up to 1 m from rod location to new street light and connect (hammerlock) to top of the ground rod.	E11	each	2		
G.5	Terminate 2/C #12 copper conductor to street light cables per Standard CD310-4, CD310-9 or CD310-10.	E11	each	11		
G.6	Installation of overhead span of #4 duplex between new or existing streetlight poles and connect luminaire to provide temporary feed.	E11	per span	10		
G.7	Removal of overhead span of #4 duplex between new or existing streetlight poles to remove temporary feed.	E11	per span	10		
G.8	Install / lower 3 m of Cable Guard, ground lug, cable up pole, and first 3 m section of ground rod per Standard CD 315-5.	E11	each	1		
G.9	Removal of luminaire and appurtenances.	E11	each	1		
G.10	Installation of luminaire and appurtenances.	E11	each	1		
	VILLENEUVE BOULEVARD FROM DUCHARME AVENUE TO RUE DES TRAPPISTES					
G.11	Removal of 25' to 35' street light pole and precast, poured in place concrete, steel power installed base or direct buried including davit arm, luminaire and appurtenances.	E11	each	11		

# FORM B: PRICES (SEE B9)

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
G.12	Installation of 50 mm conduit(s) by boring method complete with cable insertion (#4 AL C/N or 1/0 AL Triplex).	E11	lin.m	532		
G.13	Installation of 25'/35' pole, davit arm and precast concrete base including luminaire and appurtenances.	E11	each	10		
G.14	Installation of one (1) 10' ground rod at end of street light circuit. Trench #4 ground wire up to 1 m from rod location to new street light and connect (hammerlock) to top of the ground rod.	E11	each	3		
G.15	Terminate 2/C #12 copper conductor to street light cables per Standard CD310-4, CD310-9 or CD310-10.	E11	each	11		
G.16	Installation of overhead span of #4 duplex between new or existing streetlight poles and connect luminaire to provide temporary feed.	E11	per span	12		
G.17	Removal of overhead span of #4 duplex between new or existing streetlight poles to remove temporary feed.	E11	per span	12		
G.18	Install / lower 3 m of Cable Guard, ground lug, cable up pole, and first 3 m section of ground rod per Standard CD 315-5.	E11	each	1		
G.19	Removal of luminaire and appurtenances.	E11	each	2		
G.20	Installation of luminaire and appurtenances.	E11	each	2		
G	NEW STREET LIGHT INSTALLATION		_1		Subtotal:	

#### FORM B: PRICES

(SEE B9)

L	JN	IΤ	PR	ICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT			
	SUMMARY								
PART 1	CITY FUNDED WORK								
Α	ASPHALT RECONSTRUCTION: DEREK STR WINDEMERE AVENUE	Subtotal:							
В	ASPHALT RECONSTRUCTION: HUDSON S TO CHEVRIER BOULEVARD	Subtotal:							
С	REHABILITATION: THATCHER DRIVE FROM PEMBINA HIGHWAY	Subtotal:							
D	CONCRETE RECONSTRUCTION: VILLENED DUCHARME AVENUE TO RUE DES TRAPPI	Subtotal:							
E	REHABILITATION: CALEDON ROAD FROM KILLARNEY AVENUE	Subtotal:							
F	SEWER REPAIRS: DEREK STREET, HUDSO	Subtotal:							
				(total	price) PART 1				
PART 2 MANITOBA HYDRO/PROVINCIALLY FUNDED WORK (See B10.5, B18.2.1, B19.6, D2, D15.2-3, D16.4)									
G	NEW STREET LIGHT INSTALLATION				Subtotal:				
_	price) PART 2								
TOTAL BID PRICE (GST extra) (in figures)									

Template Version: C420190115 - RW

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B13)

#### **BID BOND**

KNOW ALL MEN BY THESE PRESENTS	THAT	
(hereinafter called the "Principal") and		
called the "Obligee") in the sum of ten per described, for the payment of which sum t	and firmly bound unto <b>THE CITY OF WINNIPEG</b> recent (10%) of the Total Bid Price set out in the Bithe Principal and Surety bind themselves, their heir intly and severally, firmly by these presents.	id hereinafter
WHEREAS the Principal has submitted a B	Bid to the Obligee for	
TENDER NO. 186-2019		
2019 LOCAL STREET RENEWAL PROGR LOCATIONS	RAM - HUDSON ST, VILLENEUVE BLVD AND OTH	IER
as more fully set out in the Tender.		
if said Bid is accepted and the Principal, in	oligation is such that if the Bid of the Principal is not accordance with the terms of the Bid, enters into a red performance and labour and material payment remain in full force and effect.	Contract with
IN WITNESS WHEREOF the Principal and	Surety have signed and sealed this bond the	
day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal)	
(Witness as to Principal if no seal)	Per: Per:	(Seal)
	(Name of Surety)	

By:

(Attorney-in-Fact)

(Seal)

Template Version: C420190115 - RW

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B13)

#### **AGREEMENT TO BOND**

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on \_\_\_\_\_\_, 20\_\_\_\_ for TENDER NO. 186-2019 2019 LOCAL STREET RENEWAL PROGRAM - HUDSON ST, VILLENEUVE BLVD AND OTHER LOCATIONS The Surety agrees to issue for the Principal: 1. a Performance Bond in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Tender; and 2. a Labour and Material Payment Bond in an amount equal to fifty percent (50%) of the Contract Price for the payment for all labour, service and material used or reasonably required for use in the performance of the Work shown and described in the Tender: If our Principal's Bid is accepted by you, such Performance Bond and Labour and Material Payment Bond (the Bonds) to be maintained and continue in full force and effect until the expiration of the warranty period. The Bonds shall be in the form specified in the Tender. It is a condition that this Agreement to Bond shall become null and void if the Bonds mentioned above are not required from our Principal within Sixty (60) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this \_\_\_\_\_\_, 20\_\_\_\_\_. (Name of Surety)

(Attorney-in-Fact)