### FORM A: BID (See B9)

| 1. | Contract Title                 | 2019 WATER MAIN REN  | IEWALS – CONTRACT NO.4                              |                  |  |  |  |  |
|----|--------------------------------|--|---|------------------|--|--|--|--|
| 2. | Bidder                         |  |   |                  |  |  |  |  |
|    |                                | Name of Bidder   |   |                  |  |  |  |  |
|    |                                | Usual Business Name of Bidde   | r as it appears on Invoice (if different fro        | m above)         |  |  |  |  |
|    |                                | Street   |   |                  |  |  |  |  |
|    |                                | City   | Province  | Postal Code      |  |  |  |  |
|    |                                | Email Address of Bidder  |   |                  |  |  |  |  |
|    |                                | Facsimile Number   |   |                  |  |  |  |  |
|    | (Mailing address if different) | Street or P.O. Box   |   |                  |  |  |  |  |
|    |                                | City   | Province  | Postal Code      |  |  |  |  |
|    |                                | GST Registration Number (if ap   | pplicable)  |                  |  |  |  |  |
|    | (Choose one)                   | The Bidder is:   |   |                  |  |  |  |  |
|    |                                | a sole proprietor  |   |                  |  |  |  |  |
|    |                                | a partnership  |   |                  |  |  |  |  |
|    |                                | a corporation  |   |                  |  |  |  |  |
|    |                                | carrying on business und   | er the above name.                                  |                  |  |  |  |  |
| 3. | Contact Person                 | The Bidder hereby authors the Bidder for purposes of the Bidder for purpose | prizes the following contact pers<br>of the Bid.    | son to represent |  |  |  |  |
|    |                                | Contact Person   | Title   |                  |  |  |  |  |
|    |                                | Telephone Number   | Facsimile Number                                    |                  |  |  |  |  |
| 4. | Definitions                    | All capitalized terms us ascribed to them in the G   | ed in the Contract shall have<br>eneral Conditions. | e the meanings   |  |  |  |  |

- Offer The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.
   Bid Security In accordance with B14.1, the Bidder encloses bid security in the form of a bid bond (Form G1: Bid Bond and Agreement to Bond) and agrees that it shall be held by the City in accordance with the Contract.
- 7. Execution of Contract The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
- 8. Commencement of the Work The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
- 9. Contract By submitting a bid in response to this Tender, the Bidder certifies that it has read, understands, and agrees to the terms and conditions of this Tender and that the Tender, in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
- 10. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No. \_\_\_\_\_ Dated \_\_\_\_\_

- 11. Time This offer shall be open for acceptance, binding and irrevocable for a period of Forty-Five (45) Calendar Days following the Submission Deadline.
- 12.Indigenous Self-<br/>DeclarationThe City is requesting that Bidders identify if their business is at least<br/>51% owned by one or more Indigenous persons of Canada.

YES, 51% or more Indigenous ownership

NO, it is not

This information is being gathered for statistical purposes only and will not be used for purposes of evaluation.

| 13. | Signatures | The Bidder or the Bidder's authorized official or officials h | ave signed this |
|-----|------------|---|-----------------|
|-----|------------|---|-----------------|

\_\_\_\_\_ day of \_\_\_\_\_ , 20\_\_\_\_\_ .

Signature of Bidder or Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

\_\_\_\_\_

(Print here name and official capacity of individual whose signature appears above)

#### FORM B: PRICES (SEE B10) 2019 WATERMAIN RENEWALS - CONTRACT NO. 4 UNIT PRICES SPEC. APPROX. UNIT UNIT ITEM DESCRIPTION AMOUNT QUANTITY PRICE REF. **Oakenwald Avenue** Α A. 1 Watermain Renewal CW 2110 a) 150mm i) trenchless installation, Class B sand 45.0 m bedding, Class 3 backfill b) 200mm trenchless installation, Class B sand i) 490.0 m bedding, Class 3 backfill A. 2 Hydrant Assembly CW 2110 SD-006 a) each 5 A. 3 Watermain Valve CW 2110 150mm a) each 6 b) 200mm each 6 CW 2110 A. 4 Fittings a) Tees i) 200mm X 200mm X 150mm each 6 Bends (SD-004) b) 150mm - 11 1/4° each 1 i) ii) 150mm - 45° 12 each 200mm - 11 1/4° iii) each 1 iv) 200mm - 90° each 1 c) Bends (SD-005) 150mm - 45° i) each 2 d) Reducers 200mm - 150mm 2 i) each A. 5 Water Services CW 2110 a) 19mm trenchless installation, Class B sand i) 5.0 m bedding, Class 3 backfill A. 6 Corporation Stops CW 2110 a) 19mm each 3

# 2019 WATERMAIN RENEWALS - CONTRACT NO. 4

| UNIT P     | RICES   |               |             |                     |               |        |
|------------|---|---------------|-------------|---------------------|---------------|--------|
| ITEM       | DESCRIPTION   | SPEC.<br>REF. | UNIT        | APPROX.<br>QUANTITY | UNIT<br>PRICE | AMOUNT |
| A. 7<br>a) | Connecting to Existing Watermains and<br>Large Diameter Water Services<br>In-line connection - no plug existing | CW 2110       |             |                     |               |        |
| i)         | 150mm   |               | each        | 8                   |               |        |
| A. 8       | Connecting Existing Copper Water<br>Services to New Watermains  | CW 2110       |             |                     |               |        |
| a)         | 19mm  |               | each        | 3                   |               |        |
| A. 9       | 10.9 Kilogram Sacrificial Zinc Anodes   | CW 2110       |             |                     |               |        |
| a)         | On Metallic Watermains  |               | each        | 7.0                 |               |        |
| b)         | On Water Services   |               | each        | 3.0                 |               |        |
| A. 10      | Partial Slab Patches  | E6            |             |                     |               |        |
| a)         | 150mm reinforced concrete<br>pavement   |               | m²          | 150.0               |               |        |
| A. 11      | Construction of Asphaltic Concrete<br>Overlays Type 1A  | CW 3410       | tonne       | 18.0                |               |        |
|            | Oakenwald Avenue  |               | Subtotal A: |                     |               |        |
| <u>B</u>   | Hudson Street   |               |             |                     |               |        |
| B. 1       | Watermain Renewal   | CW 2110       |             |                     |               |        |
| a)<br>.、   | 150mm   |               |             |                     |               |        |
| i)         | trenchless installation, Class B sand bedding, Class 3 backfill   |               | m           | 80.0                |               |        |
| B. 2       | Hydrant Assembly  | CW 2110       |             |                     |               |        |
| a)         | SD-006  |               | each        | 1                   |               |        |
| В. З       | Watermain Valve   | CW 2110       |             |                     |               |        |
| a)         | 150mm   |               | each        | 1                   |               |        |
| B. 4       | Fittings  | CW 2110       |             |                     |               |        |
| a)         | Bends (SD-004)  |               |             |                     |               |        |
| i)         | 150mm - 22 1/2°   |               | each        | 2                   |               |        |

# 2019 WATERMAIN RENEWALS - CONTRACT NO. 4

LINIT PRICES

| UNIT P           | RICES  |               | -      |                     |               |        |
|------------------|--|---------------|--------|---------------------|---------------|--------|
| ITEM             | DESCRIPTION  | SPEC.<br>REF. | UNIT   | APPROX.<br>QUANTITY | UNIT<br>PRICE | AMOUNT |
| B. 5<br>a)<br>i) | Water Services<br>19mm<br>trenchless installation, Class B sand<br>bedding, Class 3 backfill   | CW 2110       | m      | 10.0                |               |        |
| B. 6<br>a)       | Corporation Stops<br>19mm  | CW 2110       | each   | 4                   |               |        |
| B. 7<br>a)       | Connecting to Existing Watermains and<br>Large Diameter Water Services<br>In-line connection - no plug existing                          | CW 2110       |        |                     |               |        |
| i)               | 150mm  |               | each   | 2                   |               |        |
| B. 8<br>a)       | Connecting Existing Copper Water<br>Services to New Watermains<br>19mm   | CW 2110       | each   | 4                   |               |        |
| B. 9<br>a)       | 10.9 Kilogram Sacrificial Zinc Anodes<br>On Water Services   | CW 2110       | each   | 4.0                 |               |        |
| B. 10<br>a)      | Concrete Curb Renewal<br>Barrier curb (SD-204)   | CW 3240       | m      | 30.0                |               |        |
| B. 11            | Construction of Asphaltic Concrete<br>Patches Type 1A  | CW 3410       | m²     | 40.0                |               |        |
|                  | Hudson Street  |               |        |                     | Subtotal B:   |        |
| <u>c</u>         | Hunterspoint Road  |               |        |                     |               | I      |
| C. 1<br>a)<br>i) | Watermain Renewal<br>150mm<br>trenchless installation, Class B sand  | CW 2110       |        |                     |               |        |
| ii)              | trenchless installation, Class B sand<br>bedding, Class 3 backfill<br>trenchless installation, Class B sand<br>bedding, Class 5 backfill |               | m<br>m | 20.0<br>120.0       |               |        |
| C. 2<br>a)       | Hydrant Assembly<br>SD-007   | CW 2110       | each   | 1                   |               |        |
| C. 3<br>a)       | Watermain Valve<br>150mm   | CW 2110       | each   | 1                   |               |        |

# 2019 WATERMAIN RENEWALS - CONTRACT NO. 4

| UNIT P | RICES  |               |      |                     |               |        |
|--------|--|---------------|------|---------------------|---------------|--------|
| ITEM   | DESCRIPTION  | SPEC.<br>REF. | UNIT | APPROX.<br>QUANTITY | UNIT<br>PRICE | AMOUNT |
| C. 4   | Fittings   | CW 2110       |      |                     |               |        |
| a)     | Tees   |               |      |                     |               |        |
| i)     | 150mm X 150mm X 150mm  |               | each | 1                   |               |        |
| b)     | Bends (SD-004)   |               |      |                     |               |        |
| i)     | 150mm - 22 1/2°  |               | each | 5                   |               |        |
| C. 5   | Water Services   | CW 2110       |      |                     |               |        |
| a)     | 19mm   |               |      |                     |               |        |
| i)     | trenchless installation, Class B sand bedding, Class 5 backfill        |               | m    | 5.0                 |               |        |
| C. 6   | Corporation Stops  | CW 2110       |      |                     |               |        |
| a)     | 19mm   |               | each | 7                   |               |        |
| C. 7   | Connecting to Existing Watermains and<br>Large Diameter Water Services | CW 2110       |      |                     |               |        |
| a)     | In-line connection - no plug existing                                  |               |      |                     |               |        |
| i)     | 150mm  |               | each | 2                   |               |        |
| C. 8   | Connecting Existing Copper Water<br>Services to New Watermains         | CW 2110       |      |                     |               |        |
| a)     | 19mm   |               | each | 7                   |               |        |
| C. 9   | 10.9 Kilogram Sacrificial Zinc Anodes                                  | CW 2110       |      |                     |               |        |
| a)     | On Water Services  |               | each | 7.0                 |               |        |
| C. 10  | Partial Slab Patches   | E6            |      |                     |               |        |
| a)     | 150mm reinforced concrete<br>pavement                                  |               | m²   | 20.0                |               |        |
|        | Hunterspoint Road  |               | -    | -                   | Subtotal C:   |        |
| D      | Citation Circle  |               |      |                     |               |        |
| D. 1   | Watermain Renewal  | CW 2110       |      |                     |               |        |
| a)     | 150mm  | 011 2110      |      |                     |               |        |
| i)     |  |               | m    | 40.0                |               |        |
| D. 2   | Hydrant Assembly   | CW 2110       |      |                     |               |        |
| a)     | SD-006   |               | each | 1                   |               |        |
|        |  |               |      |                     |               |        |

# 2019 WATERMAIN RENEWALS - CONTRACT NO. 4

| UNIT P     | RIGES   | 0050          |      |                     |               |        |
|------------|---|---------------|------|---------------------|---------------|--------|
| ITEM       | DESCRIPTION   | SPEC.<br>REF. | UNIT | APPROX.<br>QUANTITY | UNIT<br>PRICE | AMOUNT |
|            |   | REF.          |      | QUANTIT             | PRICE         |        |
| D. 3       | Watermain Valve   | CW 2110       |      |                     |               |        |
| a)         | 150mm   |               | each | 1                   |               |        |
| ,          |   |               |      |                     |               |        |
| D. 4       | Water Services  | CW 2110       |      |                     |               |        |
| a)         | 19mm  |               |      |                     |               |        |
| i)         | trenchless installation, Class B sand bedding, Class 3 backfill |               | m    | 20.0                |               |        |
| D. 5       | Corporation Stops   | CW 2110       |      |                     |               |        |
| a)         | 19mm  |               | each | 7                   |               |        |
|            |   |               |      |                     |               |        |
| D. 6       | Connecting Existing Copper Water<br>Services to New Watermains  | CW 2110       |      |                     |               |        |
| a)         | 19mm  |               | each | 7                   |               |        |
|            |   | 0.14.04.40    |      |                     |               |        |
| D. 7       | 10.9 Kilogram Sacrificial Zinc Anodes                           | CW 2110       |      |                     |               |        |
| a)         | On Water Services   |               | each | 7.0                 |               |        |
| D. 8       | Partial Slab Patches  | E6            |      |                     |               |        |
| a)         | 150mm reinforced concrete<br>pavement                           |               | m²   | 50.0                |               |        |
|            | Concrete Curb Renewal   | CW 3240       |      |                     |               |        |
| D. 9<br>a) | Barrier curb (SD-204)   | 677 3240      | m    | 20.0                |               |        |
| <i>a</i> ) | Citation Circle   |               |      | 20.0                | Subtotal D:   |        |
|            |   |               |      |                     | oubtotal D.   |        |
| <u>E</u>   | Hindley Avenue  |               |      |                     |               |        |
| E. 1       | Watermain Renewal   | CW 2110       |      |                     |               |        |
| a)         | 150mm   |               |      |                     |               |        |
| i)         |   |               |      |                     |               |        |
| ,          | bedding, Class 3 backfill                                       |               | m    | 205.0               |               |        |
| E. 2       | Hydrant Assembly  | CW 2110       |      |                     |               |        |
| a)         | SD-006  |               | each | 1                   |               |        |
| b)         | SD-007  |               | each | 2                   |               |        |
| <b>F ^</b> |   | 00000000      |      |                     |               |        |
| E. 3       | Watermain Valve   | CW 2110       |      |                     |               |        |
| a)         | 150mm   |               | each | 2                   |               |        |

# 2019 WATERMAIN RENEWALS - CONTRACT NO. 4

| UNIT P |   | SPEC.    |         | APPROX.  | UNIT  |        |
|--------|---|----------|---------|----------|-------|--------|
| ITEM   | DESCRIPTION   | REF.     | UNIT    | QUANTITY | PRICE | AMOUNT |
| E. 4   | Fittings  | CW 2110  |         |          |       |        |
| a)     | Bends (SD-004)  | 000 2110 |         |          |       |        |
| i)     |   |          | each    | 2        |       |        |
| b)     | Plugs   |          |         |          |       |        |
| i)     | -   |          | each    | 1        |       |        |
| E. 5   | Water Services  | CW 2110  |         |          |       |        |
| a)     | 19mm  |          |         |          |       |        |
| i)     | trenchless installation, Class B sand<br>bedding, Class 3 backfill  |          | m       | 30.0     |       |        |
| b)     | 50mm  |          |         |          |       |        |
| i)     | trenchless installation, Class B sand bedding, Class 3 backfill     |          | m       | 5.0      |       |        |
| E. 6   | Corporation Stops   | CW 2110  |         |          |       |        |
| a)     | 19mm  |          | each    | 25       |       |        |
| b)     | 50mm  |          | each    | 2        |       |        |
| E. 7   | Connecting to Existing Watermains and Large Diameter Water Services | CW 2110  |         |          |       |        |
| a)     | In-line connection - no plug existing                               |          |         |          |       |        |
| i)     | 150mm   |          | each    | 1        |       |        |
| E. 8   | Connecting Existing Copper Water<br>Services to New Watermains      | CW 2110  |         |          |       |        |
| a)     | 19mm  |          | each    | 25       |       |        |
| b)     | 50mm  |          | each    | 2        |       |        |
| E. 9   | 10.9 Kilogram Sacrificial Zinc Anodes                               | CW 2110  |         |          |       |        |
| a)     | On Water Services   |          | each    | 27.0     |       |        |
| E. 10  | Wastewater Sewers   | CW 2130  |         |          |       |        |
| a)     | 250mm   |          |         |          |       |        |
| i)     | trenchless installation, Class B sand bedding, Class 3 backfill     |          | m       | 16.0     |       |        |
| E. 11  | Manhole   | CW 2130  |         |          |       |        |
| a)     | SD-010  |          |         |          |       |        |
| i)     | 1200mm diameter base  |          | vert. m | 1.5      |       |        |

# 2019 WATERMAIN RENEWALS - CONTRACT NO. 4

| RICES   |   | 1  | 1   |  |  |
|---|---|--|---|--|--|
| DESCRIPTION   | SPEC.<br>REF.   | UNIT   | APPROX.<br>QUANTITY   | UNIT<br>PRICE  | AMOUNT   |
| Sewer Services<br>150mm<br>trenchless installation, Class B sand<br>bedding, Class 3 backfill | CW 2130   | m  | 25.0  |  |  |
| Connecting to Existing Manhole<br>250mm   | CW 2130   | each   | 1   |  |  |
| Connecting New Sewer Service to<br>Existing Sewer Service<br>150mm                            | CW 2130   | each   | 3   |  |  |
| Sewer Inspection<br>250mm to 900mm  | CW 2145   | m  | 16  |  |  |
| Partial Slab Patches<br>150mm reinforced concrete<br>pavement                                 | E6  | m²   | 75.0  |  |  |
| Miscellaneous Concrete Slab Renewal<br>Sidewalk (SD-228A)                                     | CW 3235   | m²   | 30.0  |  |  |
| Concrete Curb Renewal<br>Barrier curb (SD-204)  | CW 3240   | m  | 30.0  |  |  |
| Hindley Avenue  |   |  |   | Subtotal E:  |  |
| McPhillips Street   |   | 1  |   |  |  |
|   | CW 2110   | m  | 5.0   |  |  |
| -   | CW 2110   | each   | 3   |  |  |
| Long  | CW 2110   |  |   |  |  |
| 400mm<br>Class 3 backfill   |   | each   | 2   |  |  |
|   | DESCRIPTION Sewer Services 150mm trenchless installation, Class B sand bedding, Class 3 backfill Connecting to Existing Manhole 250mm Connecting New Sewer Service to Existing Sewer Service 150mm Sewer Inspection 250mm to 900mm Partial Slab Patches 150mm reinforced concrete pavement Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A) Concrete Curb Renewal Barrier curb (SD-204) Hindley Avenue McPhillips Street Watermain Renewal 400mm trenchless installation, Class B sand bedding, Class 3 backfill New Hydrant Assembly on Existing Watermain SD-006 Watermain Repair - Up To 3.0 metres Long 400mm | DESCRIPTIONSPEC.<br>REF.Sewer ServicesCW 2130150mm<br>trenchless installation, Class B sand<br>bedding, Class 3 backfillCW 2130Connecting to Existing Manhole<br>250mmCW 2130250mmCW 2130Connecting New Sewer Service to<br>Existing Sewer Service<br>150mmCW 2130Sewer Inspection<br>250mm to 900mmCW 2145Partial Slab Patches<br>150mm reinforced concrete<br>pavementE6Miscellaneous Concrete Slab Renewal<br>Sidewalk (SD-228A)CW 3240Concrete Curb Renewal<br>Barrier curb (SD-204)CW 3240Hindley AvenueCW 2110Watermain Renewal<br>bedding, Class 3 backfillCW 2110New Hydrant Assembly on Existing<br>Watermain<br>SD-006CW 2110Watermain Repair - Up To 3.0 metres<br>Long<br>400mmCW 2110 | DESCRIPTIONSPEC.<br>REF.UNITSewer ServicesCW 2130"150mm<br>trenchless installation, Class B sand<br>bedding, Class 3 backfillCW 2130"Connecting to Existing Manhole<br>250mmCW 2130eachConnecting New Sewer Service to<br>Existing Sewer ServiceCW 2130eachSewer Inspection<br>250mm to 900mmCW 2145mPartial Slab Patches<br>150mm reinforced concrete<br>pavementE6m²²Miscellaneous Concrete Slab Renewal<br>Sidewalk (SD-228A)CW 3235m²Concrete Curb Renewal<br>Barrier curb (SD-204)CW 3240mHindley AvenueCW 2110mMoethillips StreetmmNew Hydrant Assembly on Existing<br>SD-006CW 2110mWatermain<br>SD-006CW 2110cW 2110Watermain Renewal<br>400mmCW 2110mNew Hydrant Assembly on Existing<br>400mmCW 2110m | DESCRIPTIONSPEC.<br>REF.UNITAPPROX.<br>QUANTITYSewer ServicesCW 2130m25.0150mm<br>trenchless installation, Class B sand<br>bedding, Class 3 backfillCW 2130each1Connecting to Existing Manhole<br>250mmCW 2130each1Connecting New Sewer Service to<br>Existing Sewer Service<br>150mmCW 2130each3Sewer Inspection<br>250mm to 900mmCW 2145m16Partial Slab Patches<br>150mm reinforced concrete<br>pavementE6m²75.0Miscellaneous Concrete Slab Renewal<br>Sidewalk (SD-228A)CW 3240m30.0Concrete Curb Renewal<br>Barrier curb (SD-204)CW 2110m30.0Hindley AvenueCW 2110m5.0New Hydrant Assembly on Existing<br>Watermain<br>SD-006CW 2110a5.0New Hydrant Assembly on Existing<br>UOMmCW 2110a3Watermain Repair - Up To 3.0 metres<br>Long<br>400mmCW 2110a3 | DESCRIPTIONSPEC.<br>REF.UNITAPPROX.<br>QUANTITYUNIT<br>PRICESewer ServicesCW 2130m25.0150mm<br>trenchless installation, Class B sand<br>bedding, Class 3 backfillCW 2130each1Connecting to Existing Manhole<br>250mmCW 2130each1Connecting to Existing Manhole<br>250mmCW 2130each3Sewer ServiceCW 2130each3Sewer Inspection<br>150mmCW 2145m16Partial Slab Patches<br>150mm reinforced concrete<br>pavementE6m²30.0Miscellaneous Concrete Slab Renewal<br>Sidewalk (SD-228A)CW 3235m²30.0Concrete Curb Renewal<br>Barrier curb (SD-204)CW 3240<br>mm30.0Hindley AvenueSubtotal E:Matermain Renewal<br>400mmCW 2110<br>renchless installation, Class B sand<br>bedding, Class 3 backfillCW 2110<br>mm5.0New Hydrant Assembly on Existing<br>Watermain<br>SD-006CW 2110<br>renchless installation, Class B sand<br>bedding, Class 3 backfillCW 2110<br>renchless installation, Class B sand<br>renchless installation, Class B sand<br>bedding, Class 3 backfil |

# 2019 WATERMAIN RENEWALS - CONTRACT NO. 4

| ITEM       | DESCRIPTION   | SPEC.      | UNIT           | APPROX.<br>QUANTITY | UNIT<br>PRICE | AMOUNT |
|------------|---|------------|----------------|---------------------|---------------|--------|
| F. 4       | Abandonment of Existing Valve Pits                              | E5         | each           | 1                   | PRICE         |        |
|            | Partial Slab Patches  | E6         | m²             | 75.0                |               |        |
| F. 6       | Construction of Asphaltic Concrete<br>Overlays Type 1A          | CW 3410    | tonne          | 9.0                 |               |        |
| F. 7<br>a) | Concrete Curb Renewal<br>Barrier curb (SD-204)                  | CW 3240    | m              | 10.0                |               |        |
| F. 8<br>a) | Miscellaneous Concrete Slab Renewal<br>Sidewalk (SD-228A)       | CW 3235    | m²             | 20.0                |               |        |
|            | McPhillips Street   |            |                |                     | Subtotal F:   |        |
| <u>G</u>   | Provisional Items   |            |                |                     |               |        |
| G. 1       | Cement Stabilized Fill  |            | m <sup>3</sup> | 10.0                |               |        |
| G. 2       | Regrading Existing Interlocking Paving Stone Installations      | CW 3330    | m²             | 10.0                |               |        |
| G. 3       | Adjustment of Precast Sidewalk Blocks                           | CW 3235    | m²             | 10.0                |               |        |
| G. 4       | Sodding<br>Remove and Replace Existing Catch                    | CW 3510    | m²             | 100.0               |               |        |
| G. 5<br>a) | Basin<br>SD-024   | CW 3450-R3 | each           | 4.0                 |               |        |
| G. 6       | Regrading of Existing Sewer Service -<br>Up to 1.5 metres Long  | CW 2110    |                |                     |               |        |
| a)         | 150mm   |            | each           | 15                  |               |        |
| G. 7       | Regrading of Existing Sewer Service -<br>Longer Than 1.5 metres | CW 2110    |                |                     |               |        |
| a)         | 150mm   |            | m              | 20                  |               |        |

|                  |   | FORM B: PR<br>(SEE B1 |              |                     |               |        |
|------------------|---|-----------------------|--------------|---------------------|---------------|--------|
|                  | 2019 WATERMA                                  | IN RENEWA             | LS - CO      | NTRACT NO           | . 4           |        |
| UNIT P           | RICES   |                       |              |                     |               |        |
| ITEM             | DESCRIPTION                                   | SPEC.<br>REF.         | UNIT         | APPROX.<br>QUANTITY | UNIT<br>PRICE | AMOUNT |
| G. 8<br>a)<br>i) | Fittings<br>Bends (SD-005)<br>150mm - 22 1/2° | CW 2110               | each         | 2                   |               |        |
| ii)<br>iii)      | 150mm - 45°<br>200mm - 45°                    |                       | each<br>each | 2<br>2              |               |        |
| iv)              | 250mm - 45°<br>Provisional Items              |                       | each         | 2                   | Subtotal G:   |        |
|                  |   |                       |              |                     | Total:        |        |
| TOTAL            | BID PRICE (GST extra) (in figures)\$          |                       |              |                     |               |        |
|                  |   |                       |              |                     |               |        |
|                  |   |                       |              |                     | Name of B     | idder  |

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B14)

#### **BID BOND**

KNOW ALL MEN BY THESE PRESENTS THAT

(hereinafter called the "Principal") and

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

TENDER NO. 202-2019

2019 WATER MAIN RENEWALS - CONTRACT NO.4

as more fully set out in the Tender.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance and labour and material payment bonds, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

\_\_\_\_\_ day of \_\_\_\_\_\_ , 20\_\_\_\_\_ .

SIGNED AND SEALED in the presence of:

(Witness as to Principal if no seal)

| (Name of Principal) |        |
|---------------------|--------|
| Per:                | (Seal) |
| Per:                |        |
|                     |        |
|                     |        |
| (Name of Surety)    |        |

of

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B14)

#### AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

(Name of Bidder)

(Place)

the Bidder to you on \_\_\_\_\_\_, 20\_\_\_\_\_, for

TENDER NO. 202-2019

2019 WATER MAIN RENEWALS – CONTRACT NO.4

The Surety agrees to issue for the Principal:

- 1. a Performance Bond in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Tender; and
- 2. a Labour and Material Payment Bond in an amount equal to fifty percent (50%) of the Contract Price for the payment for all labour, service and material used or reasonably required for use in the performance of the Work shown and described in the Tender;

If our Principal's Bid is accepted by you, such Performance Bond and Labour and Material Payment Bond (the Bonds) to be maintained and continue in full force and effect until the expiration of the warranty period. The Bonds shall be in the form specified in the Tender.

It is a condition that this Agreement to Bond shall become null and void if the Bonds mentioned above are not required from our Principal within Forty-Fivein (45in) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

| SIGNED AND SEALED | ) this | day of | 20     |  |
|-------------------|--------|--------|--------|--|
|                   | uno    | uay or | <br>20 |  |

By:

(Name of Surety)

\_\_\_ (Seal)

(Attorney-in-Fact)