


NOTES


- 1. CONFIRM LAYOUT WITH CONTRACT ADMINISTRATOR PRIOR TO CONSTRUCTION
- 2. DIMENSIONS ARE IN METRES
- 3. DIMENSIONS FOR TIMBER EDGING ARE TO OUTSIDE OF EDGING
- 4. CONTRACTOR TO VERIFY DIMENSIONS AND CONFORMANCE OF SWING AND PLAY EQUIPMENT SAFETY ZONES AND REPORT ANY DISCREPANCIES TO CONTRACT ADMINISTRATOR
- 5. LAYOUT OF PLAY AREA DRAINAGE TO BE DETEMINED ON SITE WITH CONTRACT ADMINISTRATOR

Winnipeg THE CITY OF WINNIPEG Planning, Property and Development Department Planning and Land Use Division Unit 15 - 30 Fort Street, Winnipeg, MB, (R3C 4X5)

DESIGNED BY		CHECKED BY		
DRAWN BY	IM	APPROVED BY	MANAGER, PARK AND OPEN SPACES	DATE
HORIZ. SCALE	SCALE			
VERT. SCALE				
DATE			MANAGER, PLANNING AND LAND USE DIVISION	DATE



Waste Receptacle Bumpout



Base course timber :

- shall be pinned with minimum of two (2) 19mm dia. rebar @ max. 1200mm O.C.

Cap

- shall be pre-drilled and screwed down using screws treated for ACQ use and sized to suit. Screws to extend into timber base at min. 50mm and to be countersunk into cap. Two parallel screws every 600mm O.C. along length and at ends. Only use butt joints for straight sections of cap. Min. length of timbers to be 1200mm. Install longest lengths possible.

2 Timber Edging Detail Scale: 1:15

CONTRACTOR TO CONFIRM ALL DIMENSIONS AND REPORT ANY DISCREPANCIES TO CONTRACT ADMINISTRATOR PRIOR TO CONSTRUCTION. LOCATION OF UNDERGROUND STRUCTURES AS SHOWN ARE BASED ON THE BEST INFORMATION AVAILABLE BUT NO GUARANTEE IS GIVEN THAT ALL EXISTING UTILITIES ARE SHOWN OR THAT THE GIVEN LOCATIONS ARE EXACT. CONFIRMATION OF EXISTENCE AND EXACT LOCATION OF ALL SERVICES MUST BE OBTAINED FROM THE INDIVIDUAL UTILITIES BEFORE PROCEEDING WITH CONSTRUCTION.

Finestone Park Playground Development
LAYOUT PLAN AND TIMBER EDGING DETAIL

DRAWING NO.

F.7-B5

BID OPPORTUNITY NO. **243-2019**

SITE ADDRESS 160 Kurt Avenue BID OP 243.2

OR THE REPORT OF THE PROPERTY OF THE PROPERTY