#### FORM A: BID (See B9)

#### 1. Contract Title 2019 WATER MAIN RENEWALS CONTRACT 6

2.	Bidder			
<b></b>	Diddei	Name of Bidder		
		Usual Business Name of Bidde	er as it appears on Invoice (if different fr	rom above)
		Street		
		City	Province	Postal Code
		Email Address of Bidder		
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		GST Registration Number (if a	pplicable)	
	(Choose one)	The Bidder is:		
		a sole proprietor		
		a partnership		
		a corporation		
		carrying on business und	der the above name.	
3.	Contact Person	The Bidder hereby auth the Bidder for purposes	orizes the following contact per of the Bid.	rson to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
1.	Definitions	All capitalized terms u ascribed to them in the 0	sed in the Contract shall hav Seneral Conditions.	ve the meanings

5.	Offer	The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.
6.	Bid Security	In accordance with B14.1, the Bidder encloses bid security in the form of a bid bond (Form G1: Bid Bond and Agreement to Bond) and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	By submitting a bid in response to this Tender, the Bidder certifies that it has read, understands, and agrees to the terms and conditions of this Tender and that the Tender, in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.
12.	Indigenous Self- Declaration	The City is requesting that Bidders identify if their business is at least 51% owned by one or more Indigenous persons of Canada.
		YES, 51% or more Indigenous ownership
		NO, it is not
		This information is being gathered for statistical purposes only and will

not be used for purposes of evaluation.

13.	Signatures	The Bidder or the Bidder's authorized official or officials have signed this
		, 20
		Signature of Bidder or Bidder's Authorized Official or Officials
		(Print here name and official capacity of individual whose signature appears above)
		(Print here name and official capacity of individual whose signature appears above)

## (SEE B9)

## 2019 WATER MAIN RENEWALS - CONTRACT NO. 6

ITE	EM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Α		Clifton Street - St. Matthews Avenue to V	 Wolever Ave	nue			
Α.	1	Water Main Renewal	CW 2110				
	a)	300 mm					
	,	trenchless installation, class B sand bedding, Class 3 backfill		m	35		
	,	trenchless installation, class B sand bedding, Class 5 backfill		m	300		
		250 mm					
	i)	trenchless installation, class B sand bedding, Class 3 backfill		m	3		
A.	2	Hydrant Assembly	CW 2110				
	a)	SD-006		each	2		
	b)	SD-007		each	3		
A.	3	Water Main Valve	CW 2110				
	a)	300mm		each	4		
A.	4	Fittings	CW 2110				
	•	Tees					
	i) b)	300mm X 300mm X 250mm Bends (SD-005)		each	1		
	i)	250mm - 22 1/2°		each	2		
	ii)	300mm - 22 1/2°		each	2		
	iii)	300mm - 45°		each	2		
Α.	5	Water Service	CW 2110				
	a)	19mm					
	i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	130		
Α.	6	Corporation Stops	CW 2110				
	a)	19mm		each	49		
A.	7	Curb Stops	CW 2110				
	a)	19mm		each	21		
A.	8	Curb Stop Boxes	CW 2110				
	a)	19mm		each	21		

(SEE B9)

## 2019 WATER MAIN RENEWALS - CONTRACT NO. 6

ITE	ΞM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.	a) i)	Connecting to Existing Water Mains and Large Diameter Water Services Inline Connection - no plug existing 250mm 300mm	CW 2110	each each	1 2		
A.		Connecting Existing Copper Water Services to New Watermains 19mm	CW 2110	each	49		
Α	11 a) b)	10.9 Kilogram Sacrificial Zinc Anodes On Metallic Watermains On Water Services	CW 2110	each each	1 69		
Α	12	Continuity Bonding	CW 2110	each	49		
Α	13	Maintaining Curb Stop Excavations	CW 2110	each / day	20		
Α		Partial Slab Patches 150mm reinforced concrete pavement	E5	m²	25		
A	15 a) i)	Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A) Less than 5 m <sup>2</sup>	E6	m²	125		
Α	a) i)	Concrete Curb Renewal Barrier curb (SD-204) Less than 3 m	E7	m	20		
	b) i)	Ramp curb Less than 3 m		m	3		
Α		Construction of Asphaltic Concrete Patches Type 1A	E9	m²	10		
					Clifton Str	eet Subtotal	

(SEE B9)

## 2019 WATER MAIN RENEWALS - CONTRACT NO. 6

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
------	-------------	---------------	------	---------------------	---------------	--------

В		Dominion Street - Wolever Avenue to Mic	d-Block Nor	th			
B.	1 a)	Water Main Renewal	CW 2110				
		trenchless installation, class B sand bedding, Class 3 backfill		m	25		
	ii)	trenchless installation, class B sand bedding, Class 5 backfill		m	125		
B.	2 a)	Hydrant Assembly SD-007	CW 2110	each	1		
	,	30-007		eacii	'		
B.	3 a)	Water Main Valve 150mm	CW 2110	each	1		
	ŕ			00.01.			
B.	4 a)	Fittings Bends (SD-005)	CW 2110				
	,	150mm - 22 1/2°		each	4		
В.	5	Water Service	CW 2110				
	a) .`	19mm					
	i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	20		
B.	6	Corporation Stops	CW 2110				
	a)	19mm		each	22		
В.	7	Connecting to Existing Water Mains and	CW 2110				
	a)	Large Diameter Water Services Inline Connection - no plug existing	CVV 2110				
	i)	150mm		each	2		
В.	8	Connecting Existing Copper Water	CW 2110				
	a)	Services to New Watermains 19mm	CVV ZIIU	each	22		
В.	9	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
	a)	On Water Services		each	22		
В.	10	Continuity Bonding	CW 2110	each	22		

(SEE B9)

## 2019 WATER MAIN RENEWALS - CONTRACT NO. 6

ITI	EM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.	11	Partial Slab Patches	E5				
	a)	150mm reinforced concrete pavement		m²	20		
B.	12	Miscellaneous Concrete Slab Renewal	E6				
	a)	Sidewalk (SD-228A)					
	i)	Less than 5 m <sup>2</sup>		m²	30		
B.	13	Concrete Curb Renewal	E7				
	a)	Barrier curb (SD-204)					
	i)	Less than 3 m		m	15		
	b)	Ramp curb					
	i)	Less than 3 m		m	3		
B.	14	Construction of Asphaltic Concrete Patches Type 1A	E9	m²	15		
			1		Dominion Str	eet Subtotal	

С		Wellington Avenue - Alverstone Street to	Home Stre	et		
C.	1	Water Main Renewal	CW 2110			
		350 mm trenchless installation, class B sand				
	,	bedding, Class 3 backfill		m	4	
	•	300 mm trenchless installation, class B sand bedding, Class 3 backfill		m	30	
	,	200 mm trenchless installation, class B sand				
	·	bedding, Class 3 backfill		m	170	
		150 mm trenchless installation, class B sand bedding, Class 3 backfill		m	30	
C.	2	Hydrant Assembly	CW 2110			
	a)	SD-007		each	2	
C.	3	Water Main Valve	CW 2110			
	a)	150mm		each	2	
	b)	200mm		each	4	
	c)	300mm		each	1	

(SEE B9)

## 2019 WATER MAIN RENEWALS - CONTRACT NO. 6

ITE	M	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.	4	Fittings	CW 2110				
	,	Tees			_		
	,	300mm X 300mm X 200mm		each	2		
		Bends (SD-005)					
		150mm - 45°		each	4		
		200mm - 22 1/2°		each	2		
		200mm - 45° 300mm - 45°		each each	4 4		
	-	Crosses		each	4		
	,	200mm X 200mm X 150mm X 150mm		each	1		
	-	Reducers		Caon	·		
	,	350mm - 300mm		each	2		
	,			<b>5</b> 45.1	_		
C.	5	Water Service	CW 2110				
	a)	19mm					
	i)	trenchless installation, Class B sand		m	130		
		bedding, Class 3 backfill		111	130		
_	•						
C.	6	Corporation Stops	CW 2110		40		
	a)	19mm		each	19		
C.	7	Curb Stops	CW 2110				
О.	a)	19mm	CVV 2110	each	9		
	u)	1911111		eacii	9		
C.	8	Curb Stop Boxes	CW 2110				
•	a)	19mm	011 2110	each	9		
	,			Gaoil	Ŭ		
C.	9	Connecting to Existing Water Mains and					
		Large Diameter Water Services	CW 2110				
		Inline Connection - no plug existing					
		150mm		each	2		
		200mm		each	2		
	III)	350mm		each	2		
C	10	Connecting Evicting Conner Water					
C.	10	Connecting Existing Copper Water Services to New Watermains	CW 2110				
	a)	19mm		each	19		
	,						
C.	11	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
	a)	On Metallic Watermains		each	3		
	b)	On Water Services		each	19		

(SEE B9)

## 2019 WATER MAIN RENEWALS - CONTRACT NO. 6

ITEN	VI	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.	12	Continuity Bonding	CW 2110	each	19		
		Partial Slab Patches	E5				
		150mm reinforced concrete pavement		m²	25		
		200mm reinforced concrete pavement		m²	130		
	c)	200mm reinforced concrete pavement for early opening (24 hours)		m²	15		
		Miscellaneous Concrete Slab Renewal	E6				
	a) i)	Sidewalk (SD-228A) Less than 5 m <sup>2</sup>		m²	75		
		Concrete Curb Renewal	E7				
	a)	Barrier curb (SD-204)					
	i)	Less than 3 m		m	45		
	e)	Ramp curb			4.5		
	i)	Less than 3 m		m	15		
C.	16	Planning	CW 3450				
	a)	Planning 0-50mm depth					
	i)	Asphaltic Concrete		m²	200		
C.	17	Construction of Asphaltic Concrete Patches Type 1A	E9	m²	100		
C.	18	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	25		
C.	19	Detectable Warning Surface Tiles	CW 3326	each	4		
				We	llington Aver	ue Subtotal	

D	Ellice Avenue - Home Street to Simcoe Street						
D. 1	i) trenchless installation, class B sand bedding, Class 3 backfill	CW 2110	m m	120 40			

(SEE B9)

# 2019 WATER MAIN RENEWALS - CONTRACT NO. 6

ITE	EM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.	2	Hydrant Assembly	CW 2110				
	a)	SD-006		each	2		
<u> </u>	2	Maria Maria Malia	014/04/40				
D.		Water Main Valve	CW 2110	ooob	2		
	a) b)	150mm 200mm		each each	2 2		
	D)	20011111		each	2		
D.	4	Fittings	CW 2110				
	a)	Bends (SD-005)					
	i)	150mm - 45°		each	8		
	ii)	200mm - 22 1/2°		each	4		
		Crosses					
	i)	200mm X 200mm X 150mm X 150mm		each	2		
D.	5	Water Service	CW 2110				
		19mm					
	i)	trenchless installation, Class B sand		m	10		
		bedding, Class 3 backfill		m	10		
		25mm					
	i)			m	5		
	c)	bedding, Class 3 backfill 50mm					
	i)	trenchless installation, Class B sand			_		
	,	bedding, Class 3 backfill		m	5		
D.	6	Corporation Stops	CW 2110				
	a)	19mm		each	4		
	b)	25mm		each	2		
	c)	50mm		each	1		
D.	7	Connecting to Existing Water Mains and					
	- \	Large Diameter Water Services	CW 2110				
		Inline Connection - no plug existing					
		150mm		each	4		
	11)	200mm		each	2		
D.	8	Connecting Existing Copper Water					
	9	Services to New Watermains	CW 2110				
	a)	19mm		each	4		
	b)	25mm		each	2		
	c)	50mm		each	1		

(SEE B9)

## 2019 WATER MAIN RENEWALS - CONTRACT NO. 6

ITI	EM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.	9	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
	a)	On Metallic Watermains		each	2		
	b)	On Water Services		each	7		
D.	10	Continuity Bonding	CW 2110	each	7		
D.		Temporary Surface Restorations	E11				
	a)	Street Pavement		each	120		
	b)	Sidewalk		each	25		
D.	12	Regrading Existing Interlocking Paving Stone Installations	CW 3330	m²	30		
					Ellice Aver	nue Subtotal	

E	Ellice Avenue - Victor Street to McGee Street					
a) i) b) i)	Water Main Renewal 200 mm trenchless installation, class B sand bedding, Class 3 backfill 150 mm trenchless installation, class B sand bedding, Class 3 backfill	CW 2110	m m	190 5		

## (SEE B9)

## 2019 WATER MAIN RENEWALS - CONTRACT NO. 6

ITE	ΕM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E.	2	Hydrant Assembly	CW 2110		_		
	a)	SD-007		each	2		
E.	3	Water Main Valve	CW 2110				
	a)	200mm		each	5		
Ε.	4	Fittings	CW 2110				
		Fittings Bends (SD-005)	CW 2110				
	,	150mm - 45°		each	4		
		200mm - 45°		each	8		
		Crosses					
	i)	200mm X 200mm X 150mm X 150mm		each	1		
	ii)	200mm X 200mm X 200mm X 200mm		each	1		
	c)	Reducers					
	i)	200mm - 150mm		each	1		
E.	5	Water Service	CW 2110				
		19mm					
	i)	trenchless installation, Class B sand		m	35		
		bedding, Class 3 backfill		111			
		38mm					
	i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	2		
_	•						
E.	6	Corporation Stops	CW 2110	I	40		
	a) b)	19mm		each	10		
	D)	38mm		each	1		
E.	7	Curb Stops	CW 2110				
	a)	19mm		each	1		
Ε.	0	Courts Chan Dayson	0)// 0440				
⊏.		Curb Stop Boxes 19mm	CW 2110	oach	4		
	a)			each	1		
E.	9	Connecting to Existing Water Mains and					
		Large Diameter Water Services	CW 2110				
		Inline Connection - no plug existing					
		150mm		each	3		
	11)	200mm		each	3		
E.	10	Connecting Existing Copper Water					
		Services to New Watermains	CW 2110	_			
	a)	19mm		each	10		
	b)	38mm		each	1 1		

(SEE B9)

## 2019 WATER MAIN RENEWALS - CONTRACT NO. 6

ITI	EM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E.	11	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
	a)	On Water Services		each	12		
E.	12	Continuity Bonding	CW 2110	each	12		
E.	13	Maintaining Curb Stop Excavations	CW 2110	each / day	1		
E.	14	Temporary Surface Restorations	E11				
		Street Pavement		each	110		
	b)	Sidewalk		each	40		
E.	15	Regrading Existing Interlocking Paving Stone Installations	CW 3330	m²	60		
			_	_	Ellice Aver	ue Subtotal	

F		Carlton Street - Qu'Appelle Avenue to Ellice Avenue						
F.		Water Main Renewal 250 mm	CW 2110					
		trenchless installation, class B sand bedding, Class 3 backfill 150 mm		m	105			
	i)	trenchless installation, class B sand bedding, Class 3 backfill		m	10			

(SEE B9)

## 2019 WATER MAIN RENEWALS - CONTRACT NO. 6

ITI	ΞM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F.	2	Hydrant Assembly	CW 2110				
	a)	SD-006		each	1		
F.	3	Water Main Valve	CW 2110				
	a)	150mm		each	3		
	b)	250mm		each	2		
F.	4	Fittings	CW 2110				
	a)	Tees					
	i)	250mm X 250mm X 150mm		each	3		
	b)	Bends (SD-005)					
	i)	150mm - 45°		each	6		
	ii)	250mm - 22 1/2°		each	2		
F.	5 a)	Connecting to Existing Water Mains and Large Diameter Water Services	CW 2110				
		Inline Connection - no plug existing 150mm		each			
		250mm		each	3 2		
	")	25011111		each	2		
F.	6	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
	a)	On Water Services		each	3		
F.	7	Partial Slab Patches	E5				
	a)	200mm reinforced concrete pavement		m²	55		
F.	8	Miscellaneous Concrete Slab Renewal	E6				
	a)	Sidewalk (SD-228A)					
	i)	Less than 5 m <sup>2</sup>		m²	30		
F.	9	Concrete Curb Renewal	E7				
	a)	Barrier curb (SD-204)					
	i)	Less than 3 m		m	25		
F.	10	Construction of Asphaltic Concrete		- 2			
		Patches Type 1A	E9	m²	55		
					Carlton Str	eet Subtotal	

(SEE B9)

## 2019 WATER MAIN RENEWALS - CONTRACT NO. 6

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT	AMOUNT
11 [14]	DESCRIPTION	REF.	ONT	QUANTITY	PRICE	AWOUNT

G		Smtih Street - Portage Avenue to Mid-blo	ock South			
G.	1	Water Main Renewal	CW 2110			
		250 mm trenchless installation, class B sand bedding, Class 3 backfill		m	75	
		150 mm trenchless installation, class B sand bedding, Class 3 backfill		m	5	
G.	2	Hydrant Assembly	CW 2110			
0.	a)	SD-006	CVV 2110	each	1	
G.	3	Water Main Valve	CW 2110			
	a)	250mm		each	1	
G.	4	Fittings	CW 2110			
	•	Tees 250mm X 250mm X 150mm		each	2	
		Bends (SD-005) 150mm - 45°		aaab	4	
	•	250mm - 22 1/2°		each each	4	
G.	5	Connecting to Existing Water Mains and	0111 0440			
	a)	Large Diameter Water Services Inline Connection - no plug existing	CW 2110			
	i)	250mm		each	2	
G.	6	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110			
	a)	On Water Services		each	2	
G.	7	Partial Slab Patches	E5	?	_	
	a) b)	150mm reinforced concrete pavement 200mm reinforced concrete pavement		m² m²	5 60	
	c)	200mm reinforced concrete pavement for early opening (24 hours)		m²	10	

(SEE B9)

## 2019 WATER MAIN RENEWALS - CONTRACT NO. 6

ITE	ΞM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
G.	8 a) i)	Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A) Less than 5 m <sup>2</sup>	E6	m²	20		
G.	9 a)	Concrete Curb Renewal Barrier curb (SD-204)	E7				
	i) b)	Less than 3 m Ramp curb		m	25		
	i)	Less than 3 m		m	5		
G.		Construction of Asphaltic Concrete Patches Type 1A	E9	m²	70		
					Smith Str	eet Subtotal	

1	Cement Stabilized Fill	CW 2030	m³	10		
2	Street Light Cable	E13				
	_		m	100		
b)	trenchless installation		m	100		
3	Fittings	CW 2110				
a)	Bends (SD-004)					
i)	150mm - 22 1/2°		each	1		
ii)	150mm - 45°		each	1		
iii)	150mm - 90°		each	1		
iv)	200mm - 22 1/2°		each	1		
v)	200mm - 45°		each	1		
vi)	200mm - 90°		each	1		
vii)	250mm - 22 1/2°		each	1		
viii)	250mm - 45°		each	1		
ix)	300mm - 22 1/2°		each	1		
x)	300mm - 45°		each	1		
	a) b) 3 a) ii) iii) v) vii) viii) viii)	a) trench installation b) trenchless installation	a) trench installation b) trenchless installation  3 Fittings a) Bends (SD-004) i) 150mm - 22 1/2° ii) 150mm - 45° iii) 150mm - 90° iv) 200mm - 22 1/2° v) 200mm - 45° vi) 200mm - 90° vi) 250mm - 22 1/2° viii) 250mm - 22 1/2° viii) 250mm - 22 1/2°	trench installation m  Tittings  Bends (SD-004)  i) 150mm - 22 1/2° each iii) 150mm - 90° each iv) 200mm - 22 1/2°  v) 200mm - 45° vi) 200mm - 90° each each each each each each each each	a) trench installation b) trenchless installation  Tittings Bends (SD-004)  i) 150mm - 22 1/2°  ii) 150mm - 45°  iii) 150mm - 90°  iv) 200mm - 22 1/2°  vi) 200mm - 45°  vi) 200mm - 90°  vii) 250mm - 22 1/2°  each 1	a) trench installation

(SEE B9)

## 2019 WATER MAIN RENEWALS - CONTRACT NO. 6

ITE	M	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Н.		Regrading of Existing Sewer Service - Up	0)// 0440				
		to 1.5 metres long	CW 2110				
		150mm		each	1		
		200mm		each	1		
	c)	250mm		each	1		
H.	5	Remove and Replace Existing Catch Basin	CW 2130				
	a)	SD-024	• · · · · · · · · · · · · · · · · · · ·	each	1		
Н.	6	Curb Stops	CW 2110				
	a)	25mm		each	1		
	b)	38mm		each	1		
	c)	50mm		each	1		
Н.	7	Curb Stop Boxes	CW 2110				
		25mm		each	1		
	b)	38mm		each	1		
	c)	50mm		each	1		
H.		Water Main and Water Service Insulation In a trench (SD-018)	CW 2110				
	i)	100mm thick		m	3		
Н.	9	Exposing Existing Utilities	E10	hours	10		
				Pı	rovisional Ite	ms Subtotal	

	Total Bid Price:		
TOTAL BID PRICE (GST extra)	(in figures)\$		
(in words)			
	Name of Bidder	-	

(Seal)

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B14)

BID BOND					
KNOW ALL MEN BY THESE PRESENTS TH	HAT				
(hereinafter called the "Principal") and					
the "Obligee") in the sum of ten percent (10%	firmly bound unto <b>THE CITY OF WINNIPEG</b> (herein) of the Total Bid Price set out in the Bid hereinafted Surety bind themselves, their heirs, executors, addr., firmly by these presents.	er described			
WHEREAS the Principal has submitted a Bid	I to the Obligee for				
TENDER NO. 246-2019					
2019 WATER MAIN RENEWALS CONTRAC	CT 6				
as more fully set out in the Tender.					
if said Bid is accepted and the Principal, in ac	gation is such that if the Bid of the Principal is not accordance with the terms of the Bid, enters into a Cd performance and labour and material payment emain in full force and effect.	Contract with			
IN WITNESS WHEREOF the Principal and S	Surety have signed and sealed this bond the				
day of	, 20				
SIGNED AND SEALED in the presence of:  (Witness as to Principal if no seal)	(Name of Principal)  Per:  Per:	(Seal)			

(Name of Surety)

(Attorney-in-Fact)

Ву:

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B14)

#### **AGREEMENT TO BOND**

(to be attached to and to form part of Bid Bond)

	e Surety on the attached Bid Bond hereby und	lertakes ar	nd agrees with	THE CITY OF WINNIPEG to
(Na	me of Bidder)			of
(140	into di Biddol)			
(Pla	ace)			
the	Bidder to you on	, 20	for	
TE	NDER NO. 246-2019			
	19 WATER MAIN RENEWALS CONTRACT 6 e Surety agrees to issue for the Principal:			
1. 2.	a Performance Bond in an amount equal to fit proper performance of the Work shown and de a Labour and Material Payment Bond in an am- the payment for all labour, service and material of the Work shown and described in the Tende	scribed in t ount equal used or re	he Tender; and to fifty percent	d (50%) of the Contract Price for
(th	our Principal's Bid is accepted by you, such Perf e Bonds) to be maintained and continue in full fo e Bonds shall be in the form specified in the Ten	rce and eff		
	s a condition that this Agreement to Bond shall I t required from our Principal within sixty (60) Cal			
of	ID IT IS HEREBY DECLARED AND AGREED that any kind or matter whatsoever that will not dischall liability of the Surety, any law or usage relating to	arge the Pri	ncipal shall op	erate as a discharge or release
SI	GNED AND SEALED this day o	f		, 20
	(N	ame of Surety	·)	
	Ry	<i>r</i> ·		(Seal)

(Attorney-in-Fact)